

## RY2021 Common Questions:

### Q: How do I fix these errors?

There were 5 errors in your inventory:

- Emissions path SEQT20:PEQT20::REQT20:: Routine Emissions: PM10 Primary (72,688) must be greater than or equal to PM Condensable (33,414) plus PM10 Filterable (39,273).
- Emissions path SEQT21:PEQT21::REQT21:: Routine Emissions: PM10 Primary (12,529) must be greater than or equal to PM Condensable (9,396) plus PM10 Filterable (3,132).
- Emissions path SEQT21:PEQT21::REQT21:: Routine Emissions: PM25 Primary (12,529) must be greater than or equal to PM Condensable (9,396) plus PM25 Filterable (3,132).
- Emissions path SEQT30:PEQT30::REQT30:: Routine Emissions: PM25 Primary (28,036) must be greater than or equal to PM Condensable (24,04) plus PM25 Filterable (3,995).
- Emissions path SEQT32:PEQT32::REQT32:: Routine Emissions: PM10 Primary (16,547) must be greater than or equal to PM Condensable (12,251) plus PM10 Filterable (4,295).

**A: Rounding PM Primary to 2 decimal places will resolve the error.**

### Q: I tried to update my email preferences and it didn't work. What do I do?

**A: [ERIC Email Signup](#) <- Click this link if you want to receive any email that goes to the ERIC Community.**

**We are working on fixing the system generated email preference options, like access request notifications and certification received notifications.**