Appendix A: Final Approved 2018 Integrated Report of Water Quality in Louisiana November 20, 2019

Description of Codes and Acronyms:

| Water Body Types: R = Rivers; L = Lakes; E = Estuaries; W = Wetlands; C = Coastal Wa | ters | | 1 | Use S | upp | oort (| Code | s for | De | signated U | Uses: | F = Fully supporting desig | nated use | | |
|--|------|------|-------|--------|-------|--------|------|-------|------|------------|---------|-------------------------------|-------------------|--------------|-------------------|
| | | | | | | | | | | | | N = Not supporting design | ated use | | |
| Water Body Sizes: R = Miles; L = Acres; E = Square Miles; W = Acres; C = Miles | | | | | | | | | | | | I = Insufficient data to make | ke reliable deter | mination | |
| | | | | | | | | | | | | X = No data | | | |
| Designated Use PCR = Primary Contact Recreation (swimming) | | | | | | | | | | | | | | | |
| Descriptions: SCR = Secondary Contact Recreation (boating) | | | Fo | llow- | up I | Data | Con | nmen | nts: | CTM Fu | ull: Le | ead = Follow-up ultra-clear | n metals samplin | ng indicates | full support |
| FWP = Fish and Wildlife Propagation (fishing) | | | | | | | | | | | | | | | |
| DWS = Drinking Water Supply | | IR C | atego | ory fo | or Su | uspec | ted | Caus | es: | IRC 5 = | = 303(| d) List | | | |
| ONR = Outstanding Natural Resource | | | | | | | | | | IRC 5-A | Alt = 3 | 303(d) List but LDEQ will | implement alter | mative corre | ective strategies |
| OYS = Oyster Propagation | | | | | | | | | | IRC 5R | C = 3 | 03(d) List but criteria revis | sions (Revise Ci | iteria (RC)) | are planned |
| AGR = Agriculture | | | | | | | | | | IRC 4a | = TM | DL completed | | | |
| LAL = Limited Aquatic Life and Wildlife | | | | | | | | | | IRC 4b | = Oth | er corrective actions in pla | ce | | |
| | | | | | | | | | | IRC $3 =$ | = Insut | fficient data to make a relia | ble determination | on | |
| | | | | | | | | | | IRC 1 = | No in | mpairment, fully supportin | g all uses | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | Impai | red | | | | |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | DWS | ONR | SYO | AGR | LAL | Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | TMDL Priority | Suspected Sources of Impairment |
|-------------------|--|-----------------------|-----------|-----|-----|-----|-----|-----|-----|-----|-----|-------------------------------|---|--|------------------|------------------------------------|
| LA010101_00 | Atchafalaya River Headwaters and Floodplain-From Old River Control Structure to Simmesport; includes Old River Diversion Channel, Lower Red River, Lower Old River | W | 86,400.0 | F | F | F | | | | | | | | | | |
| LA010201_00 | Atchafalaya River Mainstem-From Simmesport to Whiskey Bay Pilot Channel at mile 54 | R | 49.4 | F | F | F | | | | | | | | | | |
| LA010301_00 | West Atchafalaya Basin Floodway-From Simmesport to Butte LaRose Bay and Henderson Lake | W | 199,040.0 | F | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | NATURAL SOURCES |
| LA010301_00 | West Atchafalaya Basin Floodway-From Simmesport to Butte LaRose Bay and Henderson Lake | W | 199,040.0 | F | F | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | ATMOSPHERIC DEPOSITION - TOXICS |
| LA010301_00 | West Atchafalaya Basin Floodway-From Simmesport to Butte LaRose Bay and Henderson Lake | W | 199,040.0 | F | F | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | SOURCE UNKNOWN |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | DWS | ONR | SYO | AGR | LAL | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | TMDL Priority | Suspected Sources of Impairment |
|-------------------|---|-----------------------|-----------|-----|-----|-----|-----|-----|-----|-----|-----|---|---|--|------------------|------------------------------------|
| LA010301_001 | Henderson Lake-Located within subsegment LA010301_00. This unit is added for advisory tracking purposes only and is not a subsegment as defined by LAC 33:IX.1123.A. et seq. No other assessment is made for this waterbody. | L | 4,417.0 | | | N | | | | | | | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | ATMOSPHERIC DEPOSITION - TOXICS |
| LA010301_001 | Henderson Lake-Located within subsegment LA010301_00. This unit is added for advisory tracking purposes only and is not a subsegment as defined by LAC 33:IX.1123.A. et seq. No other assessment is made for this waterbody. | L | 4,417.0 | | | N | | | | | | | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | SOURCE UNKNOWN |
| LA010301_002 | Lake Bigeux-Located within subsegment LA010301_00. This unit is added for advisory tracking purposes only and is not a subsegment as defined by LAC 33:IX.1123.A. et seq. No other assessment is made for this waterbody. | L | 393.0 | | | N | | | | | | | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | ATMOSPHERIC DEPOSITION - TOXICS |
| LA010301_002 | Lake Bigeux-Located within subsegment LA010301_00. This unit is added for advisory tracking purposes only and is not a subsegment as defined by LAC 33:IX.1123.A. et seq. No other assessment is made for this waterbody. | L | 393.0 | | | N | | | | | | | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | SOURCE UNKNOWN |
| LA010301_003 | Two o'Clock Bayou - From Louisiana Highway 190 to Craft Lake; includes Cowan Bay, Close Lake, and Craft Lake. This unit is added for advisory tracking purposes only and is not a subsegment as defined by LAC 33:IX.1123.A.et seq. | R | 6.8 | | | N | | | | | | | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | ATMOSPHERIC DEPOSITION - TOXICS |
| LA010301_003 | Two o'Clock Bayou - From Louisiana Highway 190 to Craft Lake; includes Cowan Bay, Close Lake, and Craft Lake. This unit is added for advisory tracking purposes only and is not a subsegment as defined by LAC 33:IX.1123.A.et seq. | R | 6.8 | | | Ν | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | SOURCE UNKNOWN |
| LA010401_00 | East Atchafalaya Basin and Morganza Floodway South to I-10 Canal | W | 195,840.0 | F | F | F | | | | | | | | | | |
| LA010401_001 | Big Alabama-Located within LA010401_00. This unit is added for advisory tracking purposes only and is not a subsegment as defined by LAC 33:IX.1123.A. et seq. No other assessment is made for this waterbody. | R | 13.1 | | | N | | | | | | | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | ATMOSPHERIC DEPOSITION - TOXICS |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | DWS | ONR | SYO | AGR | LAL | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | TMDL Priority | Suspected Sources of Impairment |
|-------------------|---|-----------------------|-----------|-----|-----|-----|-----|-----|-----|-----|-----|---|---|--|------------------|------------------------------------|
| LA010401_001 | Big Alabama-Located within LA010401_00. This unit is added for advisory tracking purposes only and is not a subsegment as defined by LAC 33:IX.1123.A. et seq. No other assessment is made for this waterbody. | R | 13.1 | | | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | SOURCE UNKNOWN |
| LA010501_00 | Lower Atchafalaya Basin Floodway-From Whiskey Bay Pilot Channel at mile 54 to US-90 bridge in Morgan City; includes Grand Lake and Six-Mile Lake | W | 464,000.0 | F | F | F | N | | | | | DWS | COLOR | IRC 5 | L | SOURCE UNKNOWN |
| LA010501_001 | I-10 Canal-Located within subsegment LA010501_00. This unit is added for advisory tracking purposes only and is not a subsegment as defined by LAC 33:IX.1123.A. et seq. No other assessment is made for this waterbody. | R | 8.0 | | | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | ATMOSPHERIC DEPOSITION - TOXICS |
| LA010501_001 | I-10 Canal-Located within subsegment LA010501_00. This unit is added for advisory tracking purposes only and is not a subsegment as defined by LAC 33:IX.1123.A. et seq. No other assessment is made for this waterbody. | R | 8.0 | | | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | SOURCE UNKNOWN |
| LA010501_002 | Work Canal-Located within subsegment LA010501_00. This unit is added for advisory tracking purposes only and is not a subsegment as defined by LAC 33:IX.1123.A. et seq. No other assessment is made for this waterbody. | R | 10.0 | | | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | ATMOSPHERIC DEPOSITION - TOXICS |
| LA010501_002 | Work Canal-Located within subsegment LA010501_00. This unit is added for advisory tracking purposes only and is not a subsegment as defined by LAC 33:IX.1123.A. et seq. No other assessment is made for this waterbody. | R | 10.0 | | | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | SOURCE UNKNOWN |
| LA010501_00533411 | Bristow Bayou-Located within subsegment LA010501_00. This unit is added for advisory tracking purposes only and is not a subsegment as defined by LAC 33:IX.1123.A. et seq. No other assessment is made for this waterbody. | R | 7.8 | | | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | ATMOSPHERIC DEPOSITION - TOXICS |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | DWS | ONR | OYS | AGR | LAL | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | TMDL Priority | Suspected Sources of Impairment |
|-------------------|---|-----------------------|------|-----|-----|-----|-----|-----|-----|-----|-----|---|---|--|------------------|--|
| LA010501_00533411 | Bristow Bayou-Located within subsegment LA010501_00. This unit is added for advisory tracking purposes only and is not a subsegment as defined by LAC 33:IX.1123.A. et seq. No other assessment is made for this waterbody. | R | 7.8 | | | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | SOURCE UNKNOWN |
| LA010502_00 | Intracoastal Waterway (ICWW)-Morgan City-Port Allen Route from Bayou Sorrel Lock to Morgan City | R | 33.6 | F | F | F | F | | | | | | | | | |
| LA010601_00 | Crow Bayou, Bayou Blue and Tributaries | R | 28.2 | F | F | N | | | | | | FWP | CHLORIDE | IRC 4a | | INDUSTRIAL POINT SOURCE DISCHARGE |
| LA010601_00 | Crow Bayou, Bayou Blue and Tributaries | R | 28.2 | F | F | Ν | | | | | | FWP | CHLORIDE | IRC 4a | | NATURAL SOURCES |
| LA010601_00 | Crow Bayou, Bayou Blue and Tributaries | R | 28.2 | F | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 5 | L | AGRICULTURE |
| LA010601_00 | Crow Bayou, Bayou Blue and Tributaries | R | 28.2 | F | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 5 | L | INDUSTRIAL POINT SOURCE DISCHARGE |
| LA010601_00 | Crow Bayou, Bayou Blue and Tributaries | R | 28.2 | F | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 5 | L | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |
| LA010601_00 | Crow Bayou, Bayou Blue and Tributaries | R | 28.2 | F | F | N | | | | | | FWP | SULFATE | IRC 4a | | INDUSTRIAL POINT SOURCE DISCHARGE |
| LA010601_00 | Crow Bayou, Bayou Blue and Tributaries | R | 28.2 | F | F | Ν | | | | | | FWP | SULFATE | IRC 4a | | NATURAL SOURCES |
| LA010601_00 | Crow Bayou, Bayou Blue and Tributaries | R | 28.2 | F | F | N | | | | | | FWP | TOTAL DISSOLVED SOLIDS (TDS) | IRC 4a | | INDUSTRIAL POINT SOURCE DISCHARGE |
| LA010601_00 | Crow Bayou, Bayou Blue and Tributaries | R | 28.2 | F | F | N | | | | | | FWP | TOTAL DISSOLVED SOLIDS (TDS) | IRC 4a | | NATURAL SOURCES |
| LA010701_00 | Bayou Teche-From Berwick to Wax Lake Outlet | R | 13.9 | F | F | Ν | Ν | | | | | DWS | COLOR | IRC 5 | L | NATURAL SOURCES |
| LA010701_00 | Bayou Teche-From Berwick to Wax Lake Outlet | R | 13.9 | F | F | N | N | | | | | FWP | DISSOLVED OXYGEN | IRC 5 | L | NATURAL SOURCES |
| LA010701_00 | Bayou Teche-From Berwick to Wax Lake Outlet | R | 13.9 | F | F | N | N | | | | | FWP | NON-NATIVE AQUATIC PLANTS | IRC 4b | | INTRODUCTION OF NON- NATIVE ORGANISMS (ACCIDENTAL OR INTENTIONAL) |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | DWS | ONR | SYO | AGR | LAL | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | TMDL Priority | Suspected Sources of Impairment |
|-------------------|---|-----------------------|-------|-----|-----|-----|-----|-----|-----|-----|-----|---|--|--|------------------|--|
| LA010801_00 | Atchafalaya River-From ICWW south of Morgan City to Atchafalaya Bay; includes Sweetwater Lake and Bayou Shaffer | R | 24.3 | | F | F | | | | | | | | | | |
| LA010802_00 | Wax Lake Outlet-From US-90 bridge to Atchafalaya Bay; includes Wax Lake | R | 6.7 | | F | F | | | | | | | | | | |
| LA010803_00 | Intracoastal Waterway-From Bayou Boeuf Lock to Bayou Sale; includes Wax Lake Outlet to US-90 | R | 23.6 | F | F | F | | | | | | | | | | |
| LA010901_00 | Atchafalaya Bay and Delta and Gulf Waters to State 3 mile limit | E | 405.6 | F | F | N | | | N | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | ATMOSPHERIC DEPOSITION - TOXICS |
| LA010901_00 | Atchafalaya Bay and Delta and Gulf Waters to State 3 mile limit | Е | 405.6 | F | F | N | | | N | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | SOURCE UNKNOWN |
| LA010901_00 | Atchafalaya Bay and Delta and Gulf Waters to State 3 mile limit | Е | 405.6 | F | F | N | | | N | | | OYS | FECAL COLIFORM | IRC 5 | М | NATURAL SOURCES |
| LA010901_00 | Atchafalaya Bay and Delta and Gulf Waters to State 3 mile limit | E | 405.6 | F | F | N | | | N | | | OYS | FECAL COLIFORM | IRC 5 | М | PACKAGE PLANT OR OTHER PERMITTED SMALL FLOWS DISCHARGES |
| LA020101_00 | Bayou Verret, Bayou Chevreuil, Bayou Citamon and Grand Bayou | R | 40.1 | N | F | N | | | | F | | FWP | DISSOLVED OXYGEN | IRC 4a | | AGRICULTURE |
| LA020101_00 | Bayou Verret, Bayou Chevreuil, Bayou Citamon and Grand Bayou | R | 40.1 | N | F | N | | | | F | | FWP | DISSOLVED OXYGEN | IRC 4a | | NATURAL SOURCES |
| LA020101_00 | Bayou Verret, Bayou Chevreuil, Bayou Citamon and Grand Bayou | R | 40.1 | N | F | N | | | | F | | FWP | NITRATE/NITRITE (NITRITE + NITRATE AS N) | IRC 4a | | AGRICULTURE |
| LA020101_00 | Bayou Verret, Bayou Chevreuil, Bayou Citamon and Grand Bayou | R | 40.1 | N | F | N | | | | F | | FWP | NITRATE/NITRITE (NITRITE + NITRATE AS N) | IRC 4a | | NATURAL SOURCES |
| LA020101_00 | Bayou Verret, Bayou Chevreuil, Bayou Citamon and Grand Bayou | R | 40.1 | N | F | N | | | | F | | FWP | NON-NATIVE AQUATIC PLANTS | IRC 4b | | INTRODUCTION OF NON- NATIVE ORGANISMS (ACCIDENTAL OR INTENTIONAL) |
| LA020101_00 | Bayou Verret, Bayou Chevreuil, Bayou Citamon and Grand Bayou | R | 40.1 | N | F | N | | | | F | | FWP | PHOSPHORUS, TOTAL | IRC 4a | | AGRICULTURE |
| LA020101_00 | Bayou Verret, Bayou Chevreuil, Bayou Citamon and Grand Bayou | R | 40.1 | N | F | N | | | | F | | FWP | PHOSPHORUS, TOTAL | IRC 4a | | NATURAL SOURCES |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | SWG | ONR | SYO | AGR | LAL | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | TMDL Priority | Suspected Sources of Impairment |
|-------------------|---|-----------------------|---------|-----|-----|-----|-----|-----|-----|-----|-----|---|--|--|------------------|--|
| LA020101_00 | Bayou Verret, Bayou Chevreuil, Bayou Citamon and Grand Bayou | R | 40.1 | N | F | N | | | | F | | PCR | FECAL COLIFORM | IRC 5 | L | SEWAGE DISCHARGES IN UNSEWERED AREAS |
| LA020101_00 | Bayou Verret, Bayou Chevreuil, Bayou Citamon and Grand Bayou | R | 40.1 | N | F | N | | | | F | | PCR | FECAL COLIFORM | IRC 5 | L | WATERFOWL |
| LA020101_00 | Bayou Verret, Bayou Chevreuil, Bayou Citamon and Grand Bayou | R | 40.1 | N | F | N | | | | F | | PCR | FECAL COLIFORM | IRC 5 | L | WILDLIFE OTHER THAN WATERFOWL |
| LA020102_00 | Bayou Boeuf, Halpin Canal and Theriot Canal | R | 23.4 | F | F | N | | | | F | | FWP | DISSOLVED OXYGEN | IRC 4a | | INDUSTRIAL POINT SOURCE DISCHARGE |
| LA020102_00 | Bayou Boeuf, Halpin Canal and Theriot Canal | R | 23.4 | F | F | N | | | | F | | FWP | DISSOLVED OXYGEN | IRC 4a | | NATURAL SOURCES |
| LA020102_00 | Bayou Boeuf, Halpin Canal and Theriot Canal | R | 23.4 | F | F | N | | | | F | | FWP | NITRATE/NITRITE (NITRITE + NITRATE AS N) | IRC 4a | | INDUSTRIAL POINT SOURCE DISCHARGE |
| LA020102_00 | Bayou Boeuf, Halpin Canal and Theriot Canal | R | 23.4 | F | F | N | | | | F | | FWP | NITRATE/NITRITE (NITRITE + NITRATE AS N) | IRC 4a | | NATURAL SOURCES |
| LA020102_00 | Bayou Boeuf, Halpin Canal and Theriot Canal | R | 23.4 | F | F | N | | | | F | | FWP | NON-NATIVE AQUATIC PLANTS | IRC 4b | | INTRODUCTION OF NON- NATIVE ORGANISMS (ACCIDENTAL OR INTENTIONAL) |
| LA020102_00 | Bayou Boeuf, Halpin Canal and Theriot Canal | R | 23.4 | F | F | N | | | | F | | FWP | PHOSPHORUS, TOTAL | IRC 4a | | INDUSTRIAL POINT SOURCE DISCHARGE |
| LA020102_00 | Bayou Boeuf, Halpin Canal and Theriot Canal | R | 23.4 | F | F | N | | | | F | | FWP | PHOSPHORUS, TOTAL | IRC 4a | | NATURAL SOURCES |
| LA020103_00 | Lake Boeuf | L | 1,530.6 | F | F | N | | | | | | FWP | NON-NATIVE AQUATIC PLANTS | IRC 4b | | INTRODUCTION OF NON- NATIVE ORGANISMS (ACCIDENTAL OR INTENTIONAL) |
| LA020201_00 | Bayou Des Allemands-From Lac Des Allemands to old US-90 (Scenic) | R | 7.0 | F | F | N | | N | | | | FWP | NON-NATIVE AQUATIC PLANTS | IRC 4b | | INTRODUCTION OF NON- NATIVE ORGANISMS (ACCIDENTAL OR INTENTIONAL) |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | SMG | ONR | SYO | AGR | LAL | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | TMDL Priority | Suspected Sources of Impairment |
|-------------------|---|-----------------------|----------|-----|-----|-----|-----|-----|-----|-----|-----|---|-----------------------------------|--|------------------|--|
| LA020201_00 | Bayou Des Allemands-From Lac Des Allemands to old US-90 (Scenic) | R | 7.0 | F | F | N | | N | | | | FWP | TURBIDITY | IRC 5RC | L | HIGHWAYS, ROADS, BRIDGES, INFRASTRUCTURE (NEW CONSTRUCTION) |
| LA020201_00 | Bayou Des Allemands-From Lac Des Allemands to old US-90 (Scenic) | R | 7.0 | F | F | N | | N | | | | FWP | TURBIDITY | IRC 5RC | L | NATURAL SOURCES |
| LA020201_00 | Bayou Des Allemands-From Lac Des Allemands to old US-90 (Scenic) | R | 7.0 | F | F | N | | N | | | | FWP | TURBIDITY | IRC 5RC | L | SEDIMENT RESUSPENSION (CLEAN SEDIMENT) |
| LA020201_00 | Bayou Des Allemands-From Lac Des Allemands to old US-90 (Scenic) | R | 7.0 | F | F | N | | N | | | | ONR | TURBIDITY | IRC 5RC | L | HIGHWAYS, ROADS, BRIDGES, INFRASTRUCTURE (NEW CONSTRUCTION) |
| LA020201_00 | Bayou Des Allemands-From Lac Des Allemands to old US-90 (Scenic) | R | 7.0 | F | F | N | | N | | | | ONR | TURBIDITY | IRC 5RC | L | NATURAL SOURCES |
| LA020201_00 | Bayou Des Allemands-From Lac Des Allemands to old US-90 (Scenic) | R | 7.0 | F | F | N | | N | | | | ONR | TURBIDITY | IRC 5RC | L | SEDIMENT RESUSPENSION (CLEAN SEDIMENT) |
| LA020202_00 | Lac Des Allemands | L | 16,362.6 | F | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 5 | L | NATURAL SOURCES |
| LA020202_00 | Lac Des Allemands | L | 16,362.6 | F | F | N | | | | | | FWP | NON-NATIVE AQUATIC PLANTS | IRC 4b | | INTRODUCTION OF NON- NATIVE ORGANISMS (ACCIDENTAL OR INTENTIONAL) |
| LA020301_00 | Bayou Des Allemands-From US-90 to Lake Salvador (Scenic) | R | 13.7 | N | F | N | | N | | | | FWP | NON-NATIVE AQUATIC PLANTS | IRC 4b | | INTRODUCTION OF NON- NATIVE ORGANISMS (ACCIDENTAL OR INTENTIONAL) |
| LA020301_00 | Bayou Des Allemands-From US-90 to Lake Salvador (Scenic) | R | 13.7 | N | F | N | | N | | | | FWP | TURBIDITY | IRC 5 | L | FORCED DRAINAGE PUMPING |
| LA020301_00 | Bayou Des Allemands-From US-90 to Lake Salvador (Scenic) | R | 13.7 | N | F | N | | N | | | | FWP | TURBIDITY | IRC 5 | L | SEDIMENT RESUSPENSION (CLEAN SEDIMENT) |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | DWS | ONR | SYO | AGR | LAL | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | TMDL Priority | Suspected Sources of Impairment |
|-------------------|---|-----------------------|----------|-----|-----|-----|-----|-----|-----|-----|-----|---|-----------------------------------|--|------------------|--|
| LA020301_00 | Bayou Des Allemands-From US-90 to Lake Salvador (Scenic) | R | 13.7 | N | F | N | | N | | | | ONR | TURBIDITY | IRC 5 | L | FORCED DRAINAGE PUMPING |
| LA020301_00 | Bayou Des Allemands-From US-90 to Lake Salvador (Scenic) | R | 13.7 | N | F | N | | N | | | | ONR | TURBIDITY | IRC 5 | L | SEDIMENT RESUSPENSION (CLEAN SEDIMENT) |
| LA020301_00 | Bayou Des Allemands-From US-90 to Lake Salvador (Scenic) | R | 13.7 | N | F | N | | N | | | | PCR | FECAL COLIFORM | IRC 5 | L | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |
| LA020301_00 | Bayou Des Allemands-From US-90 to Lake Salvador (Scenic) | R | 13.7 | N | F | N | | N | | | | PCR | FECAL COLIFORM | IRC 5 | L | PACKAGE PLANT OR OTHER PERMITTED SMALL FLOWS DISCHARGES |
| LA020301_00 | Bayou Des Allemands-From US-90 to Lake Salvador (Scenic) | R | 13.7 | N | F | N | | N | | | | PCR | FECAL COLIFORM | IRC 5 | L | WILDLIFE OTHER THAN WATERFOWL |
| LA020302_00 | Bayou Gauche | R | 3.2 | F | F | N | | | | | | FWP | NON-NATIVE AQUATIC PLANTS | IRC 4b | | INTRODUCTION OF NON- NATIVE ORGANISMS (ACCIDENTAL OR INTENTIONAL) |
| LA020303_00 | Lake Cataouatche and Tributaries | L | 9,893.8 | F | F | Ν | | | | | | FWP | TURBIDITY | IRC 5 | L | WATER DIVERSIONS |
| LA020303_001 | Luling Wetland-Forested wetland located 1.8 miles south of US-90 at Luling, east of the Luling wastewater treatment pond, bordered by Cousin Canal to the west and Louisiana Cypress Lumber Canal to the south | W | 1,720.0 | | X | F | | | | | | | | | | |
| LA020304_00 | Lake Salvador | L | 49,476.5 | F | F | N | | | | | | FWP | NON-NATIVE AQUATIC PLANTS | IRC 4b | | INTRODUCTION OF NON- NATIVE ORGANISMS (ACCIDENTAL OR INTENTIONAL) |
| LA020401_00 | Bayou Lafourche-From Donaldsonville to ICWW at Larose | R | 67.4 | N | F | N | F | | | | | FWP | NON-NATIVE AQUATIC PLANTS | IRC 4b | | INTRODUCTION OF NON- NATIVE ORGANISMS (ACCIDENTAL OR INTENTIONAL) |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | SMG | ONR | SYO | AGR | LAL | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | TMDL Priority | Suspected Sources of Impairment |
|-------------------|--|-----------------------|------|-----|-----|-----|-----|-----|-----|-----|-----|---|--|--|------------------|--|
| LA020401_00 | Bayou Lafourche-From Donaldsonville to ICWW at Larose | R | 67.4 | N | F | N | F | | | | | PCR | FECAL COLIFORM | IRC 4a | | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |
| LA020401_00 | Bayou Lafourche-From Donaldsonville to ICWW at Larose | R | 67.4 | N | F | N | F | | | | | PCR | FECAL COLIFORM | IRC 4a | | PACKAGE PLANT OR OTHER PERMITTED SMALL FLOWS DISCHARGES |
| LA020402_00 | Bayou Lafourche-From ICWW at Larose to Yankee Canal (Estuarine) | R | 15.5 | N | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 5 | L | PACKAGE PLANT OR OTHER PERMITTED SMALL FLOWS DISCHARGES |
| LA020402_00 | Bayou Lafourche-From ICWW at Larose to Yankee Canal (Estuarine) | R | 15.5 | N | F | N | | | | | | PCR | ENTEROCOCCUS | IRC 5 | L | PACKAGE PLANT OR OTHER PERMITTED SMALL FLOWS DISCHARGES |
| LA020403_00 | Bayou Lafourche-From Yankee Canal and saltwater barrier to Gulf of Mexico (Estuarine) | R | 15.0 | F | F | F | | | F | | | | | | | |
| LA020501_00 | Sauls, Avondale, and Main Canals | R | 7.8 | F | F | N | | | | | | FWP | CHLORIDE | IRC 5 | L | FORCED DRAINAGE PUMPING |
| LA020501_00 | Sauls, Avondale, and Main Canals | R | 7.8 | F | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | FORCED DRAINAGE PUMPING |
| LA020501_00 | Sauls, Avondale, and Main Canals | R | 7.8 | F | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | NATURAL SOURCES |
| LA020501_00 | Sauls, Avondale, and Main Canals | R | 7.8 | F | F | N | | | | | | FWP | NITRATE/NITRITE (NITRITE + NITRATE AS N) | IRC 4a | | FORCED DRAINAGE PUMPING |
| LA020501_00 | Sauls, Avondale, and Main Canals | R | 7.8 | F | F | N | | | | | | FWP | NITRATE/NITRITE (NITRITE + NITRATE AS N) | IRC 4a | | NATURAL SOURCES |
| LA020501_00 | Sauls, Avondale, and Main Canals | R | 7.8 | F | F | N | | | | | | FWP | PHOSPHORUS, TOTAL | IRC 4a | | FORCED DRAINAGE PUMPING |
| LA020501_00 | Sauls, Avondale, and Main Canals | R | 7.8 | F | F | N | | | | | | FWP | PHOSPHORUS, TOTAL | IRC 4a | | NATURAL SOURCES |
| LA020501_00 | Sauls, Avondale, and Main Canals | R | 7.8 | F | F | N | | | | | | FWP | SULFATE | IRC 5 | L | FORCED DRAINAGE PUMPING |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | SMC | ONR | SYO | AGR | LAL | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | TMDL Priority | Suspected Sources of Impairment |
|-------------------|---|-----------------------|-------|-----|-----|-----|-----|-----|-----|-----|-----|---|---|--|------------------|--|
| LA020501_00 | Sauls, Avondale, and Main Canals | R | 7.8 | F | F | N | | | | | | FWP | TOTAL DISSOLVED SOLIDS (TDS) | IRC 5 | L | FORCED DRAINAGE PUMPING |
| LA020601_00 | Intracoastal Waterway-From Bayou Villars to Mississippi River (Estuarine) | R | 17.8 | F | F | N | | | | | | FWP | TURBIDITY | IRC 5RC | L | SEDIMENT RESUSPENSION (CLEAN SEDIMENT) |
| LA020701_00 | Bayou Segnette-From headwaters to Bayou Villars | R | 12.0 | F | F | F | | | | | | | | | | |
| LA020801_00 | Intracoastal Waterway-From Larose to Bayou Villars and Bayou Barataria (Estuarine) | R | 20.2 | | F | F | | | | | | | | | | |
| LA020802_00 | Bayou Barataria and Barataria Waterway-From ICWW to Bayou Rigolettes (Estuarine) | R | 8.0 | F | F | F | | | | | | | | | | |
| LA020901_00 | Bayou Rigolettes and Bayou Perot to Little Lake (Estuarine) | Е | 21.6 | F | F | F | | | F | | | | | | | |
| LA020902_00 | Little Lake (Estuarine) | Е | 31.3 | F | F | F | | | F | | | | | | | |
| LA020903_00 | Barataria Waterway (Estuarine) | Е | 2.2 | F | F | F | | | | | | | | | | |
| LA020904_00 | Wilkinson Canal and Wilkinson Bayou (Estuarine) | R | 19.5 | F | F | F | | | Ν | | | OYS | FECAL COLIFORM | IRC 5 | М | NATURAL SOURCES |
| LA020905_00 | Bayou Moreau (Estuarine) | R | 12.0 | F | F | F | | | F | | | | | | | |
| LA020906 00 | Bay Rambo (Estuarine) | Е | | Ν | F | F | | | F | | | PCR | ENTEROCOCCUS | IRC 5 | L | NATURAL SOURCES |
| LA020907_00 | Bay Sansbois, Lake Judge Perez, and Bay De La Cheniere (Estuarine) | Е | 5.0 | | F | F | | | F | | | | | | | |
| LA021001_00 | Lake Washington, Bastian Bay, Adams Bay, Scofield Bay, Coquette Bay, Tambour Bay, Spanish Pass, and Bay Jacques (Estuarine) | Е | 33.0 | F | F | F | | | F | | | | | | | |
| LA021101_00 | Barataria Bay; includes Caminada Bay, Hackberry Bay, Bay Batiste, and Bay Long (Estuarine) | Е | 196.8 | F | F | F | | | F | | | | | | | |
| LA021102_00 | Barataria Basin Coastal Bays and Gulf Waters to the State 3 mile limit | Е | 282.9 | F | F | N | | | F | | | FWP | DISSOLVED OXYGEN | IRC 5RC | L | NATURAL CONDITIONS - WATER QUALITY STANDARDS USE ATTAINABILITY ANALYSES NEEDED |
| LA021102_00 | Barataria Basin Coastal Bays and Gulf Waters to the State 3 mile limit | Е | 282.9 | F | F | N | | | F | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | ATMOSPHERIC DEPOSITION - TOXICS |
| LA021102_00 | Barataria Basin Coastal Bays and Gulf Waters to the State 3 mile limit | Е | 282.9 | F | F | N | | | F | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | SOURCE UNKNOWN |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | DWS | ONR | SYO | AGR | TAL | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | TMDL Priority | Suspected Sources of Impairment |
|-------------------|--|-----------------------|------|-----|-----|-----|-----|-----|-----|-----|-----|---|---|--|------------------|--------------------------------------|
| LA021102_001 | Fourchon Beach 1 - Located within subsegment LA021102_00. This unit is added for advisory tracking purposes only and is not a subsegment as defined by LAC 33:IX.1123.A. et. seq. No other assessment is made for this waterbody. | С | 0.9 | N | | | | | | | | PCR | ENTEROCOCCUS | IRC 5 | L | SOURCE UNKNOWN |
| LA021102_003 | Elmers Island Beach - Located within subsegment LA021102_00. This unit is added for swimming advisory tracking purposes only and is not a subsegment as defined by LAC 33:IX.1123.A. et seq. No other assessment is made for this bayou. | С | 2.3 | N | | | | | | | | PCR | ENTEROCOCCUS | IRC 5 | L | NATURAL SOURCES |
| LA030101_00 | Calcasieu River-From headwaters to LA-8 | R | 14.8 | N | F | N | | | | F | | FWP | DISSOLVED OXYGEN | IRC 4a | | NATURAL SOURCES |
| LA030101_00 | Calcasieu River-From headwaters to LA-8 | R | 14.8 | Ν | F | Ν | | | | F | | PCR | FECAL COLIFORM | IRC 4a | | NATURAL SOURCES |
| LA030102_00 | Calcasieu River-From LA-8 to the Rapides-Allen Parish line (Scenic) | R | 75.0 | N | F | N | | F | | F | | FWP | PH, LOW | IRC 5RC | L | NATURAL SOURCES |
| LA030102_00 | Calcasieu River-From LA-8 to the Rapides-Allen Parish line (Scenic) | R | 75.0 | N | F | N | | F | | F | | PCR | FECAL COLIFORM | IRC 5 | L | NATURAL SOURCES |
| LA030103_00 | Calcasieu River-From Rapides-Allen Parish line to Marsh Bayou (Scenic) | R | 74.3 | N | F | N | | F | | F | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | ATMOSPHERIC DEPOSITION - TOXICS |
| LA030103_00 | Calcasieu River-From Rapides-Allen Parish line to Marsh Bayou (Scenic) | R | 74.3 | N | F | N | | F | | F | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | SOURCE UNKNOWN |
| LA030103_00 | Calcasieu River-From Rapides-Allen Parish line to Marsh Bayou (Scenic) | R | 74.3 | N | F | N | | F | | F | | FWP | PH, LOW | IRC 5 | L | NATURAL SOURCES |
| LA030103_00 | Calcasieu River-From Rapides-Allen Parish line to Marsh Bayou (Scenic) | R | 74.3 | N | F | Ν | | F | | F | | PCR | FECAL COLIFORM | IRC 5 | L | NATURAL SOURCES |
| LA030103_04075 | Kinder Ditch-From headwaters of unnamed tributary to confluence with Calcasieu River | R | 10.2 | | F | F | | | | | | | | | | |
| LA030104_00 | Mill Creek-From headwaters to Calcasieu River | R | 24.8 | N | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | MUNICIPAL POINT SOURCE DISCHARGES |
| LA030104_00 | Mill Creek-From headwaters to Calcasieu River | R | 24.8 | N | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | NATURAL SOURCES |
| LA030104_00 | Mill Creek-From headwaters to Calcasieu River | R | 24.8 | N | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | SILVICULTURE ACTIVITIES |
| LA030104_00 | Mill Creek-From headwaters to Calcasieu River | R | 24.8 | N | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | WILDLIFE OTHER THAN WATERFOWL |
| LA030104_00 | Mill Creek-From headwaters to Calcasieu River | R | 24.8 | Ν | F | Ν | | | | | | PCR | FECAL COLIFORM | IRC 5 | L | NATURAL SOURCES |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | DWS | ONR | SYO | AGR | LAL | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | TMDL Priority | Suspected Sources of Impairment |
|-------------------|---|-----------------------|------|-----|-----|-----|-----|-----|-----|-----|-----|---|---|--|------------------|---|
| LA030201_00 | Calcasieu River-From Marsh Bayou to saltwater barrier (Scenic) | R | 24.7 | F | F | N | | N | | F | | FWP | DISSOLVED OXYGEN | IRC 5 | L | AGRICULTURE |
| LA030201_00 | Calcasieu River-From Marsh Bayou to saltwater barrier (Scenic) | R | 24.7 | F | F | N | | N | | F | | FWP | DISSOLVED OXYGEN | IRC 5 | L | NATURAL SOURCES |
| LA030201_00 | Calcasieu River-From Marsh Bayou to saltwater barrier (Scenic) | R | 24.7 | F | F | N | | N | | F | | FWP | LEAD | IRC 5 | L | SOURCE UNKNOWN |
| LA030201_00 | Calcasieu River-From Marsh Bayou to saltwater barrier (Scenic) | R | 24.7 | F | F | N | | N | | F | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | ATMOSPHERIC DEPOSITION - TOXICS |
| LA030201_00 | Calcasieu River-From Marsh Bayou to saltwater barrier (Scenic) | R | 24.7 | F | F | N | | N | | F | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | SOURCE UNKNOWN |
| LA030201_00 | Calcasieu River-From Marsh Bayou to saltwater barrier (Scenic) | R | 24.7 | F | F | N | | N | | F | | ONR | TURBIDITY | IRC 5 | L | CONSTRUCTION STORMWATER DISCHARGE (PERMITTED) |
| LA030301_00 | Calcasieu River and Ship Channel-From saltwater barrier to Moss Lake; includes Ship Channel, Coon Island Loop, and Clooney Island (Estuarine) | R | 21.0 | F | F | N | | | | | | FWP | DIOXIN - FISH CONSUMPTION ADVISORY | IRC 5 | L | INDUSTRIAL POINT SOURCE DISCHARGE |
| LA030301_00 | Calcasieu River and Ship Channel-From saltwater barrier to Moss Lake; includes Ship Channel, Coon Island Loop, and Clooney Island (Estuarine) | R | 21.0 | F | F | N | | | | | | FWP | FURAN COMPOUNDS | IRC 5 | L | INDUSTRIAL POINT SOURCE DISCHARGE |
| LA030301_00 | Calcasieu River and Ship Channel-From saltwater barrier to Moss Lake; includes Ship Channel, Coon Island Loop, and Clooney Island (Estuarine) | R | 21.0 | F | F | N | | | | | | FWP | PCBS - FISH CONSUMPTION ADVISORY | IRC 4a | | INDUSTRIAL POINT SOURCE DISCHARGE |
| LA030302_00 | Lake Charles | Е | 1.7 | N | F | N | | | | | | FWP | DIOXIN - FISH CONSUMPTION ADVISORY | IRC 5 | L | INDUSTRIAL POINT SOURCE DISCHARGE |
| LA030302_00 | Lake Charles | E | 1.7 | N | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 5 | L | DISCHARGES FROM MUNICIPAL SEPARATE STORM SEWER SYSTEMS (MS4) |
| LA030302_00 | Lake Charles | Е | 1.7 | N | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 5 | L | SANITARY SEWER OVERFLOWS (COLLECTION SYSTEM FAILURES) |
| LA030302_00 | Lake Charles | Е | 1.7 | N | F | N | | | | | | FWP | FURAN COMPOUNDS | IRC 5 | L | INDUSTRIAL POINT SOURCE DISCHARGE |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | DWS | ONR | OYS | AGR | LAL | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | TMDL Priority | Suspected Sources of Impairment |
|----------------------------|---|-----------------------|------|--------|-----|-----|-----|-----|-----|-----|-----|---|--|--|------------------|---|
| LA030302_00 | Lake Charles | Е | 1.7 | N | F | N | | | | | | FWP | PCBS - FISH CONSUMPTION ADVISORY | IRC 4a | | INDUSTRIAL POINT SOURCE DISCHARGE |
| LA030302_00 LA030302_00 | Lake Charles Lake Charles | E E | | N N | | | | | | | | PCR PCR | ENTEROCOCCUS ENTEROCOCCUS | IRC 5 IRC 5 | L L | NATURAL SOURCES ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |
| LA030302_001 | Lake Charles North Beach - Located within subsegment LA030302_00. This unit is added for swimming advisory tracking purposes only and is not a subsegment as defined by LAC 33:IX.1123.A. et seq. No other assessment is made for this bayou. | С | 0.4 | N | | | | | | | | PCR | ENTEROCOCCUS | IRC 5 | L | NATURAL SOURCES |
| LA030302_001 | Lake Charles North Beach - Located within subsegment LA030302_00. This unit is added for swimming advisory tracking purposes only and is not a subsegment as defined by LAC 33:IX.1123.A. et seq. No other assessment is made for this bayou. | С | 0.4 | N | | | | | | | | PCR | ENTEROCOCCUS | IRC 5 | L | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |
| LA030302_001 | Lake Charles North Beach - Located within subsegment LA030302_00. This unit is added for swimming advisory tracking purposes only and is not a subsegment as defined by LAC 33:IX.1123.A. et seq. No other assessment is made for this bayou. | С | 0.4 | N | | | | | | | | PCR | ENTEROCOCCUS | IRC 5 | L | SEWAGE DISCHARGES IN UNSEWERED AREAS |
| LA030302_002 | Lake Charles South Beach - Located within subsegment LA030302_00. This unit is added for swimming advisory tracking purposes only and is not a subsegment as defined by LAC 33:IX.1123.A. et seq. No other assessment is made for this bayou. | С | 0.2 | N | | | | | | | | PCR | ENTEROCOCCUS | IRC 5 | L | NATURAL SOURCES |
| LA030302_002 | Lake Charles South Beach - Located within subsegment LA030302_00. This unit is added for swimming advisory tracking purposes only and is not a subsegment as defined by LAC 33:IX.1123.A. et seq. No other assessment is made for this bayou. | С | 0.2 | N | | | | | | | | PCR | ENTEROCOCCUS | IRC 5 | L | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | DWS | ONR | SYO | AGR | LAL | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | TMDL Priority | Suspected Sources of Impairment |
|-------------------|---|-----------------------|------|-----|-----|-----|-----|-----|-----|-----|-----|---|--|--|------------------|--|
| LA030302_002 | Lake Charles South Beach - Located within subsegment LA030302_00. This unit is added for swimming advisory tracking purposes only and is not a subsegment as defined by LAC 33:IX.1123.A. et seq. No other assessment is made for this bayou. | С | 0.2 | N | | | | | | | | PCR | ENTEROCOCCUS | IRC 5 | L | SEWAGE DISCHARGES IN UNSEWERED AREAS |
| LA030303_00 | Prien Lake | E | 1.5 | F | F | N | | | | | | FWP | DIOXIN - FISH CONSUMPTION ADVISORY | IRC 5 | L | INDUSTRIAL POINT SOURCE DISCHARGE |
| LA030303_00 | Prien Lake | E | 1.5 | F | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 5 | L | SANITARY SEWER OVERFLOWS (COLLECTION SYSTEM FAILURES) |
| LA030303_00 | Prien Lake | Е | 1.5 | F | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 5 | L | WET WEATHER DISCHARGES (NON-POINT SOURCE) |
| LA030303_00 | Prien Lake | Е | 1.5 | F | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 5 | L | WILDLIFE OTHER THAN WATERFOWL |
| LA030303_00 | Prien Lake | Е | 1.5 | F | F | N | | | | | | FWP | FURAN COMPOUNDS | IRC 5 | L | INDUSTRIAL POINT SOURCE DISCHARGE |
| LA030303_00 | Prien Lake | Е | 1.5 | F | F | N | | | | | | FWP | PCBS - FISH CONSUMPTION ADVISORY | IRC 4a | | INDUSTRIAL POINT SOURCE DISCHARGE |
| LA030304_00 | Moss Lake (Estuarine) | Е | 1.3 | N | F | N | | | | | | FWP | DIOXIN - FISH CONSUMPTION ADVISORY | IRC 5 | L | INDUSTRIAL POINT SOURCE DISCHARGE |
| LA030304_00 | Moss Lake (Estuarine) | Е | 1.3 | N | F | N | | | | | | FWP | FURAN COMPOUNDS | IRC 5 | L | INDUSTRIAL POINT SOURCE DISCHARGE |
| LA030304_00 | Moss Lake (Estuarine) | E | 1.3 | N | F | N | | | | | | FWP | PCBS - FISH CONSUMPTION ADVISORY | IRC 4a | | INDUSTRIAL POINT SOURCE DISCHARGE |
| LA030304_00 | Moss Lake (Estuarine) | Е | 1.3 | Ν | F | Ν | | | | | | PCR | ENTEROCOCCUS | IRC 5 | L | NATURAL SOURCES |
| LA030304_00 | Moss Lake (Estuarine) | E | 1.3 | N | F | N | | | | | | PCR | ENTEROCOCCUS | IRC 5 | L | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | DWS | ONR | SYO | AGR | LAL | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | TMDL Priority | Suspected Sources of Impairment |
|-------------------|--|-----------------------|------|-----|-----|-----|-----|-----|-----|-----|-----|---|--|--|------------------|---|
| LA030304_001 | Bayou Olsen Located within subsegment LA030304_00. This unit is added for swimming advisory tracking purposes only and is not a subsegment as defined by LAC 33:IX.1123.A. et seq. No other assessment is made for this bayou. | R | 7.3 | N | | | | | | 7 | | PCR | 1,1,2- TRICHLOROETHANE | IRC 4b | | CONTAMINATED SEDIMENTS |
| LA030304_001 | Bayou Olsen Located within subsegment LA030304_00. This unit is added for swimming advisory tracking purposes only and is not a subsegment as defined by LAC 33:IX.1123.A. et seq. No other assessment is made for this bayou. | R | 7.3 | N | | | | | | | | PCR | 1,2- DICHLOROETHANE | IRC 4b | | CONTAMINATED SEDIMENTS |
| LA030304_001 | Bayou Olsen Located within subsegment LA030304_00. This unit is added for swimming advisory tracking purposes only and is not a subsegment as defined by LAC 33:IX.1123.A. et seq. No other assessment is made for this bayou. | R | 7.3 | N | | | | | | | | PCR | CHLOROFORM | IRC 4b | | CONTAMINATED SEDIMENTS |
| LA030305_00 | Contraband Bayou (Estuarine) | R | 5.9 | N | N | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | DISCHARGES FROM MUNICIPAL SEPARATE STORM SEWER SYSTEMS (MS4) |
| LA030305_00 | Contraband Bayou (Estuarine) | R | 5.9 | N | N | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | MUNICIPAL POINT SOURCE DISCHARGES |
| LA030305_00 | Contraband Bayou (Estuarine) | R | 5.9 | N | N | N | | | | | | FWP | NITRATE/NITRITE (NITRITE + NITRATE AS N) | IRC 4a | | DISCHARGES FROM MUNICIPAL SEPARATE STORM SEWER SYSTEMS (MS4) |
| LA030305_00 | Contraband Bayou (Estuarine) | R | 5.9 | N | N | N | | | | | | FWP | NITRATE/NITRITE (NITRITE + NITRATE AS N) | IRC 4a | | MUNICIPAL POINT SOURCE DISCHARGES |
| LA030305_00 | Contraband Bayou (Estuarine) | R | 5.9 | N | N | N | | | | | | FWP | PHOSPHORUS, TOTAL | IRC 4a | | DISCHARGES FROM MUNICIPAL SEPARATE STORM SEWER SYSTEMS (MS4) |
| LA030305_00 | Contraband Bayou (Estuarine) | R | 5.9 | N | N | N | | | | | | FWP | PHOSPHORUS, TOTAL | IRC 4a | | MUNICIPAL POINT SOURCE DISCHARGES |
| LA030305_00 | Contraband Bayou (Estuarine) | R | 5.9 | N | N | N | | | | | | PCR | FECAL COLIFORM | IRC 4a | | DISCHARGES FROM MUNICIPAL SEPARATE STORM SEWER SYSTEMS (MS4) |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | DWS | ONR | SYO | AGR | LAL | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | TMDL Priority | Suspected Sources of Impairment |
|-------------------|---|-----------------------|------|-----|-----|-----|-----|-----|-----|-----|-----|---|--|--|------------------|---|
| LA030305_00 | Contraband Bayou (Estuarine) | R | 5.9 | Ν | N | N | | | | | | PCR | FECAL COLIFORM | IRC 4a | | MUNICIPAL POINT SOURCE DISCHARGES |
| LA030305_00 | Contraband Bayou (Estuarine) | R | 5.9 | N | N | N | | | | | | PCR | FECAL COLIFORM | IRC 4a | | SEWAGE DISCHARGES IN UNSEWERED AREAS |
| LA030305_00 | Contraband Bayou (Estuarine) | R | 5.9 | N | N | N | | | | | | SCR | FECAL COLIFORM | IRC 4a | | DISCHARGES FROM MUNICIPAL SEPARATE STORM SEWER SYSTEMS (MS4) |
| LA030305_00 | Contraband Bayou (Estuarine) | R | 5.9 | Ν | Ν | N | | | | | | SCR | FECAL COLIFORM | IRC 4a | | MUNICIPAL POINT SOURCE DISCHARGES |
| LA030305_00 | Contraband Bayou (Estuarine) | R | 5.9 | N | N | N | | | | | | SCR | FECAL COLIFORM | IRC 4a | | SEWAGE DISCHARGES IN UNSEWERED AREAS |
| LA030306_00 | Bayou Verdinesouth of the Houston River Canal to the Calcasieu River (Estuarine) | R | 4.0 | N | N | N | | | | | | FWP | 1,2- DICHLOROETHANE | IRC 4a | | INDUSTRIAL/COMMERCI AL SITE STORMWATER DISCHARGE (PERMITTED) |
| LA030306_00 | Bayou Verdinesouth of the Houston River Canal to the Calcasieu River (Estuarine) | R | 4.0 | N | N | N | | | | | | FWP | PHENOL | IRC 4a | | INDUSTRIAL POINT SOURCE DISCHARGE |
| LA030306_00 | Bayou Verdinesouth of the Houston River Canal to the Calcasieu River (Estuarine) | R | 4.0 | N | N | N | | | | | | FWP | POLYCHLORINATED BIPHENYLS (PCBS) | IRC 4a | | INDUSTRIAL POINT SOURCE DISCHARGE |
| LA030306_00 | Bayou Verdinesouth of the Houston River Canal to the Calcasieu River (Estuarine) | R | 4.0 | N | N | N | | | | | | FWP | POLYCHLORINATED BIPHENYLS (PCBS) | IRC 4a | | INDUSTRIAL/COMMERCI AL SITE STORMWATER DISCHARGE (PERMITTED) |
| LA030306_00 | Bayou Verdinesouth of the Houston River Canal to the Calcasieu River (Estuarine) | R | 4.0 | N | N | N | | | | | | FWP | POLYCYCLIC AROMATIC HYDROCARBONS (PAHS) (AQUATIC ECOSYSTEMS) | IRC 4a | | INDUSTRIAL POINT SOURCE DISCHARGE |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | DWS | ONR | OYS | AGR | LAL | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | TMDL Priority | Suspected Sources of Impairment |
|-------------------|--|-----------------------|------|-----|-----|-----|-----|-----|-----|-----|-----|---|--|--|------------------|--|
| LA030306_00 | Bayou Verdinesouth of the Houston River Canal to the Calcasieu River (Estuarine) | R | 4.0 | N | N | N | | | | | | FWP | POLYCYCLIC AROMATIC HYDROCARBONS (PAHS) (AQUATIC ECOSYSTEMS) | IRC 4a | | INDUSTRIAL/COMMERCI AL SITE STORMWATER DISCHARGE (PERMITTED) |
| LA030306_00 | Bayou Verdinesouth of the Houston River Canal to the Calcasieu River (Estuarine) | R | 4.0 | N | N | N | | | | | | FWP | TURBIDITY | IRC 5 | L | CONSTRUCTION STORMWATER DISCHARGE (PERMITTED) |
| LA030306_00 | Bayou Verdinesouth of the Houston River Canal to the Calcasieu River (Estuarine) | R | 4.0 | N | N | N | | | | | | PCR | 1,2- DICHLOROETHANE | IRC 4a | | INDUSTRIAL/COMMERCI AL SITE STORMWATER DISCHARGE (PERMITTED) |
| LA030306_00 | Bayou Verdinesouth of the Houston River Canal to the Calcasieu River (Estuarine) | R | 4.0 | N | N | N | | | | | | PCR | ENTEROCOCCUS | IRC 5 | L | NATURAL SOURCES |
| LA030306_00 | Bayou Verdinesouth of the Houston River Canal to the Calcasieu River (Estuarine) | R | 4.0 | N | N | N | | | | | | PCR | ENTEROCOCCUS | IRC 5 | L | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |
| LA030306_00 | Bayou Verdinesouth of the Houston River Canal to the Calcasieu River (Estuarine) | R | 4.0 | N | N | N | | | | | | SCR | 1,2- DICHLOROETHANE | IRC 4a | | INDUSTRIAL/COMMERCI AL SITE STORMWATER DISCHARGE (PERMITTED) |
| LA030401_00 | Calcasieu River-From below Moss Lake to the Gulf of Mexico; includes Ship Channel and Monkey Island Loop (Estuarine) | R | 27.7 | N | F | N | | | N | | | FWP | DIOXIN - FISH CONSUMPTION ADVISORY | IRC 5 | L | INDUSTRIAL POINT SOURCE DISCHARGE |
| LA030401_00 | Calcasieu River-From below Moss Lake to the Gulf of Mexico; includes Ship Channel and Monkey Island Loop (Estuarine) | R | 27.7 | N | F | N | | | N | | | FWP | FURAN COMPOUNDS | IRC 5 | L | INDUSTRIAL POINT SOURCE DISCHARGE |
| LA030401_00 | Calcasieu River-From below Moss Lake to the Gulf of Mexico; includes Ship Channel and Monkey Island Loop (Estuarine) | R | 27.7 | N | F | N | | | N | | | FWP | PCBS - FISH CONSUMPTION ADVISORY | IRC 4a | | INDUSTRIAL POINT SOURCE DISCHARGE |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | DWS | ONR | SYO | AGR | LAL | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | TMDL Priority | Suspected Sources of Impairment |
|-------------------|--|-----------------------|------|-----|-----|-----|-----|-----|-----|-----|-----|---|--|--|------------------|--|
| LA030401_00 | Calcasieu River-From below Moss Lake to the Gulf of Mexico; includes Ship Channel and Monkey Island Loop (Estuarine) | R | 27.7 | N | F | N | | | N | | | OYS | FECAL COLIFORM | IRC 5 | М | NATURAL SOURCES |
| LA030401_00 | Calcasieu River-From below Moss Lake to the Gulf of Mexico; includes Ship Channel and Monkey Island Loop (Estuarine) | R | 27.7 | N | F | N | | | N | | | OYS | FECAL COLIFORM | IRC 5 | М | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |
| LA030401_00 | Calcasieu River-From below Moss Lake to the Gulf of Mexico; includes Ship Channel and Monkey Island Loop (Estuarine) | R | 27.7 | N | F | N | | | N | | | PCR | ENTEROCOCCUS | IRC 5 | L | NATURAL SOURCES |
| LA030401_00 | Calcasieu River-From below Moss Lake to the Gulf of Mexico; includes Ship Channel and Monkey Island Loop (Estuarine) | R | 27.7 | N | F | N | | | N | | | PCR | ENTEROCOCCUS | IRC 5 | L | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |
| LA030402_00 | Calcasieu Lake | Е | 67.4 | N | F | N | | | N | | | FWP | DIOXIN - FISH CONSUMPTION ADVISORY | IRC 5 | L | INDUSTRIAL POINT SOURCE DISCHARGE |
| LA030402_00 | Calcasieu Lake | Е | 67.4 | N | F | N | | | N | | | FWP | FURAN COMPOUNDS | IRC 5 | L | INDUSTRIAL POINT SOURCE DISCHARGE |
| LA030402_00 | Calcasieu Lake | Е | 67.4 | N | F | N | | | N | | | FWP | PCBS - FISH CONSUMPTION ADVISORY | IRC 4a | | INDUSTRIAL POINT SOURCE DISCHARGE |
| LA030402_00 | Calcasieu Lake | Е | 67.4 | Ν | F | Ν | | | Ν | | | OYS | FECAL COLIFORM | IRC 5 | М | NATURAL SOURCES |
| LA030402_00 | Calcasieu Lake | E | 67.4 | N | F | N | | | N | | | OYS | FECAL COLIFORM | IRC 5 | М | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |
| LA030402_00 | Calcasieu Lake | Е | 67.4 | N | F | N | - | - | N | | | PCR | ENTEROCOCCUS | IRC 5 | L | NATURAL SOURCES |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | SMG | ONR | SYO | AGR | LAL | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | TMDL Priority | Suspected Sources of Impairment |
|-------------------|---|-----------------------|------|-----|-----|-----|-----|-----|-----|-----|-----|---|-----------------------------------|--|------------------|--|
| LA030402_00 | Calcasieu Lake | E | 67.4 | N | F | N | | | N | | | PCR | ENTEROCOCCUS | IRC 5 | L | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |
| LA030403_00 | Black Lake (Estuarine) | Е | 3.0 | N | F | F | | | | | | PCR | ENTEROCOCCUS | IRC 5 | L | NATURAL SOURCES |
| LA030403_00 | Black Lake (Estuarine) | E | | N | F | F | | | | | | PCR | ENTEROCOCCUS | IRC 5 | L | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |
| LA030501_00 | Whiskey Chitto Creek-From headwaters to southern boundary of Fort Polk Military Reservation | R | 20.4 | N | F | N | | | | | | FWP | PH, LOW | IRC 5 | L | NATURAL CONDITIONS - WATER QUALITY STANDARDS USE ATTAINABILITY ANALYSES NEEDED |
| LA030501_00 | Whiskey Chitto Creek-From headwaters to southern boundary of Fort Polk Military Reservation | R | 20.4 | N | F | N | | | | | | PCR | FECAL COLIFORM | IRC 4a | | WILDLIFE OTHER THAN WATERFOWL |
| LA030502_00 | Whiskey Chitto Creek-From the southern boundary of Fort Polk Military Reservation to the Calcasieu River (Scenic) | R | 73.9 | N | F | F | | N | | | | ONR | TURBIDITY | IRC 5 | L | EROSION AND SEDIMENTATION |
| LA030502_00 | Whiskey Chitto Creek-From the southern boundary of Fort Polk Military Reservation to the Calcasieu River (Scenic) | R | 73.9 | N | F | F | | N | | | | PCR | FECAL COLIFORM | IRC 5 | L | NATURAL SOURCES |
| LA030502_00 | Whiskey Chitto Creek-From the southern boundary of Fort Polk Military Reservation to the Calcasieu River (Scenic) | R | 73.9 | N | F | F | | N | | | | PCR | FECAL COLIFORM | IRC 5 | L | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |
| LA030503_00 | Six Mile Creek-East and West Forks from headwaters to the southern boundary of Fort Polk Military Reservation | R | 19.4 | N | F | N | | | | | | FWP | PH, LOW | IRC 5 | L | NATURALLY OCCURRING ORGANIC ACIDS |
| LA030503_00 | Six Mile Creek-East and West Forks from headwaters to the southern boundary of Fort Polk Military Reservation | R | 19.4 | N | F | N | | | | | | FWP | PH, LOW | IRC 5 | L | SILVICULTURE ACTIVITIES |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | DWS | ONR | SYO | AGR | LAL | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | TMDL Priority | Suspected Sources of Impairment |
|-------------------|--|-----------------------|---------|-----|-----|-----|-----|-----|-----|-----|-----|---|-----------------------------------|--|------------------|--|
| LA030503_00 | Six Mile Creek-East and West Forks from headwaters to the southern boundary of Fort Polk Military Reservation | R | 19.4 | | F | N | | | | | | PCR | FECAL COLIFORM | IRC 5 | L | NATURAL SOURCES |
| LA030503_00 | Six Mile Creek-East and West Forks from headwaters to the southern boundary of Fort Polk Military Reservation | R | 19.4 | N | F | N | | | | | | PCR | FECAL COLIFORM | IRC 5 | L | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |
| LA030503_00 | Six Mile Creek-East and West Forks from headwaters to the southern boundary of Fort Polk Military Reservation | R | 19.4 | N | F | N | | | | | | PCR | FECAL COLIFORM | IRC 5 | L | SEWAGE DISCHARGES IN UNSEWERED AREAS |
| LA030504_00 | Six Mile Creek-East and West Forks from the southern boundary of Fort Polk Military Reservation to Whiskey Chitto Creek (Scenic) | R | 53.4 | F | F | F | | F | | | | | | | | |
| LA030505_00 | Ten Mile Creek-From headwaters to Whiskey Chitto Creek (Scenic) | R | 58.2 | N | F | F | | N | | | | ONR | TURBIDITY | IRC 5 | L | EROSION AND SEDIMENTATION |
| LA030505_00 | Ten Mile Creek-From headwaters to Whiskey Chitto Creek (Scenic) | R | 58.2 | N | F | F | | N | | | | PCR | FECAL COLIFORM | IRC 5 | L | NATURAL SOURCES |
| LA030506_00 | Bundicks Creek-From headwaters to Bundicks Lake | R | 49.0 | N | F | F | | | | | | PCR | FECAL COLIFORM | IRC 5 | L | NATURAL SOURCES |
| LA030507_00 | Bundicks Lake | L | 1,448.4 | F | F | Ν | | | | | | FWP | DISSOLVED OXYGEN | IRC 5 | L | NATURAL SOURCES |
| LA030507_00 | Bundicks Lake | L | 1,448.4 | F | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 5 | L | SEWAGE DISCHARGES IN UNSEWERED AREAS |
| LA030507_00 | Bundicks Lake | L | 1,448.4 | F | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 5 | L | SILVICULTURE ACTIVITIES |
| LA030508_00 | Bundicks Creek-From Bundicks Lake to Whiskey Chitto Creek | R | 22.6 | Ν | F | Ν | | | | | | FWP | PH, LOW | IRC 5 | L | NATURAL SOURCES |
| LA030508_00 | Bundicks Creek-From Bundicks Lake to Whiskey Chitto Creek | R | 22.6 | Ν | F | N | | | | | | PCR | FECAL COLIFORM | IRC 5 | L | NATURAL SOURCES |
| LA030601_00 | Barnes Creek-From headwaters to Little Barnes Creek | R | 15.8 | | F | F | | | | | | | | | | |
| LA030602_00 | Barnes Creek-From Little Barnes Creek to Calcasieu River | R | 40.0 | Ν | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | AGRICULTURE |
| LA030602_00 | Barnes Creek-From Little Barnes Creek to Calcasieu River | R | 40.0 | Ν | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | NATURAL SOURCES |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | DWS | ONR | OYS | AGR | LAL | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | TMDL Priority | Suspected Sources of Impairment |
|-------------------|--|-----------------------|------|-----|-----|-----|-----|-----|-----|-----|-----|---|---|--|------------------|--|
| LA030602_00 | Barnes Creek-From Little Barnes Creek to Calcasieu River | R | 40.0 | N | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | SILVICULTURE ACTIVITIES |
| LA030602_00 | Barnes Creek-From Little Barnes Creek to Calcasieu River | R | 40.0 | N | F | N | | | | | | PCR | FECAL COLIFORM | IRC 5 | L | NATURAL SOURCES |
| LA030603_00 | Marsh Bayou-From headwaters to Calcasieu River | R | 16.3 | N | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | AGRICULTURE |
| LA030603_00 | Marsh Bayou-From headwaters to Calcasieu River | R | 16.3 | N | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | CROP PRODUCTION (NON- IRRIGATED) |
| LA030603_00 | Marsh Bayou-From headwaters to Calcasieu River | R | 16.3 | N | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | NATURAL SOURCES |
| LA030603_00 | Marsh Bayou-From headwaters to Calcasieu River | R | 16.3 | Ν | F | Ν | | | | | | PCR | FECAL COLIFORM | IRC 5 | L | NATURAL SOURCES |
| LA030603_00 | Marsh Bayou-From headwaters to Calcasieu River | R | 16.3 | N | F | N | | | | | | PCR | FECAL COLIFORM | IRC 5 | L | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |
| LA030701_00 | Bayou Serpent | R | 33.8 | N | F | N | | | | F | | FWP | DISSOLVED OXYGEN | IRC 4a | | AGRICULTURE |
| LA030701_00 | Bayou Serpent | R | 33.8 | N | F | N | | | | F | | FWP | DISSOLVED OXYGEN | IRC 4a | | WATER DIVERSIONS |
| LA030701 00 | Bayou Serpent | R | 33.8 | Ν | F | N | | | | F | | FWP | LEAD | IRC 4a | | SOURCE UNKNOWN |
| LA030701_00 | Bayou Serpent | R | 33.8 | | F | N | | | | F | | PCR | FECAL COLIFORM | IRC 5 | L | NATURAL SOURCES |
| LA030701_00 | Bayou Serpent | R | 33.8 | | F | N | | | | F | | PCR | FECAL COLIFORM | IRC 5 | L | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |
| LA030702_00 | English Bayou-From headwaters to Calcasieu River | R | 10.3 | N | N | N | | | | F | | FWP | DISSOLVED OXYGEN | IRC 4a | | DISCHARGES FROM MUNICIPAL SEPARATE STORM SEWER SYSTEMS (MS4) |
| LA030702_00 | English Bayou-From headwaters to Calcasieu River | R | 10.3 | N | N | N | | | | F | 1 | FWP | DISSOLVED OXYGEN | IRC 4a | | NATURAL SOURCES |
| LA030702_00 | English Bayou-From headwaters to Calcasieu River | R | 10.3 | N | N | N | | | | F | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | ATMOSPHERIC DEPOSITION - TOXICS |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | SMG | ONR | OYS | AGR | LAL | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | TMDL Priority | Suspected Sources of Impairment |
|-------------------|---|-----------------------|------|-----|-----|-----|-----|-----|-----|-----|-----|---|--|--|------------------|---|
| LA030702_00 | English Bayou-From headwaters to Calcasieu River | R | 10.3 | N | N | N | | | | F | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | SOURCE UNKNOWN |
| LA030702_00 | English Bayou-From headwaters to Calcasieu River | R | 10.3 | N | N | N | | | | F | | FWP | NITRATE/NITRITE (NITRITE + NITRATE AS N) | IRC 4a | | DISCHARGES FROM MUNICIPAL SEPARATE STORM SEWER SYSTEMS (MS4) |
| LA030702_00 | English Bayou-From headwaters to Calcasieu River | R | 10.3 | N | N | Ν | | | | F | | FWP | NITRATE/NITRITE (NITRITE + NITRATE AS N) | IRC 4a | | NATURAL SOURCES |
| LA030702_00 | English Bayou-From headwaters to Calcasieu River | R | 10.3 | N | N | Ν | | | | F | | FWP | PHOSPHORUS, TOTAL | IRC 4a | | DISCHARGES FROM MUNICIPAL SEPARATE STORM SEWER SYSTEMS (MS4) |
| LA030702_00 | English Bayou-From headwaters to Calcasieu River | R | 10.3 | N | N | N | | | | F | | FWP | PHOSPHORUS, TOTAL | IRC 4a | | NATURAL SOURCES |
| LA030702_00 | English Bayou-From headwaters to Calcasieu River | R | 10.3 | Ν | Ν | Ν | | | | F | | FWP | TURBIDITY | IRC 4a | | NATURAL SOURCES |
| LA030702_00 | English Bayou-From headwaters to Calcasieu River | R | 10.3 | | N | N | | | | F | | PCR | FECAL COLIFORM | IRC 5 | L | DISCHARGES FROM MUNICIPAL SEPARATE STORM SEWER SYSTEMS (MS4) |
| LA030702_00 | English Bayou-From headwaters to Calcasieu River | R | 10.3 | N | N | N | | | | F | | SCR | FECAL COLIFORM | IRC 5 | L | DISCHARGES FROM MUNICIPAL SEPARATE STORM SEWER SYSTEMS (MS4) |
| LA030801_00 | West Fork Calcasieu River-From confluence with Beckwith Creek and Hickory Branch to mainstem of Calcasieu River | R | 16.4 | F | F | N | | | | F | | FWP | DISSOLVED OXYGEN | IRC 4a | | NATURAL SOURCES |
| LA030801_00 | West Fork Calcasieu River-From confluence with Beckwith Creek and Hickory Branch to mainstem of Calcasieu River | R | 16.4 | F | F | Ν | | | | F | | FWP | DISSOLVED OXYGEN | IRC 4a | | SILVICULTURE ACTIVITIES |
| LA030801_00 | West Fork Calcasieu River-From confluence with Beckwith Creek and Hickory Branch to mainstem of Calcasieu River | R | 16.4 | F | F | Ν | | | | F | | FWP | DISSOLVED OXYGEN | IRC 4a | | WATER DIVERSIONS |
| LA030801_00 | West Fork Calcasieu River-From confluence with Beckwith Creek and Hickory Branch to mainstem of Calcasieu River | R | 16.4 | F | F | N | | | | F | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | ATMOSPHERIC DEPOSITION - TOXICS |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | ЧЧР | DWS | ONR | SYO | AGR | LAL | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | TMDL Priority | Suspected Sources of Impairment |
|-------------------|---|-----------------------|------|-----|-----|-----|-----|-----|-----|-----|-----|---|---|--|------------------|--|
| LA030801_00 | West Fork Calcasieu River-From confluence with Beckwith Creek and Hickory Branch to mainstem of Calcasieu River | R | 16.4 | F | F | N | | | | F | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | SOURCE UNKNOWN |
| LA030802_00 | Hickory Branch-From headwaters to West Fork Calcasieu River | R | 50.4 | N | F | N | | | | F | | FWP | DISSOLVED OXYGEN | IRC 5 | L | NATURAL SOURCES |
| LA030802_00 | Hickory Branch-From headwaters to West Fork Calcasieu River | R | 50.4 | N | F | N | | | | F | | FWP | DISSOLVED OXYGEN | IRC 5 | L | SILVICULTURE ACTIVITIES |
| LA030802_00 | Hickory Branch-From headwaters to West Fork Calcasieu River | R | 50.4 | N | F | N | | | | F | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | ATMOSPHERIC DEPOSITION - TOXICS |
| LA030802_00 | Hickory Branch-From headwaters to West Fork Calcasieu River | R | 50.4 | N | F | N | | | | F | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | SOURCE UNKNOWN |
| LA030802_00 | Hickory Branch-From headwaters to West Fork Calcasieu River | R | 50.4 | N | F | N | | | | F | | FWP | PH, LOW | IRC 5 | L | NATURAL SOURCES |
| LA030802_00 | Hickory Branch-From headwaters to West Fork Calcasieu River | R | 50.4 | N | F | N | | | | F | | FWP | PH, LOW | IRC 5 | L | SILVICULTURE ACTIVITIES |
| LA030802_00 | Hickory Branch-From headwaters to West Fork Calcasieu River | R | 50.4 | N | F | N | | | | F | | PCR | FECAL COLIFORM | IRC 5 | L | NATURAL SOURCES |
| LA030803_00 | Beckwith Creek-From headwaters to West Fork Calcasieu River | R | 64.0 | N | F | N | | | | F | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | ATMOSPHERIC DEPOSITION - TOXICS |
| LA030803_00 | Beckwith Creek-From headwaters to West Fork Calcasieu River | R | 64.0 | N | F | N | | | | F | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | SOURCE UNKNOWN |
| LA030803_00 | Beckwith Creek-From headwaters to West Fork Calcasieu River | R | 64.0 | N | F | N | | | | F | | FWP | PH, LOW | IRC 5 | L | NATURAL SOURCES |
| LA030803_00 | Beckwith Creek-From headwaters to West Fork Calcasieu River | R | 64.0 | N | F | N | | | | F | | PCR | FECAL COLIFORM | IRC 5 | L | NATURAL SOURCES |
| LA030803_00 | Beckwith Creek-From headwaters to West Fork Calcasieu River | R | 64.0 | Ν | F | N | | | | F | | PCR | FECAL COLIFORM | IRC 5 | L | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |
| LA030803_00 | Beckwith Creek-From headwaters to West Fork Calcasieu River | R | 64.0 | N | F | N | | | | F | | PCR | FECAL COLIFORM | IRC 5 | L | SEWAGE DISCHARGES IN UNSEWERED AREAS |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | DWS | ONR | OYS | AGR | LAL | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | TMDL Priority | Suspected Sources of Impairment |
|-------------------|--|-----------------------|------|-----|-----|-----|-----|-----|-----|-----|-----|---|---|--|------------------|--|
| LA030804_00 | Little River-From headwaters to West Fork Calcasieu River | R | 14.4 | N | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | NATURAL SOURCES |
| LA030804_00 | Little River-From headwaters to West Fork Calcasieu River | R | 14.4 | N | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |
| LA030804_00 | Little River-From headwaters to West Fork Calcasieu River | R | 14.4 | N | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | SEWAGE DISCHARGES IN UNSEWERED AREAS |
| LA030804_00 | Little River-From headwaters to West Fork Calcasieu River | R | 14.4 | N | F | N | | | | | | FWP | LEAD | IRC 4a | | SOURCE UNKNOWN |
| LA030804_00 | Little River-From headwaters to West Fork Calcasieu River | R | 14.4 | N | F | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | ATMOSPHERIC DEPOSITION - TOXICS |
| LA030804_00 | Little River-From headwaters to West Fork Calcasieu River | R | 14.4 | N | F | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | SOURCE UNKNOWN |
| LA030804_00 | Little River-From headwaters to West Fork Calcasieu River | R | 14.4 | N | F | N | | | | | | PCR | FECAL COLIFORM | IRC 5 | L | NATURAL SOURCES |
| LA030804_00 | Little River-From headwaters to West Fork Calcasieu River | R | 14.4 | Ν | F | N | | | | | | PCR | FECAL COLIFORM | IRC 5 | L | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |
| LA030804_00 | Little River-From headwaters to West Fork Calcasieu River | R | 14.4 | N | F | N | | | | | | PCR | FECAL COLIFORM | IRC 5 | L | SEWAGE DISCHARGES IN UNSEWERED AREAS |
| LA030805_00 | Indian Bayou-From headwaters to West Fork Calcasieu River | R | 19.1 | N | F | N | | | | F | | FWP | DISSOLVED OXYGEN | IRC 4a | | AGRICULTURE |
| LA030805_00 | Indian Bayou-From headwaters to West Fork Calcasieu River | R | 19.1 | N | F | N | | | | F | | FWP | DISSOLVED OXYGEN | IRC 4a | | NATURAL SOURCES |
| LA030805_00 | Indian Bayou-From headwaters to West Fork Calcasieu River | R | 19.1 | N | F | N | | | | F | | FWP | DISSOLVED OXYGEN | IRC 4a | | WATER DIVERSIONS |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | DWS | ONR | SYO | AGR | TAL | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | TMDL Priority | Suspected Sources of Impairment |
|-------------------|--|-----------------------|------|-----|-----|-----|-----|-----|-----|-----|-----|---|---|--|------------------|--|
| LA030805_00 | Indian Bayou-From headwaters to West Fork Calcasieu River | R | 19.1 | Ν | F | N | | | | F | | PCR | FECAL COLIFORM | IRC 4a | | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |
| LA030806_00 | Houston River-From Bear Head Creek at LA-12 to West Fork Calcasieu River | R | 38.6 | F | F | N | | | | F | | FWP | DISSOLVED OXYGEN | IRC 4a | | DROUGHT-RELATED IMPACTS |
| LA030806_00 | Houston River-From Bear Head Creek at LA-12 to West Fork Calcasieu River | R | 38.6 | F | F | Ν | | | | F | | FWP | DISSOLVED OXYGEN | IRC 4a | | NATURAL SOURCES |
| LA030806_00 | Houston River-From Bear Head Creek at LA-12 to West Fork Calcasieu River | R | 38.6 | F | F | N | | | | F | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | ATMOSPHERIC DEPOSITION - TOXICS |
| LA030806_00 | Houston River-From Bear Head Creek at LA-12 to West Fork Calcasieu River | R | 38.6 | F | F | N | | | | F | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | SOURCE UNKNOWN |
| LA030806_00 | Houston River-From Bear Head Creek at LA-12 to West Fork Calcasieu River | R | 38.6 | F | F | N | | | | F | | FWP | PH, LOW | IRC 5RC | L | NATURAL SOURCES |
| LA030806_554700 | Houston River Canal-From 1 mile west of LA-388 to its terminuses at Mossvile and the Houston River | R | 14.0 | F | F | F | N | | | F | | DWS | COLOR | IRC 5 | L | UPSTREAM SOURCE |
| LA030807_00 | Bear Head Creek-From headwaters to Houston River at LA-12 | R | 49.2 | F | F | Ν | | | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | NATURAL SOURCES |
| LA030807_00 | Bear Head Creek-From headwaters to Houston River at LA-12 | R | 49.2 | F | F | Ν | | | | | | FWP | LEAD | IRC 4a | | SOURCE UNKNOWN |
| LA030807_00 | Bear Head Creek-From headwaters to Houston River at LA-12 | R | 49.2 | F | F | Ν | | | | | | FWP | PH, LOW | IRC 5RC | L | NATURAL SOURCES |
| LA030901_00 | Bayou D'Inde-From headwaters to Calcasieu River (Estuarine) | R | 12.3 | N | Ν | N | | | | | | FWP | 1,1,1,2- TETRACHLOROETHA NE | IRC 4a | | INDUSTRIAL POINT SOURCE DISCHARGE |
| LA030901_00 | Bayou D'Inde-From headwaters to Calcasieu River (Estuarine) | R | 12.3 | N | N | N | | | | | | FWP | BROMOFORM | IRC 4a | | INDUSTRIAL POINT SOURCE DISCHARGE |
| LA030901_00 | Bayou D'Inde-From headwaters to Calcasieu River (Estuarine) | R | 12.3 | N | Ν | N | | | | | | FWP | DIOXIN - FISH CONSUMPTION ADVISORY | IRC 5 | L | INDUSTRIAL POINT SOURCE DISCHARGE |
| LA030901_00 | Bayou D'Inde-From headwaters to Calcasieu River (Estuarine) | R | 12.3 | N | N | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | DISCHARGES FROM MUNICIPAL SEPARATE STORM SEWER SYSTEMS (MS4) |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | DWS | ONR | SYO | AGR | LAL | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | TMDL Priority | Suspected Sources of Impairment |
|-------------------|--|-----------------------|------|-----|-----|-----|-----|-----|-----|-----|-----|---|--|--|------------------|--|
| LA030901_00 | Bayou D'Inde-From headwaters to Calcasieu River (Estuarine) | R | 12.3 | N | N | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | MUNICIPAL POINT SOURCE DISCHARGES |
| LA030901_00 | Bayou D'Inde-From headwaters to Calcasieu River (Estuarine) | R | 12.3 | N | N | N | | | | | | FWP | FURAN COMPOUNDS | IRC 5 | L | INDUSTRIAL POINT SOURCE DISCHARGE |
| LA030901_00 | Bayou D'Inde-From headwaters to Calcasieu River (Estuarine) | R | 12.3 | N | N | N | | | | | | FWP | NITRATE/NITRITE (NITRITE + NITRATE AS N) | IRC 4a | | DISCHARGES FROM MUNICIPAL SEPARATE STORM SEWER SYSTEMS (MS4) |
| LA030901_00 | Bayou D'Inde-From headwaters to Calcasieu River (Estuarine) | R | 12.3 | N | N | N | | | | | | FWP | NITRATE/NITRITE (NITRITE + NITRATE AS N) | IRC 4a | | MUNICIPAL POINT SOURCE DISCHARGES |
| LA030901_00 | Bayou D'Inde-From headwaters to Calcasieu River (Estuarine) | R | 12.3 | N | N | N | | | | | | FWP | PCBS - FISH CONSUMPTION ADVISORY | IRC 4a | | INDUSTRIAL POINT SOURCE DISCHARGE |
| LA030901_00 | Bayou D'Inde-From headwaters to Calcasieu River (Estuarine) | R | 12.3 | N | N | N | | | | | | FWP | PHOSPHORUS, TOTAL | IRC 4a | | DISCHARGES FROM MUNICIPAL SEPARATE STORM SEWER SYSTEMS (MS4) |
| LA030901_00 | Bayou D'Inde-From headwaters to Calcasieu River (Estuarine) | R | 12.3 | N | N | N | | | | | | FWP | PHOSPHORUS, TOTAL | IRC 4a | | MUNICIPAL POINT SOURCE DISCHARGES |
| LA030901_00 | Bayou D'Inde-From headwaters to Calcasieu River (Estuarine) | R | 12.3 | N | N | N | | | | | | PCR | DIOXIN | IRC 5 | L | INDUSTRIAL POINT SOURCE DISCHARGE |
| LA030901_00 | Bayou D'Inde-From headwaters to Calcasieu River (Estuarine) | R | 12.3 | N | N | N | | | | | | PCR | ENTEROCOCCUS | IRC 5 | L | NATURAL SOURCES |
| LA030901_00 | Bayou D'Inde-From headwaters to Calcasieu River (Estuarine) | R | 12.3 | N | Ν | N | | | | | | PCR | ENTEROCOCCUS | IRC 5 | L | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |
| LA030901_00 | Bayou D'Inde-From headwaters to Calcasieu River (Estuarine) | R | 12.3 | N | N | N | | | | | | PCR | FURAN COMPOUNDS | IRC 5 | L | INDUSTRIAL POINT SOURCE DISCHARGE |
| LA030901_00 | Bayou D'Inde-From headwaters to Calcasieu River (Estuarine) | R | 12.3 | | N | N | | | | | | PCR | PCBS IN SEDIMENT | IRC 4a | | INDUSTRIAL POINT SOURCE DISCHARGE |
| LA030901_00 | Bayou D'Inde-From headwaters to Calcasieu River (Estuarine) | R | 12.3 | N | N | N | | | | | | SCR | DIOXIN | IRC 5 | L | INDUSTRIAL POINT SOURCE DISCHARGE |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | DWS | ONR | SYO | AGR | LAL | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | TMDL Priority | Suspected Sources of Impairment |
|-------------------|--|-----------------------|------|-----|-----|-----|-----|-----|-----|-----|-----|---|-----------------------------------|--|------------------|--|
| LA030901_00 | Bayou D'Inde-From headwaters to Calcasieu River (Estuarine) | R | 12.3 | N | N | N | | | | | | SCR | FECAL COLIFORM | IRC 5 | L | DISCHARGES FROM MUNICIPAL SEPARATE STORM SEWER SYSTEMS (MS4) |
| LA030901_00 | Bayou D'Inde-From headwaters to Calcasieu River (Estuarine) | R | 12.3 | N | N | N | | | | | | SCR | FECAL COLIFORM | IRC 5 | L | MUNICIPAL POINT SOURCE DISCHARGES |
| LA030901_00 | Bayou D'Inde-From headwaters to Calcasieu River (Estuarine) | R | 12.3 | N | N | N | | | | | | SCR | FURAN COMPOUNDS | IRC 5 | L | INDUSTRIAL POINT SOURCE DISCHARGE |
| LA030901_00 | Bayou D'Inde-From headwaters to Calcasieu River (Estuarine) | R | 12.3 | N | N | N | | | | | | SCR | PCBS IN SEDIMENT | IRC 4a | | INDUSTRIAL POINT SOURCE DISCHARGE |
| LA031001_00 | Bayou Choupique-From headwaters to ICWW (Estuarine) | R | 20.3 | N | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | NATURAL SOURCES |
| LA031001_00 | Bayou Choupique-From headwaters to ICWW (Estuarine) | R | 20.3 | N | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |
| LA031001_00 | Bayou Choupique-From headwaters to ICWW (Estuarine) | R | 20.3 | N | F | N | | | | | | PCR | ENTEROCOCCUS | IRC 5 | L | NATURAL SOURCES |
| LA031001_00 | Bayou Choupique-From headwaters to ICWW (Estuarine) | R | 20.3 | N | F | N | | | | | | PCR | ENTEROCOCCUS | IRC 5 | L | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |
| LA031002_00 | Intracoastal Waterway- From West Calcasieu River Basin boundary to Calcasieu Lock (Estuarine) | R | 9.8 | N | F | F | | | | | | PCR | ENTEROCOCCUS | IRC 5 | L | NATURAL SOURCES |
| LA031002_00 | Intracoastal Waterway- From West Calcasieu River Basin boundary to Calcasieu Lock (Estuarine) | R | 9.8 | N | F | F | | | | | | PCR | ENTEROCOCCUS | IRC 5 | L | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |
| LA031101_00 | Intracoastal Waterway-From Calcasieu Lock to East Calcasieu River Basin boundary | R | 19.2 | F | F | F | | | | | | | | | | |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | DWS | ONR | SYO | AGR | LAL | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | TMDL Priority | Suspected Sources of Impairment |
|-------------------|---|-----------------------|------|-----|-----|-----|-----|-----|-----|-----|-----|---|---|--|------------------|------------------------------------|
| LA031201_00 | Calcasieu River Basin Coastal Bays and Gulf Waters to State 3 mile limit | E | 42.0 | F | F | N | | | F | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | ATMOSPHERIC DEPOSITION - TOXICS |
| LA031201_00 | Calcasieu River Basin Coastal Bays and Gulf Waters to State 3 mile limit | E | 42.0 | F | F | N | | | F | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | SOURCE UNKNOWN |
| LA031201_001 | Holly Beach - Located within subsegment LA031201_00. This unit is added for advisory tracking purposes only and is not a subsegment as defined by LAC 33:IX.1123.A. et. seq. No other assessment is made for this waterbody. | С | 3.4 | N | | | | | | | | PCR | ENTEROCOCCUS | IRC 5 | L | NATURAL SOURCES |
| LA031201_001 | Holly Beach - Located within subsegment LA031201_00. This unit is added for advisory tracking purposes only and is not a subsegment as defined by LAC 33:IX.1123.A. et. seq. No other assessment is made for this waterbody. | С | 3.4 | N | | | | | | | | PCR | ENTEROCOCCUS | IRC 5 | L | WATERFOWL |
| LA040101_00 | Comite River-From Little Comite Creek and Comite Creek at Mississippi state line to Wilson-Clinton Highway | R | 18.4 | N | N | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 5 | L | MANURE RUNOFF |
| LA040101_00 | Comite River-From Little Comite Creek and Comite Creek at Mississippi state line to Wilson-Clinton Highway | R | 18.4 | N | N | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 5 | L | UNRESTRICTED CATTLE ACCESS |
| LA040101_00 | Comite River-From Little Comite Creek and Comite Creek at Mississippi state line to Wilson-Clinton Highway | R | 18.4 | N | N | N | | | | | | PCR | FECAL COLIFORM | IRC 5 | L | MANURE RUNOFF |
| LA040101_00 | Comite River-From Little Comite Creek and Comite Creek at Mississippi state line to Wilson-Clinton Highway | R | 18.4 | N | N | N | | | | | | PCR | FECAL COLIFORM | IRC 5 | L | UNRESTRICTED CATTLE ACCESS |
| LA040101_00 | Comite River-From Little Comite Creek and Comite Creek at Mississippi state line to Wilson-Clinton Highway | R | 18.4 | N | N | N | | | | | | SCR | FECAL COLIFORM | IRC 5 | L | MANURE RUNOFF |
| LA040101_00 | Comite River-From Little Comite Creek and Comite Creek at Mississippi state line to Wilson-Clinton Highway | R | 18.4 | N | N | N | | | | | | SCR | FECAL COLIFORM | IRC 5 | L | UNRESTRICTED CATTLE ACCESS |
| LA040102_00 | Comite River-From Wilson-Clinton Highway to White Bayou (Scenic) | R | 38.0 | F | F | N | | N | | | | FWP | TURBIDITY | IRC 5 | L | SILVICULTURE ACTIVITIES |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | DWS | ONR | SYO | AGR | LAL | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | TMDL Priority | Suspected Sources of Impairment |
|-------------------|---|-----------------------|------|-----|-----|-----|-----|-----|-----|-----|-----|---|-----------------------------------|--|------------------|--|
| LA040102_00 | Comite River-From Wilson-Clinton Highway to White Bayou (Scenic) | R | 38.0 | F | F | N | | N | | | | FWP | TURBIDITY | IRC 5 | L | SITE CLEARANCE (LAND DEVELOPMENT OR REDEVELOPMENT) |
| LA040102_00 | Comite River-From Wilson-Clinton Highway to White Bayou (Scenic) | R | 38.0 | F | F | N | | N | | | | ONR | TURBIDITY | IRC 5 | L | SILVICULTURE ACTIVITIES |
| LA040102_00 | Comite River-From Wilson-Clinton Highway to White Bayou (Scenic) | R | 38.0 | F | F | N | | N | | | | ONR | TURBIDITY | IRC 5 | L | SITE CLEARANCE (LAND DEVELOPMENT OR REDEVELOPMENT) |
| LA040103_00 | Comite River-From White Bayou to Amite River | R | 12.3 | N | N | F | | | | | | PCR | FECAL COLIFORM | IRC 4a | | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |
| LA040103_00 | Comite River-From White Bayou to Amite River | R | 12.3 | N | N | F | | | | | | PCR | FECAL COLIFORM | IRC 4a | | SANITARY SEWER OVERFLOWS (COLLECTION SYSTEM FAILURES) |
| LA040103_00 | Comite River-From White Bayou to Amite River | R | 12.3 | N | N | F | | | | | | SCR | FECAL COLIFORM | IRC 4a | | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |
| LA040103_00 | Comite River-From White Bayou to Amite River | R | 12.3 | N | N | F | | | | | | SCR | FECAL COLIFORM | IRC 4a | | SANITARY SEWER OVERFLOWS (COLLECTION SYSTEM FAILURES) |
| LA040201_00 | Bayou Manchac-From headwaters to Amite River | R | 18.3 | | | | | | | | | FWP | CHLORIDE | IRC 5 | L | NATURAL SOURCES |
| LA040201_00 | Bayou Manchac-From headwaters to Amite River | R | 18.3 | F | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | NATURAL SOURCES |
| LA040201_00 | Bayou Manchac-From headwaters to Amite River | R | 18.3 | F | F | Ν | | | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |
| LA040201_00 | Bayou Manchac-From headwaters to Amite River | R | 18.3 | F | F | Ν | | | | | | FWP | SULFATE | IRC 5 | L | NATURAL SOURCES |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | SMG | ONR | SYO | AGR | LAL | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | TMDL Priority | Suspected Sources of Impairment |
|-------------------|---|-----------------------|------|-----|-----|-----|-----|-----|-----|-----|-----|---|---|--|------------------|--|
| LA040201_00 | Bayou Manchac-From headwaters to Amite River | R | 18.3 | F | F | N | | | | | | FWP | TOTAL DISSOLVED SOLIDS (TDS) | IRC 5 | L | NATURAL SOURCES |
| LA040202_00 | Ward Creek-From headwaters to confluence with Dawson Creek | R | 8.8 | Х | X | Х | | | | | | | | | | |
| LA040301_00 | Amite River-From Mississippi state line to La. Highway 37 (Scenic) | R | 28.6 | F | N | N | | N | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 5 | L | ATMOSPHERIC DEPOSITION - TOXICS |
| LA040301_00 | Amite River-From Mississippi state line to La. Highway 37 (Scenic) | R | 28.6 | F | N | N | | N | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 5 | L | SOURCE UNKNOWN |
| LA040301_00 | Amite River-From Mississippi state line to La. Highway 37 (Scenic) | R | 28.6 | F | N | N | | N | | | | FWP | TURBIDITY | IRC 4a | | SAND/GRAVEL/ROCK MINING OR QUARRIES |
| LA040301_00 | Amite River-From Mississippi state line to La. Highway 37 (Scenic) | R | 28.6 | | N | N | | N | | | | ONR | TURBIDITY | IRC 4a | | SAND/GRAVEL/ROCK MINING OR QUARRIES |
| LA040301_00 | Amite River-From Mississippi state line to La. Highway 37 (Scenic) | R | 28.6 | F | N | N | | N | | | | SCR | FECAL COLIFORM | IRC 5 | L | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |
| LA040302_00 | Amite River-From La. Highway 37 to LMRAP Ecoregion boundary | R | 46.9 | N | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 5 | L | NATURAL SOURCES |
| LA040302_00 | Amite River-From La. Highway 37 to LMRAP Ecoregion boundary | R | 46.9 | N | F | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 5 | L | ATMOSPHERIC DEPOSITION - TOXICS |
| LA040302_00 | Amite River-From La. Highway 37 to LMRAP Ecoregion boundary | R | 46.9 | N | F | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 5 | L | SOURCE UNKNOWN |
| LA040302_00 | Amite River-From La. Highway 37 to LMRAP Ecoregion boundary | R | 46.9 | N | F | N | | | | | | PCR | FECAL COLIFORM | IRC 4a | | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |
| LA040302_00 | Amite River-From La. Highway 37 to LMRAP Ecoregion boundary | R | 46.9 | N | F | N | | | | | | PCR | FECAL COLIFORM | IRC 4a | | SANITARY SEWER OVERFLOWS (COLLECTION SYSTEM FAILURES) |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | DWS | ONR | SYO | AGR | WDU | LAL | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | TMDL Priority | Suspected Sources of Impairment |
|-------------------|--|-----------------------|------|-----|-----|-----|-----|-----|-----|-----|-----|-----|---|--|--|------------------|--|
| LA040303_00 | Amite River-From Amite River Diversion Canal to Lake Maurepas | R | 28.1 | F | F | N | | | | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | UPSTREAM SOURCE |
| LA040303_00 | Amite River-From Amite River Diversion Canal to Lake Maurepas | R | 28.1 | F | F | N | | | | | | | | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | ATMOSPHERIC DEPOSITION - TOXICS |
| LA040303_00 | Amite River-From Amite River Diversion Canal to Lake Maurepas | R | 28.1 | F | F | N | | | | | | | | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | SOURCE UNKNOWN |
| LA040303_00 | Amite River-From Amite River Diversion Canal to Lake Maurepas | R | 28.1 | F | F | N | | | | | | | FWP | NITRATE/NITRITE (NITRITE + NITRATE AS N) | IRC 4a | | UPSTREAM SOURCE |
| LA040303_00 | Amite River-From Amite River Diversion Canal to Lake Maurepas | R | 28.1 | F | F | N | | | | | | | FWP | PHOSPHORUS, TOTAL | IRC 4a | | UPSTREAM SOURCE |
| LA040304_00 | Grays Creek-From headwaters to Amite River | R | 18.3 | Ν | F | Ν | | | | | | | FWP | CHLORIDE | IRC 5 | L | NATURAL SOURCES |
| LA040304_00 | Grays Creek-From headwaters to Amite River | R | 18.3 | N | F | N | | | | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |
| LA040304_00 | Grays Creek-From headwaters to Amite River | R | 18.3 | N | F | N | | | | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | PACKAGE PLANT OR OTHER PERMITTED SMALL FLOWS DISCHARGES |
| LA040304_00 | Grays Creek-From headwaters to Amite River | R | 18.3 | N | F | N | | | | | | | FWP | NITRATE/NITRITE (NITRITE + NITRATE AS N) | IRC 4a | | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |
| LA040304_00 | Grays Creek-From headwaters to Amite River | R | 18.3 | N | F | N | | | | | | | FWP | NITRATE/NITRITE (NITRITE + NITRATE AS N) | IRC 4a | | PACKAGE PLANT OR OTHER PERMITTED SMALL FLOWS DISCHARGES |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | SMG | ONR | SYO | AGR | LAL | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | TMDL Priority | Suspected Sources of Impairment |
|-------------------|---|-----------------------|------|-----|-----|-----|-----|-----|-----|-----|-----|---|--|--|------------------|--|
| LA040304_00 | Grays Creek-From headwaters to Amite River | R | 18.3 | Ν | F | Ν | | | | | | FWP | PHOSPHORUS, TOTAL | IRC 4a | | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |
| LA040304_00 | Grays Creek-From headwaters to Amite River | R | 18.3 | N | F | N | | | | | | FWP | PHOSPHORUS, TOTAL | IRC 4a | | PACKAGE PLANT OR OTHER PERMITTED SMALL FLOWS DISCHARGES |
| LA040304_00 | Grays Creek-From headwaters to Amite River | R | 18.3 | Ν | F | Ν | | | | | | FWP | SULFATE | IRC 5 | L | NATURAL SOURCES |
| LA040304_00 | Grays Creek-From headwaters to Amite River | R | 18.3 | N | F | N | | | | | | FWP | TOTAL DISSOLVED SOLIDS (TDS) | IRC 5 | L | NATURAL SOURCES |
| LA040304_00 | Grays Creek-From headwaters to Amite River | R | 18.3 | N | F | N | | | | | | PCR | FECAL COLIFORM | IRC 4a | | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |
| LA040305_00 | Colyell Bay; includes Colyell Creek and Middle Colyell Creek-From Hood Road to Colyell Bay | R | 11.6 | F | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |
| LA040305_00 | Colyell Bay; includes Colyell Creek and Middle Colyell Creek-From Hood Road to Colyell Bay | R | 11.6 | F | F | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 5 | | ATMOSPHERIC DEPOSITION - TOXICS |
| LA040305_00 | Colyell Bay; includes Colyell Creek and Middle Colyell Creek-From Hood Road to Colyell Bay | R | 11.6 | F | F | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 5 | L | SOURCE UNKNOWN |
| LA040305_00 | Colyell Bay; includes Colyell Creek and Middle Colyell Creek-From Hood Road to Colyell Bay | R | 11.6 | F | F | N | | | | | | FWP | NITRATE/NITRITE (NITRITE + NITRATE AS N) | IRC 4a | | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | DWS | ONR | SYO | AGR | LAL | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | TMDL Priority | Suspected Sources of Impairment |
|-------------------|---|-----------------------|------|-----|-----|-----|-----|-----|-----|-----|-----|---|---|---|------------------|--|
| LA040305_00 | Colyell Bay; includes Colyell Creek and Middle Colyell Creek-From Hood Road to Colyell Bay | R | 11.6 | F | F | N | | | | | | FWP | PHOSPHORUS, TOTAL | IRC 4a | | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |
| LA040305_00 | Colyell Bay; includes Colyell Creek and Middle Colyell Creek-From Hood Road to Colyell Bay | R | 11.6 | F | F | N | | | | | | FWP | TOTAL DISSOLVED SOLIDS (TDS) | IRC 5 | L | SOURCE UNKNOWN |
| LA040306_00 | Amite River-From LMRAP Ecoregion boundary to Amite River Diversion Canal | R | 15.7 | N | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 5: EPA decision deferred ¹ | L | NATURAL SOURCES |
| LA040306_00 | Amite River-From LMRAP Ecoregion boundary to Amite River Diversion Canal | R | 15.7 | N | F | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 5 | L | ATMOSPHERIC DEPOSITION - TOXICS |
| LA040306_00 | Amite River-From LMRAP Ecoregion boundary to Amite River Diversion Canal | R | 15.7 | N | F | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 5 | L | SOURCE UNKNOWN |
| LA040306_00 | Amite River-From LMRAP Ecoregion boundary to Amite River Diversion Canal | R | 15.7 | N | F | N | | | | | | PCR | FECAL COLIFORM | IRC 4a | | NATURAL SOURCES |
| LA040306_00 | Amite River-From LMRAP Ecoregion boundary to Amite River Diversion Canal | R | 15.7 | N | F | N | | | | | | PCR | FECAL COLIFORM | IRC 4a | | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |
| LA040306_00 | Amite River-From LMRAP Ecoregion boundary to Amite River Diversion Canal | R | 15.7 | N | F | N | | | | | | PCR | FECAL COLIFORM | IRC 4a | | SANITARY SEWER OVERFLOWS (COLLECTION SYSTEM FAILURES) |
| LA040307_00 | West Colyell Creek-From headwaters to Hood Road | R | 20.7 | Х | Х | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | SILVICULTURE ACTIVITIES |
| LA040307_00 | West Colyell Creek-From headwaters to Hood Road | R | 20.7 | X | Х | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 5 | L | ATMOSPHERIC DEPOSITION - TOXICS |
| LA040307_00 | West Colyell Creek-From headwaters to Hood Road | R | 20.7 | Х | Х | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 5 | L | SOURCE UNKNOWN |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | DWS | ONR | SYO | AGR | LAL | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | TMDL Priority | Suspected Sources of Impairment |
|-------------------|---|-----------------------|------|-----|-----|-----|-----|-----|-----|-----|-----|---|--|---|------------------|--|
| LA040308_00 | Middle Colyell Creek-From headwaters to Hood Road | R | 21.1 | Х | X | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | SILVICULTURE ACTIVITIES |
| LA040308_00 | Middle Colyell Creek-From headwaters to Hood Road | R | 21.1 | Х | X | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 5 | L | ATMOSPHERIC DEPOSITION - TOXICS |
| LA040308_00 | Middle Colyell Creek-From headwaters to Hood Road | R | 21.1 | Х | X | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 5 | L | SOURCE UNKNOWN |
| LA040309_00 | Colyell Creek-From headwaters to confluence with, and including, Little Colyell Creek | R | 33.2 | F | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |
| LA040309_00 | Colyell Creek-From headwaters to confluence with, and including, Little Colyell Creek | R | 33.2 | F | F | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 5 | L | ATMOSPHERIC DEPOSITION - TOXICS |
| LA040309_00 | Colyell Creek-From headwaters to confluence with, and including, Little Colyell Creek | R | 33.2 | F | F | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 5 | L | SOURCE UNKNOWN |
| LA040309_00 | Colyell Creek-From headwaters to confluence with, and including, Little Colyell Creek | R | 33.2 | F | F | N | | | | | | FWP | NITRATE/NITRITE (NITRITE + NITRATE AS N) | IRC 4a | | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |
| LA040309_00 | Colyell Creek-From headwaters to confluence with, and including, Little Colyell Creek | R | 33.2 | F | F | N | | | | | | FWP | PHOSPHORUS, TOTAL | IRC 4a | | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |
| LA040309_00 | Colyell Creek-From headwaters to confluence with, and including, Little Colyell Creek | R | 33.2 | F | F | N | | | | | | FWP | TOTAL DISSOLVED SOLIDS (TDS) | IRC 5 | L | SOURCE UNKNOWN |
| LA040401_00 | Blind River-From Amite River Diversion Canal to mouth at Lake Maurepas (Scenic) | R | 5.1 | F | F | N | | N | | | | FWP | DISSOLVED OXYGEN | IRC 5: EPA decision deferred ¹ | L | NATURAL SOURCES |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | SMG | ONR | SYO | AGR | TVT | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | TMDL Priority | Suspected Sources of Impairment |
|-------------------|--|-----------------------|------|-----|-----|-----|-----|-----|-----|-----|-----|---|---|---|------------------|--|
| LA040401_00 | Blind River-From Amite River Diversion Canal to mouth at Lake Maurepas (Scenic) | R | 5.1 | F | F | N | | N | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | ATMOSPHERIC DEPOSITION - TOXICS |
| LA040401_00 | Blind River-From Amite River Diversion Canal to mouth at Lake Maurepas (Scenic) | R | 5.1 | F | F | N | | N | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | SOURCE UNKNOWN |
| LA040401_00 | Blind River-From Amite River Diversion Canal to mouth at Lake Maurepas (Scenic) | R | 5.1 | F | F | N | | N | | | | FWP | NON-NATIVE AQUATIC PLANTS | IRC 4b | | INTRODUCTION OF NON- NATIVE ORGANISMS (ACCIDENTAL OR INTENTIONAL) |
| LA040401_00 | Blind River-From Amite River Diversion Canal to mouth at Lake Maurepas (Scenic) | R | 5.1 | F | F | N | | N | | | | ONR | TURBIDITY | IRC 4a | | NATURAL SOURCES |
| LA040402_00 | Amite River Diversion Canal-From Amite River to Blind River | R | 10.2 | F | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 5: EPA decision deferred ¹ | L | NATURAL SOURCES |
| LA040402_00 | Amite River Diversion Canal-From Amite River to Blind River | R | 10.2 | F | F | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 5 | L | ATMOSPHERIC DEPOSITION - TOXICS |
| LA040402_00 | Amite River Diversion Canal-From Amite River to Blind River | R | 10.2 | F | F | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 5 | L | SOURCE UNKNOWN |
| LA040403_00 | Blind River-From headwaters to Amite River Diversion Canal (Scenic) | R | 20.3 | F | F | N | | F | | | | FWP | DISSOLVED OXYGEN | IRC 5-alt | L | NATURAL SOURCES |
| LA040403_00 | Blind River-From headwaters to Amite River Diversion Canal (Scenic) | R | 20.3 | F | F | N | | F | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | ATMOSPHERIC DEPOSITION - TOXICS |
| LA040403_00 | Blind River-From headwaters to Amite River Diversion Canal (Scenic) | R | 20.3 | F | F | N | | F | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | SOURCE UNKNOWN |
| LA040403_00 | Blind River-From headwaters to Amite River Diversion Canal (Scenic) | R | 20.3 | F | F | N | | F | | | | FWP | NON-NATIVE AQUATIC PLANTS | IRC 4b | | INTRODUCTION OF NON- NATIVE ORGANISMS (ACCIDENTAL OR INTENTIONAL) |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | DWS | ONR | OYS | AGR | TAL | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | TMDL Priority | Suspected Sources of Impairment |
|-------------------|--|-----------------------|------|-----|-----|-----|-----|-----|-----|-----|-----|---|---|--|------------------|--|
| LA040403_00555632 | Petite Amite River - Located within subsegment LA040403_00. This unit is added for advisory tracking purposes only and is not a subsegment as defined by LAC 33:IX.1123.A. et seq. No other assessment is made for this waterbody. | R | 11.0 | | | Ν | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 5 | L | ATMOSPHERIC DEPOSITION - TOXICS |
| LA040403_00555632 | Petite Amite River - Located within subsegment LA040403_00. This unit is added for advisory tracking purposes only and is not a subsegment as defined by LAC 33:IX.1123.A. et seq. No other assessment is made for this waterbody. | R | 11.0 | | | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 5 | L | SOURCE UNKNOWN |
| LA040404_00 | New River-From headwaters to New River Canal | R | 23.2 | Ν | F | Ν | | | | | | FWP | DISSOLVED OXYGEN | IRC 5-alt | L | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |
| LA040404_00 | New River-From headwaters to New River Canal | R | 23.2 | N | F | N | | | | | | FWP | NON-NATIVE AQUATIC PLANTS | IRC 4b | | INTRODUCTION OF NON- NATIVE ORGANISMS (ACCIDENTAL OR INTENTIONAL) |
| LA040404_00 | New River-From headwaters to New River Canal | R | 23.2 | N | F | N | | | | | | PCR | FECAL COLIFORM | IRC 5-alt | L | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |
| LA040501_00 | Tickfaw River-From Mississippi state line to La. Highway 42 (Scenic) | R | 69.3 | F | F | N | | N | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | ATMOSPHERIC DEPOSITION - TOXICS |
| LA040501_00 | Tickfaw River-From Mississippi state line to La. Highway 42 (Scenic) | R | 69.3 | F | F | N | | N | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | SOURCE UNKNOWN |
| LA040501_00 | Tickfaw River-From Mississippi state line to La. Highway 42 (Scenic) | R | 69.3 | F | F | N | | N | | | | FWP | PH, LOW | IRC 5 | L | NATURALLY OCCURRING ORGANIC ACIDS |
| LA040501_00 | Tickfaw River-From Mississippi state line to La. Highway 42 (Scenic) | R | 69.3 | F | F | N | | N | | | | FWP | TOTAL DISSOLVED SOLIDS (TDS) | IRC 4a | | NATURAL SOURCES |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | SMG | ONR | OYS | AGR | LAL | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | TMDL Priority | Suspected Sources of Impairment |
|-------------------|---|-----------------------|------|-----|-----|-----|-----|-----|-----|-----|-----|---|---|--|------------------|--|
| LA040501_00 | Tickfaw River-From Mississippi state line to La. Highway 42 (Scenic) | R | 69.3 | F | F | N | | N | | | | ONR | TURBIDITY | IRC 5 | L | SILVICULTURE ACTIVITIES |
| LA040502_00536641 | Lizard Creek-Located within subsegment LA040502_00. This unit is added for advisory tracking purposes only and is not a subsegment as defined by LAC 33:IX.1123.A. et seq. No other assessment is made for this waterbody. | R | 8.2 | | | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 5 | L | ATMOSPHERIC DEPOSITION - TOXICS |
| LA040502_00536641 | Lizard Creek-Located within subsegment LA040502_00. This unit is added for advisory tracking purposes only and is not a subsegment as defined by LAC 33:IX.1123.A. et seq. No other assessment is made for this waterbody. | R | 8.2 | | | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 5 | L | SOURCE UNKNOWN |
| LA040502_00553715 | Blood River-From headwaters to George White Road | R | 17.8 | X | X | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 5 | L | ATMOSPHERIC DEPOSITION - TOXICS |
| LA040502_00553715 | Blood River-From headwaters to George White Road | R | 17.8 | Х | Х | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 5 | L | SOURCE UNKNOWN |
| LA040503_00 | Natalbany River-From headwaters to La. Highway 22 | R | 30.7 | F | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 5-alt | L | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |
| LA040503_00 | Natalbany River-From headwaters to La. Highway 22 | R | 30.7 | F | F | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 5 | L | ATMOSPHERIC DEPOSITION - TOXICS |
| LA040503_00 | Natalbany River-From headwaters to La. Highway 22 | R | 30.7 | F | F | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 5 | L | SOURCE UNKNOWN |
| LA040503_00 | Natalbany River-From headwaters to La. Highway 22 | R | 30.7 | F | F | N | | | | | | FWP | PH, LOW | IRC 5 | L | NATURALLY OCCURRING ORGANIC ACIDS |
| LA040504_00 | Yellow Water River-From headwaters to Pontchatoula Creek | R | 12.9 | N | F | N | | | | | | FWP | TOTAL DISSOLVED SOLIDS (TDS) | IRC 4a | | NATURAL SOURCES |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | DWS | ONR | SYO | AGR | LAL | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | TMDL Priority | Suspected Sources of Impairment |
|-------------------|---|-----------------------|------|-----|-----|-----|-----|-----|-----|-----|-----|---|--|---|------------------|--|
| LA040504_00 | Yellow Water River-From headwaters to Pontchatoula Creek | R | 12.9 | Ν | F | Ν | | | | | | PCR | FECAL COLIFORM | IRC 4a | | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |
| LA040505_00 | Ponchatoula Creek-From headwaters to La. Highway 22 | R | 20.8 | F | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | RESIDENTIAL DISTRICTS |
| LA040505_00 | Ponchatoula Creek-From headwaters to La. Highway 22 | R | 20.8 | F | F | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 5 | L | ATMOSPHERIC DEPOSITION - TOXICS |
| LA040505_00 | Ponchatoula Creek-From headwaters to La. Highway 22 | R | 20.8 | F | F | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 5 | L | SOURCE UNKNOWN |
| LA040505_00 | Ponchatoula Creek-From headwaters to La. Highway 22 | R | 20.8 | F | F | N | | | | | | FWP | NITRATE/NITRITE (NITRITE + NITRATE AS N) | IRC 4a | | RESIDENTIAL DISTRICTS |
| LA040505_00 | Ponchatoula Creek-From headwaters to La. Highway 22 | R | 20.8 | F | F | N | | | | | | FWP | PHOSPHORUS, TOTAL | IRC 4a | | RESIDENTIAL DISTRICTS |
| LA040505_00 | Ponchatoula Creek-From headwaters to La. Highway 22 | R | 20.8 | F | F | N | | | | | | FWP | TOTAL DISSOLVED SOLIDS (TDS) | IRC 5 | L | NATURAL SOURCES |
| LA040506_00 | Tickfaw River-From La. Highway 42 to Lake Maurepas | R | 26.3 | N | F | N | | | | | | FWP | CHLORIDE | IRC 5 | L | NATURAL SOURCES |
| LA040506_00 | Tickfaw River-From La. Highway 42 to Lake Maurepas | R | 26.3 | Ν | F | Ν | | | | | | FWP | DISSOLVED OXYGEN | IRC 5: EPA decision deferred ¹ | L | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |
| LA040506_00 | Tickfaw River-From La. Highway 42 to Lake Maurepas | R | 26.3 | N | F | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 5 | L | ATMOSPHERIC DEPOSITION - TOXICS |
| LA040506_00 | Tickfaw River-From La. Highway 42 to Lake Maurepas | R | 26.3 | N | F | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 5 | L | SOURCE UNKNOWN |
| LA040506_00 | Tickfaw River-From La. Highway 42 to Lake Maurepas | R | 26.3 | N | F | N | | | | | | FWP | SULFATE | IRC 5 | L | NATURAL SOURCES |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | SMG | ONR | SYO | AGR | LAL | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | TMDL Priority | Suspected Sources of Impairment |
|-------------------|---|-----------------------|------|-----|-----|-----|-----|-----|-----|-----|-----|---|--|---|------------------|--|
| LA040506_00 | Tickfaw River-From La. Highway 42 to Lake Maurepas | R | 26.3 | N | F | N | | | | | | FWP | TOTAL DISSOLVED SOLIDS (TDS) | IRC 5 | L | NATURAL SOURCES |
| LA040506_00 | Tickfaw River-From La. Highway 42 to Lake Maurepas | R | 26.3 | N | F | N | | | | | | PCR | TEMPERATURE | IRC 5 | L | NATURAL SOURCES |
| LA040506_00 | Tickfaw River-From La. Highway 42 to Lake Maurepas | R | 26.3 | N | F | N | | | | | | PCR | TEMPERATURE | IRC 5 | L | SITE CLEARANCE (LAND DEVELOPMENT OR REDEVELOPMENT) |
| LA040507_00 | Natalbany River-From La. Highway 22 to Tickfaw River | R | 9.6 | F | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 5: EPA decision deferred ¹ | L | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |
| LA040507_00 | Natalbany River-From La. Highway 22 to Tickfaw River | R | 9.6 | F | F | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 5 | L | ATMOSPHERIC DEPOSITION - TOXICS |
| LA040507_00 | Natalbany River-From La. Highway 22 to Tickfaw River | R | 9.6 | F | F | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 5 | L | SOURCE UNKNOWN |
| LA040507_00 | Natalbany River-From La. Highway 22 to Tickfaw River | R | 9.6 | F | F | N | | | | | | FWP | PH, LOW | IRC 5 | L | NATURALLY OCCURRING ORGANIC ACIDS |
| LA040508_00 | Ponchatoula Creek-From La. Highway 22 to Natalbany River | R | 5.3 | F | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | RESIDENTIAL DISTRICTS |
| LA040508_00 | Ponchatoula Creek-From La. Highway 22 to Natalbany River | R | 5.3 | F | F | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 5 | L | ATMOSPHERIC DEPOSITION - TOXICS |
| LA040508_00 | Ponchatoula Creek-From La. Highway 22 to Natalbany River | R | 5.3 | F | F | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 5 | L | SOURCE UNKNOWN |
| LA040508_00 | Ponchatoula Creek-From La. Highway 22 to Natalbany River | R | 5.3 | F | F | N | | | | | | FWP | NITRATE/NITRITE (NITRITE + NITRATE AS N) | IRC 4a | | RESIDENTIAL DISTRICTS |
| LA040508_00 | Ponchatoula Creek-From La. Highway 22 to Natalbany River | R | 5.3 | F | F | N | | | | | | FWP | PHOSPHORUS, TOTAL | IRC 4a | | RESIDENTIAL DISTRICTS |
| LA040508_00 | Ponchatoula Creek-From La. Highway 22 to Natalbany River | R | 5.3 | F | F | N | | | | | | FWP | TOTAL DISSOLVED SOLIDS (TDS) | IRC 5 | L | SITE CLEARANCE (LAND DEVELOPMENT OR REDEVELOPMENT) |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | DWS | ONR | OYS | AGR | LAL | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | TMDL Priority | Suspected Sources of Impairment |
|-------------------|---|-----------------------|------|-----|-----|-----|-----|-----|-----|-----|-----|---|--|--|------------------|--|
| | Pass Manchac-From Lake Maurepas to Lake Pontchartrain; includes interlacustrine waters from North Pass to Mississippi River levee | R | 39.1 | F | F | F | | | | | | | | | | |
| LA040602_00 | Lake Maurepas | Е | 90.5 | F | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 5 | L | SOURCE UNKNOWN |
| LA040602_00 | Lake Maurepas | E | 90.5 | F | F | N | | | | | | FWP | NON-NATIVE AQUATIC PLANTS | IRC 4b | | INTRODUCTION OF NON- NATIVE ORGANISMS (ACCIDENTAL OR INTENTIONAL) |
| LA040603_00 | Selsers Creek-From headwaters to Sisters Road | R | 6.0 | F | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |
| LA040603_00 | Selsers Creek-From headwaters to Sisters Road | R | 6.0 | F | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | PACKAGE PLANT OR OTHER PERMITTED SMALL FLOWS DISCHARGES |
| LA040603_00 | Selsers Creek-From headwaters to Sisters Road | R | 6.0 | F | F | N | | | | | | FWP | NITRATE/NITRITE (NITRITE + NITRATE AS N) | IRC 3 | L | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |
| LA040603_00 | Selsers Creek-From headwaters to Sisters Road | R | 6.0 | F | F | N | | | | | | FWP | NITRATE/NITRITE (NITRITE + NITRATE AS N) | IRC 3 | L | PACKAGE PLANT OR OTHER PERMITTED SMALL FLOWS DISCHARGES |
| LA040603_00 | Selsers Creek-From headwaters to Sisters Road | R | 6.0 | F | F | N | | | | | | FWP | PHOSPHORUS, TOTAL | IRC 3 | L | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | SMG | ONR | SYO | AGR | LAL | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | TMDL Priority | Suspected Sources of Impairment |
|-------------------|--|-----------------------|----------|-----|-----|-----|-----|-----|-----|-----|-----|---|-----------------------------------|--|------------------|--|
| LA040603_00 | Selsers Creek-From headwaters to Sisters Road | R | 6.0 | F | F | N | | | | | | FWP | PHOSPHORUS, TOTAL | IRC 3 | L | PACKAGE PLANT OR OTHER PERMITTED SMALL FLOWS DISCHARGES |
| LA040603_00 | Selsers Creek-From headwaters to Sisters Road | R | 6.0 | F | F | N | | | | | | FWP | TOTAL DISSOLVED SOLIDS (TDS) | IRC 5 | L | NATURAL SOURCES |
| LA040604_00 | South Slough; includes Anderson Canal to Interstate Highway 55 borrow pit canal | R | 11.5 | F | F | N | | | | | | FWP | CHLORIDE | IRC 5 | L | NATURAL SOURCES |
| LA040604_00 | South Slough; includes Anderson Canal to Interstate Highway 55 borrow pit canal | R | 11.5 | F | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 5 | L | NATURAL SOURCES |
| LA040604_00 | South Slough; includes Anderson Canal to Interstate Highway 55 borrow pit canal | R | 11.5 | F | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 5 | L | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |
| LA040604_00 | South Slough; includes Anderson Canal to Interstate Highway 55 borrow pit canal | R | 11.5 | F | F | N | | | | | | FWP | TOTAL DISSOLVED SOLIDS (TDS) | IRC 5 | L | NATURAL SOURCES |
| LA040604_001 | South Slough Wetland-Forested freshwater and brackish marsh located 1.4 miles south of Ponchatoula, directly east of Interstate Highway 55, extending to North Pass to the south and Tangipahoa River to the east | W | 34,693.0 | | х | N | | | | | | FWP | CAUSE UNKNOWN | IRC 4b | | SOURCE UNKNOWN |
| LA040605_00 | Mississippi Bayou and associated canals; includes Dutch Bayou, Reserve Relief Canal and Hope Canal | R | 24.4 | X | X | X | | | | | | | | | | |
| LA040606_00 | Selsers Creek-From Sisters Road to South Slough | R | 5.1 | F | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |
| LA040606_00 | Selsers Creek-From Sisters Road to South Slough | R | 5.1 | F | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | PACKAGE PLANT OR OTHER PERMITTED SMALL FLOWS DISCHARGES |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | DWS | ONR | SYO | AGR | LAL | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | TMDL Priority | Suspected Sources of Impairment |
|-------------------|---|-----------------------|------|-----|-----|-----|-----|-----|-----|-----|-----|---|--|--|------------------|--|
| LA040606_00 | Selsers Creek-From Sisters Road to South Slough | R | 5.1 | F | F | N | | | | | | FWP | NITRATE/NITRITE (NITRITE + NITRATE AS N) | IRC 3 | L | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |
| LA040606_00 | Selsers Creek-From Sisters Road to South Slough | R | 5.1 | F | F | N | | | | | | FWP | NITRATE/NITRITE (NITRITE + NITRATE AS N) | IRC 3 | L | PACKAGE PLANT OR OTHER PERMITTED SMALL FLOWS DISCHARGES |
| LA040606_00 | Selsers Creek-From Sisters Road to South Slough | R | 5.1 | F | F | N | | | | | | FWP | PHOSPHORUS, TOTAL | IRC 3 | L | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |
| LA040606_00 | Selsers Creek-From Sisters Road to South Slough | R | 5.1 | F | F | N | | | | | | FWP | PHOSPHORUS, TOTAL | IRC 3 | L | PACKAGE PLANT OR OTHER PERMITTED SMALL FLOWS DISCHARGES |
| LA040606_00 | Selsers Creek-From Sisters Road to South Slough | R | 5.1 | F | F | N | | | | | | FWP | TOTAL DISSOLVED SOLIDS (TDS) | IRC 5 | L | NATURAL SOURCES |
| LA040701_00 | Tangipahoa River-From Mississippi state line to Interstate Highway 12 (Scenic) | R | 60.9 | F | F | N | | N | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | ATMOSPHERIC DEPOSITION - TOXICS |
| LA040701_00 | Tangipahoa River-From Mississippi state line to Interstate Highway 12 (Scenic) | R | 60.9 | F | F | N | | N | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | SOURCE UNKNOWN |
| LA040701_00 | Tangipahoa River-From Mississippi state line to Interstate Highway 12 (Scenic) | R | 60.9 | F | F | N | | N | | | | ONR | TURBIDITY | IRC 5 | L | SITE CLEARANCE (LAND DEVELOPMENT OR REDEVELOPMENT) |
| LA040702_00 | Tangipahoa River-From Interstate Highway 12 to Lake Pontchartrain | R | 19.4 | N | F | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 5 | L | ATMOSPHERIC DEPOSITION - TOXICS |
| LA040702_00 | Tangipahoa River-From Interstate Highway 12 to Lake Pontchartrain | R | 19.4 | N | F | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 5 | L | SOURCE UNKNOWN |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | SWO | ONR | SYO | AGR | LAL | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | TMDL Priority | Suspected Sources of Impairment |
|-------------------|--|-----------------------|------|-----|-----|-----|-----|-----|-----|-----|-----|---|---|--|------------------|--|
| LA040702_00 | Tangipahoa River-From Interstate Highway 12 to Lake Pontchartrain | R | 19.4 | ľ | F | N | | | | | | PCR | TEMPERATURE | IRC 5 | L | NATURAL SOURCES |
| LA040703_00 | Big Creek-From headwaters to Tangipahoa River | R | 21.3 | F | F | F | | | | | | | | | | |
| LA040704_00 | Chappepeela Creek-From La. Highway 1062 to Tangipahoa River | R | 32.1 | F | F | N | | N | | | | FWP | PH, LOW | IRC 5 | L | NATURALLY OCCURRING ORGANIC ACIDS |
| LA040704_00 | Chappepeela Creek-From La. Highway 1062 to Tangipahoa River | R | 32.1 | F | F | N | | N | | | | ONR | TURBIDITY | IRC 5 | L | SILVICULTURE ACTIVITIES |
| LA040705_00 | Bedico Creek-From headwaters to Tangipahoa River | R | 17.5 | Х | Х | Х | | | | | | | | | | |
| LA040801_00 | Tchefuncte River-From headwaters to US Highway 190; includes tributaries (Scenic) | R | 52.2 | F | F | N | | F | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | ATMOSPHERIC DEPOSITION - TOXICS |
| LA040801_00 | Tchefuncte River-From headwaters to US Highway 190; includes tributaries (Scenic) | R | 52.2 | F | F | N | | F | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | SOURCE UNKNOWN |
| LA040802_00 | Ponchitolawa Creek-From headwaters to US Highway 190 (Scenic) | R | 8.0 | F | F | Ν | | F | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |
| LA040802_00 | Ponchitolawa Creek-From headwaters to US Highway 190 (Scenic) | R | 8.0 | F | F | N | | F | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | PACKAGE PLANT OR OTHER PERMITTED SMALL FLOWS DISCHARGES |
| LA040802_00 | Ponchitolawa Creek-From headwaters to US Highway 190 (Scenic) | R | 8.0 | F | F | N | | F | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 5 | L | ATMOSPHERIC DEPOSITION |
| LA040802_00 | Ponchitolawa Creek-From headwaters to US Highway 190 (Scenic) | R | 8.0 | F | F | N | | F | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 5 | L | SOURCE UNKNOWN |
| LA040803_00 | Tchefuncte River-From La. Highway 22 to Lake Pontchartrain (Estuarine) | R | 2.1 | N | F | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 5 | L | ATMOSPHERIC DEPOSITION - TOXICS |
| LA040803_00 | Tchefuncte River-From La. Highway 22 to Lake Pontchartrain (Estuarine) | R | 2.1 | N | F | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 5 | L | SOURCE UNKNOWN |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | DWS | ONR | SYO | AGR | LAL | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | TMDL Priority | Suspected Sources of Impairment |
|-------------------|---|-----------------------|---------|-----|-----|-----|-----|-----|-----|-----|-----|---|---|--|------------------|--|
| LA040803_00 | Tchefuncte River-From La. Highway 22 to Lake Pontchartrain (Estuarine) | R | 2.1 | N | F | N | | | | | | PCR | TEMPERATURE | IRC 5 | L | DROUGHT-RELATED IMPACTS |
| LA040803_00 | Tchefuncte River-From La. Highway 22 to Lake Pontchartrain (Estuarine) | R | 2.1 | N | F | N | | | | | | PCR | TEMPERATURE | IRC 5 | L | NATURAL SOURCES |
| LA040804_00 | Bogue Falaya River-From headwaters to Tchefuncte River (Scenic) [12] | R | 30.5 | F | F | N | | F | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 5 | L | ATMOSPHERIC DEPOSITION - TOXICS |
| LA040804_00 | Bogue Falaya River-From headwaters to Tchefuncte River (Scenic) [12] | R | 30.5 | F | F | N | | F | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 5 | L | SOURCE UNKNOWN |
| LA040805_00 | Chinchuba Swamp Wetland-Forested wetland located 0.87 miles southwest of Mandeville, southeast of Sanctuary Ridge, and north of Lake Pontchartrain | W | 230.0 | | X | N | | | | | | FWP | CAUSE UNKNOWN | IRC 4b | | SOURCE UNKNOWN |
| LA040806_00 | East Tchefuncte Marsh Wetland-Freshwater and brackish marsh located just west of Mandeville, bounded on the south by Lake Pontchartrain, the west by Tchefuncte River, the north by La. Highway 22, and the east by Sanctuary Ridge | W | 3,257.0 | | х | F | | | | | | | | | | |
| LA040807_00 | Tchefuncte River from US Highway 190 to Bogue Falaya River; includes tributaries (Scenic) | R | 9.0 | F | F | N | | F | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | ATMOSPHERIC DEPOSITION - TOXICS |
| LA040807_00 | Tchefuncte River from US Highway 190 to Bogue Falaya River; includes tributaries (Scenic) | R | 9.0 | F | F | N | | F | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | SOURCE UNKNOWN |
| LA040808_00 | Tchefuncte River-From Bogue Falaya River to La. Highway 22 (Scenic) | R | 8.5 | F | F | N | | N | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |
| LA040808_00 | Tchefuncte River-From Bogue Falaya River to La. Highway 22 (Scenic) | R | 8.5 | F | F | N | | N | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | PACKAGE PLANT OR OTHER PERMITTED SMALL FLOWS DISCHARGES |
| LA040808_00 | Tchefuncte River-From Bogue Falaya River to La. Highway 22 (Scenic) | R | 8.5 | F | F | N | | N | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 5 | L | ATMOSPHERIC DEPOSITION - TOXICS |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | SWG | ONR | SYO | AGR | TAL | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | TMDL Priority | Suspected Sources of Impairment |
|-------------------|---|-----------------------|------|-----|-----|-----|-----|-----|-----|-----|-----|---|---|--|------------------|--|
| LA040808_00 | Tchefuncte River-From Bogue Falaya River to La. Highway 22 (Scenic) | R | 8.5 | F | F | N | | N | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 5 | L | SOURCE UNKNOWN |
| LA040808_00 | Tchefuncte River-From Bogue Falaya River to La. Highway 22 (Scenic) | R | 8.5 | F | F | N | | N | | | | ONR | TURBIDITY | IRC 5 | L | CONSTRUCTION |
| LA040809_00 | Black River-From headwaters to La. Highway 22 | R | 4.0 | Х | Х | Х | | | | | | | | | | |
| LA040901_00 | Bayou Lacombe-From headwaters to Interstate Highway 12 (Scenic) | R | 16.1 | N | F | N | | N | | | | FWP | CHLORIDE | IRC 5 | L | NATURAL SOURCES |
| LA040901_00 | Bayou Lacombe-From headwaters to Interstate Highway 12 (Scenic) | R | 16.1 | N | F | N | | N | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | NATURAL SOURCES |
| LA040901_00 | Bayou Lacombe-From headwaters to Interstate Highway 12 (Scenic) | R | 16.1 | N | F | N | | N | | | | FWP | SULFATE | IRC 5 | L | NATURAL SOURCES |
| LA040901_00 | Bayou Lacombe-From headwaters to Interstate Highway 12 (Scenic) | R | 16.1 | N | F | N | | N | | | | FWP | TOTAL DISSOLVED SOLIDS (TDS) | IRC 5 | L | NATURAL SOURCES |
| LA040901_00 | Bayou Lacombe-From headwaters to Interstate Highway 12 (Scenic) | R | 16.1 | N | F | N | | N | | | | ONR | TURBIDITY | IRC 5 | L | NATURAL SOURCES |
| LA040901_00 | Bayou Lacombe-From headwaters to Interstate Highway 12 (Scenic) | R | 16.1 | N | F | N | | N | | | | PCR | TEMPERATURE | IRC 5 | L | DROUGHT-RELATED IMPACTS |
| LA040902_00 | Bayou Lacombe-From CDM Ecoregion boundary to Lake Pontchartrain (Scenic) (Estuarine) | R | 2.8 | F | F | N | | F | | | | FWP | CHLORIDE | IRC 5 | L | NATURAL SOURCES |
| LA040902_00 | Bayou Lacombe-From CDM Ecoregion boundary to Lake Pontchartrain (Scenic) (Estuarine) | R | 2.8 | F | F | N | | F | | | | FWP | SULFATE | IRC 5 | L | NATURAL SOURCES |
| LA040902_00 | Bayou Lacombe-From CDM Ecoregion boundary to Lake Pontchartrain (Scenic) (Estuarine) | R | 2.8 | F | F | N | | F | | | | FWP | TOTAL DISSOLVED SOLIDS (TDS) | IRC 5 | L | NATURAL SOURCES |
| LA040903_00 | Bayou Cane-From headwaters to US Highway 190 (Scenic) | R | 3.5 | N | F | N | | N | | | | FWP | CHLORIDE | IRC 5 | L | NATURAL SOURCES |
| LA040903_00 | Bayou Cane-From headwaters to US Highway 190 (Scenic) | R | 3.5 | N | F | N | | N | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |
| LA040903_00 | Bayou Cane-From headwaters to US Highway 190 (Scenic) | R | 3.5 | N | F | N | | N | | | | FWP | TOTAL DISSOLVED SOLIDS (TDS) | IRC 5 | L | NATURAL SOURCES |
| LA040903_00 | Bayou Cane-From headwaters to US Highway 190 (Scenic) | R | 3.5 | N | F | N | | N | | | | ONR | TURBIDITY | IRC 4a | | NATURAL SOURCES |
| LA040903_00 | Bayou Cane-From headwaters to US Highway 190 (Scenic) | R | 3.5 | N | F | N | | N | | | | PCR | TEMPERATURE | IRC 5 | L | DROUGHT-RELATED IMPACTS |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | DWS | ONR | OYS | AGR | LAL | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | TMDL Priority | Suspected Sources of Impairment |
|-------------------|--|-----------------------|------|-----|-----|-----|-----|-----|-----|-----|-----|---|---|--|------------------|--|
| LA040903_00 | Bayou Cane-From headwaters to US Highway 190 (Scenic) | R | 3.5 | N | F | N | | N | | | | PCR | TEMPERATURE | IRC 5 | L | NATURAL SOURCES |
| LA040904_00 | Bayou Cane-From CDM Ecoregion boundary to Lake Pontchartrain (Scenic) (Estuarine) | R | 0.7 | F | F | N | | F | | | | FWP | COPPER | IRC 5 | L | NATURAL SOURCES |
| LA040905_00 | Bayou Liberty-From headwaters to LMRAP Ecoregion boundary | R | 5.0 | F | F | N | | | | | | FWP | CHLORIDE | IRC 5 | L | NATURAL SOURCES |
| LA040905_00 | Bayou Liberty-From headwaters to LMRAP Ecoregion boundary | R | 5.0 | F | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |
| LA040905_00 | Bayou Liberty-From headwaters to LMRAP Ecoregion boundary | R | 5.0 | F | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | PACKAGE PLANT OR OTHER PERMITTED SMALL FLOWS DISCHARGES |
| LA040905_00 | Bayou Liberty-From headwaters to LMRAP Ecoregion boundary | R | 5.0 | F | F | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | ATMOSPHERIC DEPOSITION - TOXICS |
| LA040905_00 | Bayou Liberty-From headwaters to LMRAP Ecoregion boundary | R | 5.0 | F | F | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | SOURCE UNKNOWN |
| LA040905_00 | Bayou Liberty-From headwaters to LMRAP Ecoregion boundary | R | 5.0 | F | F | N | | | | | | FWP | SULFATE | IRC 5 | L | NATURAL SOURCES |
| LA040905_00 | Bayou Liberty-From headwaters to LMRAP Ecoregion boundary | R | 5.0 | F | F | N | | | | | | FWP | TOTAL DISSOLVED SOLIDS (TDS) | IRC 5 | L | NATURAL SOURCES |
| LA040906_00 | Bayou Liberty-From La. Highway 433 to Bayou Bonfouca; includes Bayou de Chien (Estuarine) | R | 1.8 | F | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |
| LA040906_00 | Bayou Liberty-From La. Highway 433 to Bayou Bonfouca; includes Bayou de Chien (Estuarine) | R | 1.8 | F | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | PACKAGE PLANT OR OTHER PERMITTED SMALL FLOWS DISCHARGES |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | DWS | ONR | OYS | AGR | LAL | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | TMDL Priority | Suspected Sources of Impairment |
|-------------------|--|-----------------------|------|-----|-----|-----|-----|-----|-----|-----|-----|---|---|--|------------------|--|
| LA040906_00 | Bayou Liberty-From La. Highway 433 to Bayou Bonfouca; includes Bayou de Chien (Estuarine) | R | 1.8 | F | F | N | | | | | | | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | ATMOSPHERIC DEPOSITION - TOXICS |
| LA040906_00 | Bayou Liberty-From La. Highway 433 to Bayou Bonfouca; includes Bayou de Chien (Estuarine) | R | 1.8 | F | F | N | | | | | | | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | SOURCE UNKNOWN |
| LA040907_00 | Bayou Bonfouca-From headwaters to La. Highway 433 | R | 5.9 | N | F | N | | | | | | FWP | CHLORIDE | IRC 5 | L | NATURAL SOURCES |
| LA040907_00 | Bayou Bonfouca-From headwaters to La. Highway 433 | R | 5.9 | N | F | N | | | | | | FWP | COPPER | IRC 5 | L | NATURAL SOURCES |
| LA040907_00 | Bayou Bonfouca-From headwaters to La. Highway 433 | R | 5.9 | N | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | MUNICIPAL (URBANIZED HIGH DENSITY AREA) |
| LA040907_00 | Bayou Bonfouca-From headwaters to La. Highway 433 | R | 5.9 | N | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |
| LA040907_00 | Bayou Bonfouca-From headwaters to La. Highway 433 | R | 5.9 | N | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | SANITARY SEWER OVERFLOWS (COLLECTION SYSTEM FAILURES) |
| LA040907_00 | Bayou Bonfouca-From headwaters to La. Highway 433 | R | 5.9 | N | F | N | | | | | | FWP | SULFATE | IRC 5 | L | NATURAL SOURCES |
| LA040907_00 | Bayou Bonfouca-From headwaters to La. Highway 433 | R | 5.9 | N | F | N | | | | | | | TOTAL DISSOLVED SOLIDS (TDS) | IRC 5 | L | NATURAL SOURCES |
| LA040907_00 | Bayou Bonfouca-From headwaters to La. Highway 433 | R | 5.9 | N | F | N | | | | | | | BENZO[A]PYRENE (PAHS) | IRC 4b | | CERCLA NPL (SUPERFUND) SITES |
| LA040907_00 | Bayou Bonfouca-From headwaters to La. Highway 433 | R | 5.9 | N | F | N | | | | | | | BENZO[A]PYRENE (PAHS) | IRC 4b | | CONTAMINATED SEDIMENTS |
| LA040908_00 | Bayou Bonfouca-From CDM Ecoregion boundary to Lake Pontchartrain (Estuarine) | R | 3.7 | N | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | DWS | ONR | OYS | AGR | LAL | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | TMDL Priority | Suspected Sources of Impairment |
|-------------------|---|-----------------------|------|-----|-----|-----|-----|-----|-----|-----|-----|---|-----------------------------------|--|------------------|--|
| LA040908_00 | Bayou Bonfouca-From CDM Ecoregion boundary to Lake Pontchartrain (Estuarine) | R | 3.7 | N | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | PACKAGE PLANT OR OTHER PERMITTED SMALL FLOWS DISCHARGES |
| LA040908_00 | Bayou Bonfouca-From CDM Ecoregion boundary to Lake Pontchartrain (Estuarine) | R | 3.7 | N | F | Ν | | | | | | | BENZO[A]PYRENE (PAHS) | IRC 4b | | CERCLA NPL (SUPERFUND) SITES |
| LA040908_00 | Bayou Bonfouca-From CDM Ecoregion boundary to Lake Pontchartrain (Estuarine) | R | 3.7 | N | F | N | | | | | | PCR | BENZO[A]PYRENE (PAHS) | IRC 4b | | CONTAMINATED SEDIMENTS |
| LA040909_00 | W-14 Main Diversion Canal-From headwaters to Salt Bayou | R | 6.3 | F | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 5 | L | MUNICIPAL POINT SOURCE DISCHARGES |
| LA040909_00 | W-14 Main Diversion Canal-From headwaters to Salt Bayou | R | 6.3 | F | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 5 | L | SANITARY SEWER OVERFLOWS (COLLECTION SYSTEM FAILURES) |
| LA040910_00 | Salt Bayou-From headwaters to Lake Pontchartrain (Estuarine) | R | 5.1 | F | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 5 | L | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |
| LA040910_00 | Salt Bayou-From headwaters to Lake Pontchartrain (Estuarine) | R | 5.1 | F | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 5 | L | PACKAGE PLANT OR OTHER PERMITTED SMALL FLOWS DISCHARGES |
| LA040911_00 | Grand Lagoon; includes associated canals (Estuarine) | R | 20.7 | F | F | F | | | | | | | | | | |
| LA040912_00 | Bayou LaCombe-From Interstate Highway 12 to US Highway 190 (Scenic) | R | 5.1 | N | F | N | | N | | | | FWP | CHLORIDE | IRC 5 | L | NATURAL SOURCES |
| LA040912_00 | Bayou LaCombe-From Interstate Highway 12 to US Highway 190 (Scenic) | R | 5.1 | N | F | N | | N | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |
| LA040912_00 | Bayou LaCombe-From Interstate Highway 12 to US Highway 190 (Scenic) | R | 5.1 | N | F | N | | N | | | | FWP | SULFATE | IRC 5 | L | NATURAL SOURCES |
| LA040912_00 | Bayou LaCombe-From Interstate Highway 12 to US Highway 190 (Scenic) | R | 5.1 | N | F | N | | N | | | | FWP | TOTAL DISSOLVED SOLIDS (TDS) | IRC 5 | L | NATURAL SOURCES |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | SMQ | ONR | SYO | AGR | LAL | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | TMDL Priority | Suspected Sources of Impairment |
|-------------------|---|-----------------------|------|-----|-----|-----|-----|-----|-----|-----|-----|---|---|--|------------------|--|
| LA040912_00 | Bayou LaCombe-From Interstate Highway 12 to US Highway 190 (Scenic) | R | 5.1 | N | F | N | | N | | | | ONR | TURBIDITY | IRC 5 | L | NATURAL SOURCES |
| LA040912_00 | Bayou LaCombe-From Interstate Highway 12 to US Highway 190 (Scenic) | R | 5.1 | N | F | N | | N | | | | PCR | TEMPERATURE | IRC 5 | L | NATURAL SOURCES |
| LA040913_00 | Bayou LaCombe-From US Highway 190 to CDM Ecoregion boundary (Scenic) (Estuarine) | R | 4.1 | Х | Х | F | | N | | | | ONR | TURBIDITY | IRC 5 | L | NATURAL SOURCES |
| LA040914_00 | Bayou Cane-From US Highway 190 to CDM Ecoregion boundary (Scenic) (Estuarine) | R | 1.0 | Х | Х | X | | Х | | | | | | | | |
| LA040915_00 | Bayou Liberty-From LMRAP Ecoregion boundary to La. Highway 433 | R | 8.6 | F | F | N | | | | | | FWP | CHLORIDE | IRC 5 | L | NATURAL SOURCES |
| LA040915_00 | Bayou Liberty-From LMRAP Ecoregion boundary to La. Highway 433 | R | 8.6 | F | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |
| LA040915_00 | Bayou Liberty-From LMRAP Ecoregion boundary to La. Highway 433 | R | 8.6 | F | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | PACKAGE PLANT OR OTHER PERMITTED SMALL FLOWS DISCHARGES |
| LA040915_00 | Bayou Liberty-From LMRAP Ecoregion boundary to La. Highway 433 | R | 8.6 | F | F | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | ATMOSPHERIC DEPOSITION - TOXICS |
| LA040915_00 | Bayou Liberty-From LMRAP Ecoregion boundary to La. Highway 433 | R | 8.6 | F | F | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | SOURCE UNKNOWN |
| LA040915_00 | Bayou Liberty-From LMRAP Ecoregion boundary to La. Highway 433 | R | 8.6 | F | F | N | | | | | | FWP | SULFATE | IRC 5 | L | NATURAL SOURCES |
| LA040915_00 | Bayou Liberty-From LMRAP Ecoregion boundary to La. Highway 433 | R | 8.6 | F | F | N | | | | | | FWP | TOTAL DISSOLVED SOLIDS (TDS) | IRC 5 | L | NATURAL SOURCES |
| LA040916_00 | Bayou Paquet-From headwaters to Bayou Liberty (Estuarine) | R | 5.1 | X | X | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 5 | L | PACKAGE PLANT OR OTHER PERMITTED SMALL FLOWS DISCHARGES |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | DWS | ONR | OYS | AGR | LAL | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | TMDL Priority | Suspected Sources of Impairment |
|-------------------|---|-----------------------|---------|-----|-----|-----|-----|-----|-----|-----|-----|---|-----------------------------------|---|------------------|--|
| LA040917_00 | Bayou Bonfouca-From La. Highway 433 to CDM Ecoregion boundary (Estuarine) | R | 2.7 | N | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |
| LA040917_00 | Bayou Bonfouca-From La. Highway 433 to CDM Ecoregion boundary (Estuarine) | R | 2.7 | N | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | PACKAGE PLANT OR OTHER PERMITTED SMALL FLOWS DISCHARGES |
| LA040917_00 | Bayou Bonfouca-From La. Highway 433 to CDM Ecoregion boundary (Estuarine) | R | 2.7 | N | F | N | | | | | | PCR | BENZO[A]PYRENE (PAHS) | IRC 4b | | CERCLA NPL (SUPERFUND) SITES |
| LA040917_00 | Bayou Bonfouca-From La. Highway 433 to CDM Ecoregion boundary (Estuarine) | R | 2.7 | N | F | N | | | | | | PCR | BENZO[A]PYRENE (PAHS) | IRC 4b | | CONTAMINATED SEDIMENTS |
| LA041001_00 | Lake Pontchartrain-West of US-11 bridge (Estuarine) | Е | 594.2 | F | F | F | | | | | | | | | | |
| LA041001_001 | Fontainebleau State Park Beach - Located within subsegment LA041001_00. This unit is added for advisory tracking purposes only and is not a subsegment as defined by LAC 33:IX.1123.A. et. seq. No other assessment is made for this waterbody. | С | 0.1 | N | | | | | | | | PCR | ENTEROCOCCUS | IRC 5 | L | SOURCE UNKNOWN |
| LA041002_00 | Lake Pontchartrain-East of US Highway 11 bridge (Estuarine) | Е | 39.6 | F | F | F | | | F | | | | | | | |
| LA041101_00 | Bonnet Carre Spillway | W | 6,973.5 | F | F | Ν | | | | | | FWP | CHLORIDE | IRC 5 | L | NATURAL SOURCES |
| LA041101_00 | Bonnet Carre Spillway | W | 6,973.5 | F | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 5: EPA decision deferred ¹ | L | FRESHETS OR MAJOR FLOODING |
| LA041101_00 | Bonnet Carre Spillway | W | 6,973.5 | F | F | Ν | | | | | | FWP | SULFATE | IRC 5 | L | NATURAL SOURCES |
| LA041101_00 | Bonnet Carre Spillway | W | 6,973.5 | F | F | N | | | | | | FWP | TOTAL DISSOLVED SOLIDS (TDS) | IRC 5 | L | NATURAL SOURCES |
| LA041201_00 | Bayou Labranche-From headwaters to Lake Pontchartrain (Scenic) (Estuarine) | R | 3.7 | F | F | N | | F | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | FORCED DRAINAGE PUMPING |
| LA041201_00 | Bayou Labranche-From headwaters to Lake Pontchartrain (Scenic) (Estuarine) | R | 3.7 | | F | N | | F | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | NATURAL SOURCES |
| LA041202_00 | Bayou Trepagnier-From Norco to Bayou Labranche (Scenic) (Estuarine) | R | 3.0 | F | F | N | | F | | | | FWP | DISSOLVED OXYGEN | IRC 5RC | L | NATURAL SOURCES |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | DWS | ONR | SYO | AGR | LAL | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | TMDL Priority | Suspected Sources of Impairment |
|-------------------|--|-----------------------|------|-----|-----|-----|-----|-----|-----|-----|-----|---|-----------------------------------|--|------------------|--|
| LA041203_00 | Duncan Canal-From headwaters to Lake Pontchartrain; also called Parish Line Canal (Estuarine) | R | 3.3 | F | | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 5 | L | MUNICIPAL POINT SOURCE DISCHARGES |
| LA041203_00 | Duncan Canal-From headwaters to Lake Pontchartrain; also called Parish Line Canal (Estuarine) | R | 3.3 | F | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 5 | L | NATURAL SOURCES |
| LA041204_00 | Bayou Traverse-From headwaters to LMRAP Ecoregion boundary (Estuarine) | R | 1.0 | X | X | X | | | | | | | | | | |
| LA041301_00 | Bayou St. John (Scenic) (Estuarine) | R | 3.9 | Ν | F | F | | F | | | | PCR | TEMPERATURE | IRC 5 | L | NATURAL SOURCES |
| LA041302_00 | Lake Pontchartrain Drainage Canals in Jefferson and Orleans Parishes (Estuarine) | R | 56.0 | F | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 5 | L | MUNICIPAL (URBANIZED HIGH DENSITY AREA) |
| LA041302_00 | Lake Pontchartrain Drainage Canals in Jefferson and Orleans Parishes (Estuarine) | R | 56.0 | F | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 5 | L | SANITARY SEWER OVERFLOWS (COLLECTION SYSTEM FAILURES) |
| LA041401_00 | New Orleans East Leveed Water Bodies (Estuarine) | R | 25.2 | F | F | F | | | | | | | | | | |
| LA041501_00 | Inner Harbor Navigation Canal-From Mississippi River Lock to Lake Pontchartrain (Estuarine) | R | 5.3 | F | F | F | | | | | | | | | | |
| LA041601_00 | Intracoastal Waterway-Inner Harbor Navigation Canal to Chef Menteur Pass (Estuarine) | R | 14.4 | F | F | N | | | F | | | FWP | PH, LOW | IRC 5 | L | TRANSFER OF WATER FROM AN OUTSIDE WATERSHED |
| LA041701_00 | The Rigolets (Estuarine) | Е | 5.0 | F | F | F | | | | | | | | | | |
| LA041702_00 | Bayou Sauvage-From New Orleans hurricane protection levee to Chef Menteur Pass; includes Chef Menteur Pass (Estuarine) | R | 10.4 | F | F | F | | | | | | | | | | |
| LA041703_00 | Intracoastal Waterway-From Chef Menteur Pass to Lake Borgne (Estuarine) | R | 11.0 | F | F | F | | | F | | | | | | | |
| LA041704_00 | Lake St. Catherine | Е | 10.0 | F | F | | | | 1 | l | | | | | | |
| LA041801_00 | Bayou Bienvenue-From headwaters to hurricane gate at MRGO (Estuarine) | R | 2.9 | F | F | F | | | | | | | | | | |
| LA041802_00 | Bayou Chaperon (Scenic) (Estuarine) | R | 1.9 | F | F | N | | F | | | | FWP | DISSOLVED OXYGEN | IRC 5 | L | NATURAL SOURCES |
| LA041803_00 | Bashman Bayou-From headwaters to Bayou Dupre (Scenic) (Estuarine) | R | 1.6 | F | F | F | | F | | | | | | | | |
| LA041804_00 | Bayou Dupre-From Lake Borgne Canal to Terre Beau Bayou (Scenic) (Estuarine) | R | 2.8 | F | F | F | | F | | | | | | | | |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | SWG | ONR | SYO | AGR | LAL | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | TMDL Priority | Suspected Sources of Impairment |
|-------------------|--|-----------------------|---------|-----|-----|-----|-----|-----|-----|-----|-----|---|-----------------------------------|--|------------------|------------------------------------|
| LA041805_00 | Lake Borgne Canal-From Mississippi River siphon at Violet to Bayou Dupre; also called Violet Canal (Scenic) (Estuarine) | R | 2.6 | F | F | N | | F | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | NATURAL SOURCES |
| LA041806_00 | Pirogue Bayou-From Bayou Dupre to New Canal (Scenic) (Estuarine) | R | 2.4 | F | F | N | | F | | | | FWP | DISSOLVED OXYGEN | IRC 5RC | L | NATURAL SOURCES |
| LA041807_00 | Terre Beau Bayou-From Bayou Dupre to New Canal (Scenic) (Estuarine) | R | 2.1 | F | F | N | | F | | | | FWP | DISSOLVED OXYGEN | IRC 5RC | L | NATURAL SOURCES |
| LA041808_00 | New Canal (Estuarine) | R | 3.6 | F | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 5RC | L | NATURAL SOURCES |
| LA041809_00 | Poydras-Verret Marsh Wetland-Forested and marsh wetland located 1.5 miles north of St. Bernard, south of Violet Canal, and northeast of Forty Arpent Canal | W | 3,840.0 | | X | Х | | | | | | | | | | |
| LA041901_00 | Mississippi River Gulf Outlet (MRGO)-From ICWW to Breton Sound at MRGO mile 30 | R | 30.1 | F | F | N | | | F | | | FWP | DISSOLVED OXYGEN | IRC 5RC | L | SOURCE UNKNOWN |
| LA042001_00 | Lake Borgne | Е | 277.8 | F | F | F | | | F | | | | | | | |
| LA042002_00 | Bayou Bienvenue-From Bayou Villere to Lake Borgne (Scenic) (Estuarine) | R | 2.9 | F | F | N | | F | N | | | FWP | PH, LOW | IRC 5 | L | SOURCE UNKNOWN |
| LA042002_00 | Bayou Bienvenue-From Bayou Villere to Lake Borgne (Scenic) (Estuarine) | R | 2.9 | F | F | N | | F | N | | | OYS | FECAL COLIFORM | IRC 5 | М | SOURCE UNKNOWN |
| LA042003_00 | Bayou La Loutre-From MRGO to Eloi Bay (Estuarine) | R | 22.4 | F | F | F | | | F | | | | | | | |
| LA042004_00 | Bayou Bienvenue-From MRGO to Bayou Villere (Estuarine) | R | 2.7 | F | F | F | | | N | | | OYS | FECAL COLIFORM | IRC 5 | М | WILDLIFE OTHER THAN WATERFOWL |
| LA042101_00 | Bayou Terre Aux Boeufs (Estuarine) | R | 26.8 | | | F | | | F | | | | | | | |
| LA042102_00 | River Aux Chenes; also called Oak River (Estuarine) | R | 21.6 | F | F | F | | | F | | | | | | | |
| LA042103_00 | Bayou Gentilly-From Bayou Terre Aux Boeufs to Petit Lake (Estuarine) | R | 2.4 | F | F | F | | | F | | | | | | | |
| LA042104_00 | Petit Lake | Е | 1.5 | F | F | F | | | F | | | | | | | |
| LA042105_00 | Lake Lery | Е | 8.3 | F | F | F | 1 | | F | | | | | | | |
| LA042201_00 | Chandeleur Sound | Е | 872.4 | F | F | N | | | F | | | FWP | DISSOLVED OXYGEN | IRC 5RC | L | SOURCE UNKNOWN |
| LA042202_00 | California Bay and Breton Sound | Е | 329.6 | F | F | N | | | F | | | FWP | DISSOLVED OXYGEN | IRC 5RC | L | SOURCE UNKNOWN |
| LA042203_00 | Bay Boudreau | Е | 34.0 | F | F | N | | | F | | | FWP | DISSOLVED OXYGEN | IRC 5RC | L | SOURCE UNKNOWN |
| LA042204_00 | Drum Bay | Е | 14.0 | F | F | F | | | F | | | | | | | |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | DWS | ONR | OYS | AGR | LAL | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | TMDL Priority | Suspected Sources of Impairment |
|-------------------|---|-----------------------|-------|-----|-----|-----|-----|-----|-----|-----|-----|---|--|--|------------------|-------------------------------------|
| LA042205 00 | Morgan Harbor | Е | 14.0 | | F | F | | | F | 7 | | | | | | |
| LA042206_00 | Eloi Bay | Е | 70.0 | F | F | F | | | F | | | | | | | |
| LA042207_00 | Lake Fortuna | Е | 15.8 | F | F | F | | | F | | | | | | | |
| LA042208_00 | Bay Gardene, Black Bay, Lost Bayou, American Bay and Bay Crabe | Е | 43.2 | F | F | F | | | F | | | | | | | |
| LA042209_00 | Lake Pontchartrain Basin Coastal Bays and Gulf Waters to the State 3 mile limit | Е | 255.6 | F | F | N | | | N | | | FWP | DISSOLVED OXYGEN | IRC 5RC | L | SOURCE UNKNOWN |
| LA042209_00 | Lake Pontchartrain Basin Coastal Bays and Gulf Waters to the State 3 mile limit | Е | 255.6 | F | F | N | | | N | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | ATMOSPHERIC DEPOSITION - TOXICS |
| LA042209_00 | Lake Pontchartrain Basin Coastal Bays and Gulf Waters to the State 3 mile limit | Е | 255.6 | F | F | N | | | N | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | SOURCE UNKNOWN |
| LA042209_00 | Lake Pontchartrain Basin Coastal Bays and Gulf Waters to the State 3 mile limit | Е | 255.6 | F | F | N | | | N | | | OYS | FECAL COLIFORM | IRC 5 | М | SOURCE UNKNOWN |
| LA050101_00 | Bayou Des Cannes-From headwaters to Mermentau River | R | 67.5 | F | F | N | | | | F | | FWP | DISSOLVED OXYGEN | IRC 4a | | AGRICULTURE |
| LA050101_00 | Bayou Des Cannes-From headwaters to Mermentau River | R | 67.5 | F | F | N | | | | F | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | ATMOSPHERIC DEPOSITION - TOXICS |
| LA050101_00 | Bayou Des Cannes-From headwaters to Mermentau River | R | 67.5 | F | F | N | | | | F | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | SOURCE UNKNOWN |
| LA050101_00 | Bayou Des Cannes-From headwaters to Mermentau River | R | 67.5 | F | F | N | | | | F | | FWP | NITRATE/NITRITE (NITRITE + NITRATE AS N) | IRC 4a | | AGRICULTURE |
| LA050101_00 | Bayou Des Cannes-From headwaters to Mermentau River | R | 67.5 | F | F | N | | | | F | | FWP | PHOSPHORUS, TOTAL | IRC 4a | | AGRICULTURE |
| LA050101_00 | Bayou Des Cannes-From headwaters to Mermentau River | R | 67.5 | F | F | N | | | | F | | FWP | TURBIDITY | IRC 4a | | AGRICULTURE |
| LA050103_00 | Bayou Mallet-From headwaters to Bayou Des Cannes | R | 48.2 | N | F | N | | | | F | | FWP | DISSOLVED OXYGEN | IRC 4a | | AGRICULTURE |
| LA050103_00 | Bayou Mallet-From headwaters to Bayou Des Cannes | R | 48.2 | N | F | N | | | | F | | FWP | DISSOLVED OXYGEN | IRC 4a | | CROP PRODUCTION (IRRIGATED) |
| LA050103_00 | Bayou Mallet-From headwaters to Bayou Des Cannes | R | 48.2 | | F | N | | | | F | | FWP | DISSOLVED OXYGEN | IRC 4a | | CROP PRODUCTION (NON- IRRIGATED) |
| LA050103_00 | Bayou Mallet-From headwaters to Bayou Des Cannes | R | 48.2 | N | F | N | | | | F | | FWP | DISSOLVED OXYGEN | IRC 4a | | NATURAL SOURCES |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | DWS | ONR | SYO | AGR | LAL | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | TMDL Priority | Suspected Sources of Impairment |
|-------------------|---|-----------------------|------|-----|-----|-----|-----|-----|-----|-----|-----|---|--|--|------------------|--|
| LA050103_00 | Bayou Mallet-From headwaters to Bayou Des Cannes | R | 48.2 | N | F | N | | | | F | | FWP | TOTAL DISSOLVED SOLIDS (TDS) | IRC 5 | L | AGRICULTURE |
| LA050103_00 | Bayou Mallet-From headwaters to Bayou Des Cannes | R | 48.2 | N | F | N | | | | F | | FWP | TOTAL DISSOLVED SOLIDS (TDS) | IRC 5 | L | CROP PRODUCTION (IRRIGATED) |
| LA050103_00 | Bayou Mallet-From headwaters to Bayou Des Cannes | R | 48.2 | N | F | N | | | | F | | FWP | TOTAL DISSOLVED SOLIDS (TDS) | IRC 5 | L | CROP PRODUCTION (NON- IRRIGATED) |
| LA050103_00 | Bayou Mallet-From headwaters to Bayou Des Cannes | R | 48.2 | N | F | N | | | | F | | FWP | TOTAL DISSOLVED SOLIDS (TDS) | IRC 5 | L | NATURAL SOURCES |
| LA050103_00 | Bayou Mallet-From headwaters to Bayou Des Cannes | R | 48.2 | N | F | N | | | | F | | PCR | FECAL COLIFORM | IRC 5 | L | LIVESTOCK (GRAZING OR FEEDING OPERATIONS) |
| LA050103_00 | Bayou Mallet-From headwaters to Bayou Des Cannes | R | 48.2 | N | F | N | | | | F | | PCR | FECAL COLIFORM | IRC 5 | L | PACKAGE PLANT OR OTHER PERMITTED SMALL FLOWS DISCHARGES |
| LA050201_00 | Bayou Plaquemine Brule-From headwaters to Bayou Des Cannes | R | 57.0 | F | F | N | | | | F | | FWP | DISSOLVED OXYGEN | IRC 4a | | MUNICIPAL POINT SOURCE DISCHARGES |
| LA050201_00 | Bayou Plaquemine Brule-From headwaters to Bayou Des Cannes | R | 57.0 | F | F | N | | | | F | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | ATMOSPHERIC DEPOSITION - TOXICS |
| LA050201_00 | Bayou Plaquemine Brule-From headwaters to Bayou Des Cannes | R | 57.0 | F | F | N | | | | F | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | SOURCE UNKNOWN |
| LA050201_00 | Bayou Plaquemine Brule-From headwaters to Bayou Des Cannes | R | 57.0 | F | F | N | | | | F | | FWP | NITRATE/NITRITE (NITRITE + NITRATE AS N) | IRC 4a | | MUNICIPAL POINT SOURCE DISCHARGES |
| LA050201_00 | Bayou Plaquemine Brule-From headwaters to Bayou Des Cannes | R | 57.0 | F | F | N | | | | F | | FWP | PHOSPHORUS, TOTAL | IRC 4a | | MUNICIPAL POINT SOURCE DISCHARGES |
| LA050201_00 | Bayou Plaquemine Brule-From headwaters to Bayou Des Cannes | R | 57.0 | F | F | N | | | | F | | FWP | TURBIDITY | IRC 4a | | AGRICULTURE |
| LA050301_00 | Bayou Nezpique-From headwaters to Mermentau River: includes intermittent portion of Beaver Creek | R | 65.0 | N | F | N | | | | F | | FWP | DISSOLVED OXYGEN | IRC 4a | | AGRICULTURE |
| LA050301_00 | Bayou Nezpique-From headwaters to Mermentau River: includes intermittent portion of Beaver Creek | R | 65.0 | | F | N | | | | F | | FWP | LEAD | IRC 4a | | SOURCE UNKNOWN |
| LA050301_00 | Bayou Nezpique-From headwaters to Mermentau River: includes intermittent portion of Beaver Creek | R | 65.0 | N | F | N | | | | F | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | ATMOSPHERIC DEPOSITION - TOXICS |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | SMQ | ONR | SYO | AGR | LAL | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | TMDL Priority | Suspected Sources of Impairment |
|-------------------|--|-----------------------|-------|-----|-----|-----|-----|-----|-----|-----|-----|---|--|--|------------------|--|
| LA050301_00 | Bayou Nezpique-From headwaters to Mermentau River: includes intermittent portion of Beaver Creek | R | 65.0 | N | F | N | | | | F | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | SOURCE UNKNOWN |
| LA050301_00 | Bayou Nezpique-From headwaters to Mermentau River: includes intermittent portion of Beaver Creek | R | 65.0 | N | F | N | | | | F | | FWP | NITRATE/NITRITE (NITRITE + NITRATE AS N) | IRC 4a | | AGRICULTURE |
| LA050301_00 | Bayou Nezpique-From headwaters to Mermentau River: includes intermittent portion of Beaver Creek | R | 65.0 | N | F | N | | | | F | | FWP | PHOSPHORUS, TOTAL | IRC 4a | | AGRICULTURE |
| LA050301_00 | Bayou Nezpique-From headwaters to Mermentau River: includes intermittent portion of Beaver Creek | R | 65.0 | N | F | N | | | | F | | FWP | TURBIDITY | IRC 4a | | AGRICULTURE |
| LA050301_00 | Bayou Nezpique-From headwaters to Mermentau River: includes intermittent portion of Beaver Creek | R | 65.0 | N | F | N | | | | F | | PCR | FECAL COLIFORM | IRC 4a | | PACKAGE PLANT OR OTHER PERMITTED SMALL FLOWS DISCHARGES |
| LA050301_00 | Bayou Nezpique-From headwaters to Mermentau River: includes intermittent portion of Beaver Creek | R | 65.0 | N | F | N | | | | F | | PCR | FECAL COLIFORM | IRC 4a | | RUNOFF FROM FOREST/GRASSLAND/PAR KLAND |
| LA050301_00 | Bayou Nezpique-From headwaters to Mermentau River: includes intermittent portion of Beaver Creek | R | 65.0 | N | F | N | | | | F | | PCR | FECAL COLIFORM | IRC 4a | | RURAL (RESIDENTIAL AREAS) |
| LA050301_00556751 | Crooked Creek Reservoir-Located within subsegment LA050301_00. This unit is added for advisory tracking purposes only and is not a subsegment as defined by LAC 33:IX.1123.A. et seq. No other assessment is made for this lake. | L | 370.0 | | | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | ATMOSPHERIC DEPOSITION - TOXICS |
| LA050301_00556751 | Crooked Creek Reservoir-Located within subsegment LA050301_00. This unit is added for advisory tracking purposes only and is not a subsegment as defined by LAC 33:IX.1123.A. et seq. No other assessment is made for this lake. | L | 370.0 | | | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | SOURCE UNKNOWN |
| LA050303_00 | Castor Creek-From headwaters to Bayou Nezpique | R | 26.5 | N | F | N | | | | | T | FWP | DISSOLVED OXYGEN | IRC 4a | | NATURAL SOURCES |
| LA050303_00 | Castor Creek-From headwaters to Bayou Nezpique | R | 26.5 | N | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | NON-POINT SOURCE |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | DWS | ONR | SYO | AGR | LAL | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | TMDL Priority | Suspected Sources of Impairment |
|-------------------|--|-----------------------|------|-----|-----|-----|-----|-----|-----|-----|-----|---|--|--|------------------|--|
| LA050303_00 | Castor Creek-From headwaters to Bayou Nezpique | R | 26.5 | N | F | Ν | | | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |
| LA050303_00 | Castor Creek-From headwaters to Bayou Nezpique | R | 26.5 | Ν | F | Ν | | | | | | FWP | LEAD | IRC 4a | | SOURCE UNKNOWN |
| LA050303_00 | Castor Creek-From headwaters to Bayou Nezpique | R | 26.5 | | F | Ν | | | | | | PCR | FECAL COLIFORM | IRC 4a | | NATURAL SOURCES |
| LA050303_00 | Castor Creek-From headwaters to Bayou Nezpique | R | 26.5 | Ν | F | Ν | | | | | | PCR | FECAL COLIFORM | IRC 4a | | NON-POINT SOURCE |
| LA050303_00 | Castor Creek-From headwaters to Bayou Nezpique | R | 26.5 | N | F | N | | | | | | PCR | FECAL COLIFORM | IRC 4a | | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |
| LA050303_00 | Castor Creek-From headwaters to Bayou Nezpique | R | 26.5 | N | F | N | | | | | | PCR | FECAL COLIFORM | IRC 4a | | WILDLIFE OTHER THAN WATERFOWL |
| LA050304_00 | Bayou Blue-From headwaters to Bayou Nezpique | R | 34.3 | N | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | AGRICULTURE |
| LA050304_00 | Bayou Blue-From headwaters to Bayou Nezpique | R | 34.3 | N | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | DROUGHT-RELATED IMPACTS |
| LA050304_00 | Bayou Blue-From headwaters to Bayou Nezpique | R | 34.3 | N | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | RUNOFF FROM FOREST/GRASSLAND/PAR KLAND |
| LA050304_00 | Bayou Blue-From headwaters to Bayou Nezpique | R | 34.3 | Ν | F | Ν | | | | | | FWP | LEAD | IRC 4a | | SOURCE UNKNOWN |
| LA050304_00 | Bayou Blue-From headwaters to Bayou Nezpique | R | 34.3 | N | F | N | | | | | | PCR | FECAL COLIFORM | IRC 5 | L | DROUGHT-RELATED IMPACTS |
| LA050304_00 | Bayou Blue-From headwaters to Bayou Nezpique | R | 34.3 | N | | | | | | | | PCR | FECAL COLIFORM | IRC 5 | L | RUNOFF FROM FOREST/GRASSLAND/PAR KLAND |
| LA050304_00 | Bayou Blue-From headwaters to Bayou Nezpique | R | 34.3 | N | F | N | | | | | | PCR | FECAL COLIFORM | IRC 5 | L | RURAL (RESIDENTIAL AREAS) |
| LA050401_00 | Mermentau River-From headwaters to Lake Arthur | R | 15.7 | N | F | N | | | | F | | FWP | DISSOLVED OXYGEN | IRC 4a | | AGRICULTURE |
| LA050401_00 | Mermentau River-From headwaters to Lake Arthur | R | 15.7 | N | F | N | | | | F | | FWP | NITRATE/NITRITE (NITRITE + NITRATE AS N) | IRC 4a | | AGRICULTURE |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | DWS | ONR | SYO | AGR | LAL | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | TMDL Priority | Suspected Sources of Impairment |
|-------------------|---|-----------------------|------|-----|-----|-----|-----|-----|-----|-----|-----|---|--|--|------------------|--|
| LA050401_00 | Mermentau River-From headwaters to Lake Arthur | R | 15.7 | N | F | N | | | | F | | FWP | PHOSPHORUS, TOTAL | IRC 4a | | AGRICULTURE |
| LA050401_00 | Mermentau River-From headwaters to Lake Arthur | R | 15.7 | N | F | N | | | | F | | PCR | FECAL COLIFORM | IRC 5 | L | MUNICIPAL POINT SOURCE DISCHARGES |
| LA050401_00 | Mermentau River-From headwaters to Lake Arthur | R | 15.7 | N | F | N | | | | F | | PCR | FECAL COLIFORM | IRC 5 | L | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |
| LA050402_00 | Lake Arthur and Lower Mermentau River to Grand Lake | E | 9.3 | F | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | NATURAL SOURCES |
| LA050402_00 | Lake Arthur and Lower Mermentau River to Grand Lake | E | 9.3 | F | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | NON-POINT SOURCE |
| LA050402_00 | Lake Arthur and Lower Mermentau River to Grand Lake | E | 9.3 | F | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |
| LA050501_00 | Bayou Queue de Tortue-From headwaters to Mermentau River | R | 57.2 | F | F | N | | | | F | | FWP | DISSOLVED OXYGEN | IRC 4a | | AGRICULTURE |
| LA050501_00 | Bayou Queue de Tortue-From headwaters to Mermentau River | R | 57.2 | F | F | N | | | | F | | FWP | DISSOLVED OXYGEN | IRC 4a | | NATURAL SOURCES |
| LA050501_00 | Bayou Queue de Tortue-From headwaters to Mermentau River | R | 57.2 | F | F | N | | | | F | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | ATMOSPHERIC DEPOSITION - TOXICS |
| LA050501_00 | Bayou Queue de Tortue-From headwaters to Mermentau River | R | 57.2 | F | F | N | | | | F | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | SOURCE UNKNOWN |
| LA050501_00 | Bayou Queue de Tortue-From headwaters to Mermentau River | R | 57.2 | F | F | N | | | | F | | FWP | NITRATE/NITRITE (NITRITE + NITRATE AS N) | IRC 4a | | AGRICULTURE |
| LA050501_00 | Bayou Queue de Tortue-From headwaters to Mermentau River | R | 57.2 | F | F | N | | | | F | | FWP | NITRATE/NITRITE (NITRITE + NITRATE AS N) | IRC 4a | | NATURAL SOURCES |
| LA050501_00 | Bayou Queue de Tortue-From headwaters to Mermentau River | R | 57.2 | F | F | N | | | | F | | FWP | PHOSPHORUS, TOTAL | IRC 4a | | AGRICULTURE |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | SMG | ONR | SYO | AGR | LAL | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | TMDL Priority | Suspected Sources of Impairment |
|-------------------|---|-----------------------|------|-----|-----|-----|-----|-----|-----|-----|-----|---|---|--|------------------|--|
| LA050501_00 | Bayou Queue de Tortue-From headwaters to Mermentau River | R | 57.2 | | F | N | | | | F | | FWP | PHOSPHORUS, TOTAL | IRC 4a | | NATURAL SOURCES |
| LA050501_00 | Bayou Queue de Tortue-From headwaters to Mermentau River | R | 57.2 | F | F | N | | | | F | | FWP | TURBIDITY | IRC 4a | | AGRICULTURE |
| LA050501_00 | Bayou Queue de Tortue-From headwaters to Mermentau River | R | 57.2 | F | F | N | | | | F | | FWP | TURBIDITY | IRC 4a | | WATER DIVERSIONS |
| LA050601_00 | Lacassine Bayou-From headwaters to Grand Lake | R | 34.8 | F | F | N | | | | F | | FWP | DISSOLVED OXYGEN | IRC 4a | | AGRICULTURE |
| LA050601_00 | Lacassine Bayou-From headwaters to Grand Lake | R | 34.8 | F | F | N | | | | F | | FWP | DISSOLVED OXYGEN | IRC 4a | | LIVESTOCK (GRAZING OR FEEDING OPERATIONS) |
| LA050601_00 | Lacassine Bayou-From headwaters to Grand Lake | R | 34.8 | F | F | N | | | | F | | FWP | DISSOLVED OXYGEN | IRC 4a | | NATURAL SOURCES |
| LA050601_00 | Lacassine Bayou-From headwaters to Grand Lake | R | 34.8 | F | F | N | | | | F | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | ATMOSPHERIC DEPOSITION - TOXICS |
| LA050601_00 | Lacassine Bayou-From headwaters to Grand Lake | R | 34.8 | F | F | N | | | | F | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | SOURCE UNKNOWN |
| LA050602_00 | Intracoastal Waterway-From Calcasieu River Basin Boundary to Mermentau River | R | 17.0 | N | F | N | | | | F | | FWP | CHLORIDE | IRC 5 | L | NATURAL SOURCES |
| LA050602_00 | Intracoastal Waterway-From Calcasieu River Basin Boundary to Mermentau River | R | 17.0 | N | F | N | | | | F | | FWP | TOTAL DISSOLVED SOLIDS (TDS) | IRC 5 | L | NATURAL SOURCES |
| LA050602_00 | Intracoastal Waterway-From Calcasieu River Basin Boundary to Mermentau River | R | 17.0 | N | F | N | | | | F | | FWP | TURBIDITY | IRC 4a | | AGRICULTURE |
| LA050602_00 | Intracoastal Waterway-From Calcasieu River Basin Boundary to Mermentau River | R | 17.0 | N | F | N | | | | F | | FWP | TURBIDITY | IRC 4a | | WATER DIVERSIONS |
| LA050602_00 | Intracoastal Waterway-From Calcasieu River Basin Boundary to Mermentau River | R | 17.0 | N | F | N | | | | F | | PCR | FECAL COLIFORM | IRC 5 | L | DROUGHT-RELATED IMPACTS |
| LA050602_00 | Intracoastal Waterway-From Calcasieu River Basin Boundary to Mermentau River | R | 17.0 | N | F | N | | | | F | | PCR | FECAL COLIFORM | IRC 5 | L | RUNOFF FROM FOREST/GRASSLAND/PAR KLAND |
| LA050602_00 | Intracoastal Waterway-From Calcasieu River Basin Boundary to Mermentau River | R | 17.0 | N | F | N | | | | F | | PCR | FECAL COLIFORM | IRC 5 | L | RURAL (RESIDENTIAL AREAS) |
| LA050603_00 | Bayou Chene-From headwaters to Lacassine Bayou; includes Bayou Grand Marais | R | 21.1 | N | F | N | | | | F | | FWP | DISSOLVED OXYGEN | IRC 4a | | AGRICULTURE |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | DWS | ONR | SYO | AGR | LAL | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | TMDL Priority | Suspected Sources of Impairment |
|-------------------|---|-----------------------|----------|-----|-----|-----|----------|-----|-----|-----|-----|---|---|--|------------------|--|
| LA050603_00 | Bayou Chene-From headwaters to Lacassine Bayou; includes Bayou Grand Marais | R | 21.1 | N | F | N | | | | F | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | ATMOSPHERIC DEPOSITION - TOXICS |
| LA050603_00 | Bayou Chene-From headwaters to Lacassine Bayou; includes Bayou Grand Marais | R | 21.1 | N | F | N | | | | F | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | SOURCE UNKNOWN |
| LA050603_00 | Bayou Chene-From headwaters to Lacassine Bayou; includes Bayou Grand Marais | R | 21.1 | N | F | N | | | | F | | PCR | FECAL COLIFORM | IRC 5 | L | DROUGHT-RELATED IMPACTS |
| LA050603_00 | Bayou Chene-From headwaters to Lacassine Bayou; includes Bayou Grand Marais | R | 21.1 | N | F | N | | | | F | | PCR | FECAL COLIFORM | IRC 5 | L | RUNOFF FROM FOREST/GRASSLAND/PAR KLAND |
| LA050603_00 | Bayou Chene-From headwaters to Lacassine Bayou; includes Bayou Grand Marais | R | 21.1 | N | F | N | | | | F | | PCR | FECAL COLIFORM | IRC 5 | L | RURAL (RESIDENTIAL AREAS) |
| LA050701_00 | Grand Lake | L | 47,869.0 | F | F | Ν | | | | F | | FWP | TURBIDITY | IRC 4a | | AGRICULTURE |
| LA050702_00 | Intracoastal Waterway-From Mermentau River to Vermilion Locks | R | 39.7 | F | F | N | | | | F | | FWP | TURBIDITY | IRC 4a | | AGRICULTURE |
| LA050702_00 | Intracoastal Waterway-From Mermentau River to Vermilion Locks | R | 39.7 | F | F | N | | | | F | | FWP | TURBIDITY | IRC 4a | | DREDGING (E.G., FOR NAVIGATION CHANNELS) |
| LA050702_00 | Intracoastal Waterway-From Mermentau River to Vermilion Locks | R | 39.7 | F | F | N | | | | F | | FWP | TURBIDITY | IRC 4a | | SEDIMENT RESUSPENSION (CLEAN SEDIMENT) |
| LA050702_001 | Seventh Ward Canal-Located within LA050702. This unit is added for advisory tracking purposes only and is not a subsegment as defined by LAC 33:IX.1123.A. et seq. No other assessment is made for this waterbody. | R | 9.9 | | | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | ATMOSPHERIC DEPOSITION - TOXICS |
| LA050702_001 | Seventh Ward Canal-Located within LA050702. This unit is added for advisory tracking purposes only and is not a subsegment as defined by LAC 33:IX.1123.A. et seq. No other assessment is made for this waterbody. | R | 9.9 | | | N | <u> </u> | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | SOURCE UNKNOWN |
| LA050703_00 | White Lake | L | 56,487.1 | F | F | N | | | | F | | FWP | CHLORIDE | IRC 4a | | NATURAL SOURCES |
| LA050703_00 | White Lake | L | 56,487.1 | F | F | N | | | | F | | FWP | TOTAL DISSOLVED SOLIDS (TDS) | IRC 4a | | NATURAL SOURCES |
| LA050703_00 | White Lake | L | 56,487.1 | F | F | Ν | | | l | F | | FWP | TURBIDITY | IRC 4a | | NATURAL SOURCES |
| LA050801_00 | Mermentau River-From Catfish Point Control Structure to Gulf of Mexico (Estuarine) | R | 24.9 | N | F | F | | | N | | | OYS | FECAL COLIFORM | IRC 5 | М | NATURAL SOURCES |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | DWS | ONR | OYS | AGR | LAL | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | TMDL Priority | Suspected Sources of Impairment |
|-------------------|---|-----------------------|---------|-----|-----|-----|-----|-----|-----|-----|-----|---|---|--|------------------|------------------------------------|
| LA050801_00 | Mermentau River-From Catfish Point Control Structure to Gulf of Mexico (Estuarine) | R | 24.9 | N | F | F | | | N | | | OYS | FECAL COLIFORM | IRC 5 | М | WATERFOWL |
| LA050801_00 | Mermentau River-From Catfish Point Control Structure to Gulf of Mexico (Estuarine) | R | 24.9 | N | F | F | | | N | | | PCR | FECAL COLIFORM | IRC 5 | М | NATURAL SOURCES |
| LA050801_00 | Mermentau River-From Catfish Point Control Structure to Gulf of Mexico (Estuarine) | R | 24.9 | N | F | F | | | N | | | PCR | FECAL COLIFORM | IRC 5 | М | WATERFOWL |
| LA050802_00 | Big Constance Lake; includes associated water bodies | Е | 2.0 | N | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | NATURAL SOURCES |
| LA050802_00 | Big Constance Lake; includes associated water bodies | Е | 2.0 | N | F | N | | | | | | PCR | FECAL COLIFORM | IRC 5 | L | NATURAL SOURCES |
| LA050802_00 | Big Constance Lake; includes associated water bodies | Е | 2.0 | N | F | N | | | | | | PCR | FECAL COLIFORM | IRC 5 | L | WATERFOWL |
| LA050901_00 | Mermentau River Basin Coastal Bays and Gulf Waters to the State 3 mile limit | E | 187.0 | F | F | N | | | F | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | ATMOSPHERIC DEPOSITION - TOXICS |
| LA050901_00 | Mermentau River Basin Coastal Bays and Gulf Waters to the State 3 mile limit | Е | 187.0 | F | F | N | | | F | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | SOURCE UNKNOWN |
| LA050901_001 | Rutherford Beach - Located within subsegment LA050901_00. This unit is added for advisory tracking purposes only and is not a subsegment as defined by LAC 33:IX.1123.A. et. seq. No other assessment is made for this waterbody. | С | 1.5 | Ν | | | | | | | | PCR | ENTEROCOCCUS | IRC 5 | L | NATURAL SOURCES |
| LA050901_001 | Rutherford Beach - Located within subsegment LA050901_00. This unit is added for advisory tracking purposes only and is not a subsegment as defined by LAC 33:IX.1123.A. et. seq. No other assessment is made for this waterbody. | С | 1.5 | N | | | | | | | | PCR | ENTEROCOCCUS | IRC 5 | L | WATERFOWL |
| LA060101_00 | Spring Creek-From headwaters to Cocodrie Lake (Scenic) | R | 36.2 | F | F | N | | F | | | | FWP | TOTAL DISSOLVED SOLIDS (TDS) | IRC 5 | L | SILVICULTURE ACTIVITIES |
| _A060102_00 | Cocodrie Lake | L | 6,099.0 | F | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | NATURAL SOURCES |
| _A060102_00 | Cocodrie Lake | L | 6,099.0 | F | F | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | ATMOSPHERIC DEPOSITION - TOXICS |
| LA060102_00 | Cocodrie Lake | L | 6,099.0 | F | F | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | SOURCE UNKNOWN |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | DWS | ONR | OYS | AGR | LAL | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | TMDL Priority | Suspected Sources of Impairment |
|-------------------|--|-----------------------|---------|-----|-----|-----|-----|-----|-----|-----|-----|---|--|--|------------------|--|
| LA060102_00 | Cocodrie Lake | L | 6,099.0 | F | F | Ν | | | | | | FWP | NON-NATIVE AQUATIC PLANTS | IRC 4a | | INTRODUCTION OF NON- NATIVE ORGANISMS (ACCIDENTAL OR INTENTIONAL) |
| LA060102_00 | Cocodrie Lake | L | 6,099.0 | F | F | N | | | | | | FWP | TOTAL DISSOLVED SOLIDS (TDS) | IRC 4a | | NATURAL SOURCES |
| LA060102_00 | Cocodrie Lake | L | 6,099.0 | F | F | N | | | | | | FWP | TOTAL DISSOLVED SOLIDS (TDS) | IRC 4a | | SOURCE UNKNOWN |
| LA060201_00 | Bayou Cocodrie-From US-167 to Bayou Boeuf-Cocodrie Diversion Canal (Scenic) | R | 27.2 | F | F | N | | N | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | SOURCE UNKNOWN |
| LA060201_00 | Bayou Cocodrie-From US-167 to Bayou Boeuf-Cocodrie Diversion Canal (Scenic) | R | 27.2 | F | F | N | | N | | | | ONR | TURBIDITY | IRC 4a | | CROP PRODUCTION (IRRIGATED) |
| LA060201_00 | Bayou Cocodrie-From US-167 to Bayou Boeuf-Cocodrie Diversion Canal (Scenic) | R | 27.2 | F | F | N | | N | | | | ONR | TURBIDITY | IRC 4a | | CROP PRODUCTION (NON- IRRIGATED) |
| LA060202_00 | Bayou Cocodrie-From Cocodrie Diversion Canal to Bayou Boeuf | R | 17.4 | N | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | SOURCE UNKNOWN |
| LA060202_00 | Bayou Cocodrie-From Cocodrie Diversion Canal to Bayou Boeuf | R | 17.4 | N | F | N | | | | | | FWP | NITRATE/NITRITE (NITRITE + NITRATE AS N) | IRC 4a | | SOURCE UNKNOWN |
| LA060202_00 | Bayou Cocodrie-From Cocodrie Diversion Canal to Bayou Boeuf | R | 17.4 | N | F | N | | | | | | FWP | PHOSPHORUS, TOTAL | IRC 4a | | SOURCE UNKNOWN |
| LA060202_00 | Bayou Cocodrie-From Cocodrie Diversion Canal to Bayou Boeuf | R | 17.4 | N | F | N | | | | | | FWP | TOTAL DISSOLVED SOLIDS (TDS) | IRC 4a | | AGRICULTURE |
| LA060202_00 | Bayou Cocodrie-From Cocodrie Diversion Canal to Bayou Boeuf | R | 17.4 | N | F | N | | | | | | FWP | TURBIDITY | IRC 4a | | AGRICULTURE |
| LA060202_00 | Bayou Cocodrie-From Cocodrie Diversion Canal to Bayou Boeuf | R | 17.4 | N | F | N | | | | | | PCR | FECAL COLIFORM | IRC 5 | L | SEWAGE DISCHARGES IN UNSEWERED AREAS |
| LA060203_00 | Chicot Lake | L | 1,157.2 | N | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | NATURAL SOURCES |
| LA060203_00 | Chicot Lake | L | 1,157.2 | N | F | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | ATMOSPHERIC DEPOSITION - TOXICS |
| LA060203_00 | Chicot Lake | L | 1,157.2 | N | F | N | | | | | | FWP | NITRATE/NITRITE (NITRITE + NITRATE AS N) | IRC 4a | | SOURCE UNKNOWN |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | SMG | ONR | SYO | AGR | LAL | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | TMDL Priority | Suspected Sources of Impairment |
|-------------------|---|-----------------------|---------|-----|-----|-----|-----|-----|-----|-----|-----|---|-----------------------------------|--|------------------|--|
| LA060203_00 | Chicot Lake | L | 1,157.2 | N | F | N | | | | | | FWP | NON-NATIVE AQUATIC PLANTS | IRC 4a | | INTRODUCTION OF NON- NATIVE ORGANISMS (ACCIDENTAL OR INTENTIONAL) |
| LA060203_00 | Chicot Lake | L | 1,157.2 | N | F | N | | | | | | FWP | PHOSPHORUS, TOTAL | IRC 4a | | SOURCE UNKNOWN |
| LA060203_00 | Chicot Lake | L | 1,157.2 | Ν | F | Ν | | | | | | PCR | FECAL COLIFORM | IRC 5 | L | NATURAL SOURCES |
| LA060203_00 | Chicot Lake | L | 1,157.2 | N | F | N | | | | | | PCR | FECAL COLIFORM | IRC 5 | L | PACKAGE PLANT OR OTHER PERMITTED SMALL FLOWS DISCHARGES |
| LA060204_00 | Bayou Courtableau-From headwaters to West Atchafalaya Borrow Pit Canal | R | 21.3 | N | F | N | | | | | | FWP | TURBIDITY | IRC 4a | | AGRICULTURE |
| LA060204_00 | Bayou Courtableau-From headwaters to West Atchafalaya Borrow Pit Canal | R | 21.3 | N | F | N | | | | | | PCR | FECAL COLIFORM | IRC 4a | | LIVESTOCK (GRAZING OR FEEDING OPERATIONS) |
| LA060204_00 | Bayou Courtableau-From headwaters to West Atchafalaya Borrow Pit Canal | R | 21.3 | N | F | N | | | | | | PCR | FECAL COLIFORM | IRC 4a | | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |
| LA060206_00 | Indian Creek and Indian Creek Reservoir | L | 1,740.8 | F | F | N | | | | | | FWP | TOTAL DISSOLVED SOLIDS (TDS) | IRC 5 | L | AGRICULTURE |
| LA060206_00 | Indian Creek and Indian Creek Reservoir | L | 1,740.8 | F | F | N | | | | | | FWP | TOTAL DISSOLVED SOLIDS (TDS) | IRC 5 | L | SEWAGE DISCHARGES IN UNSEWERED AREAS |
| LA060206_00 | Indian Creek and Indian Creek Reservoir | L | 1,740.8 | F | F | N | | | | | | FWP | TOTAL DISSOLVED SOLIDS (TDS) | IRC 5 | L | SILVICULTURE ACTIVITIES |
| LA060207_00 | Bayou des Glaises Diversion Channel/West Atchafalaya Borrow Pit Canal-From Bayou des Glaises to Bayou Courtableau | R | 37.3 | N | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | DWS | ONR | OYS | AGR | LAL | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | TMDL Priority | Suspected Sources of Impairment |
|-------------------|--|-----------------------|-------|-----|-----|-----|-----|-----|-----|-----|-----|---|-----------------------------------|--|------------------|--|
| LA060207_00 | Bayou des Glaises Diversion Channel/West Atchafalaya Borrow Pit Canal-From Bayou des Glaises to Bayou Courtableau | R | 37.3 | N | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | PACKAGE PLANT OR OTHER PERMITTED SMALL FLOWS DISCHARGES |
| LA060207_00 | Bayou des Glaises Diversion Channel/West Atchafalaya Borrow Pit Canal-From Bayou des Glaises to Bayou Courtableau | R | 37.3 | N | F | N | | | | | | FWP | TURBIDITY | IRC 4a | | AGRICULTURE |
| LA060207_00 | Bayou des Glaises Diversion Channel/West Atchafalaya Borrow Pit Canal-From Bayou des Glaises to Bayou Courtableau | R | 37.3 | N | F | N | | | | | | PCR | FECAL COLIFORM | IRC 5 | L | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |
| LA060207_00 | Bayou des Glaises Diversion Channel/West Atchafalaya Borrow Pit Canal-From Bayou des Glaises to Bayou Courtableau | R | 37.3 | N | F | N | | | | | | PCR | FECAL COLIFORM | IRC 5 | L | PACKAGE PLANT OR OTHER PERMITTED SMALL FLOWS DISCHARGES |
| LA060208_00 | Bayou Boeuf-From headwaters to Bayou Courtableau | R | 109.1 | N | F | N | | | | | | FWP | TOTAL DISSOLVED SOLIDS (TDS) | IRC 4a | | AGRICULTURE |
| LA060208_00 | Bayou Boeuf-From headwaters to Bayou Courtableau | R | 109.1 | N | F | N | | | | | | FWP | TURBIDITY | IRC 4a | | AGRICULTURE |
| LA060208_00 | Bayou Boeuf-From headwaters to Bayou Courtableau | R | 109.1 | N | F | N | | | | | | PCR | FECAL COLIFORM | IRC 4a | | LIVESTOCK (GRAZING OR FEEDING OPERATIONS) |
| LA060208_00 | Bayou Boeuf-From headwaters to Bayou Courtableau | R | 109.1 | N | F | N | | | | | | PCR | FECAL COLIFORM | IRC 4a | | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |
| LA060209_00 | Irish Ditch and Big Bayou-From unnamed ditch to Irish Ditch No. 1 to Big Bayou to Irish Ditch No. 2 to Bayou Rapides | R | 10.0 | | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | DWS | ONR | SYO | AGR | LAL | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | TMDL Priority | Suspected Sources of Impairment |
|-------------------|--|-----------------------|------|-----|-----|-----|-----|-----|-----|-----|-----|---|--|--|------------------|--|
| LA060209_00 | Irish Ditch and Big Bayou-From unnamed ditch to Irish Ditch No. 1 to Big Bayou to Irish Ditch No. 2 to Bayou Rapides | R | 10.0 | | F | N | | | | | | FWP | TOTAL DISSOLVED SOLIDS (TDS) | IRC 5 | L | AGRICULTURE |
| LA060209_00 | Irish Ditch and Big Bayou-From unnamed ditch to Irish Ditch No. 1 to Big Bayou to Irish Ditch No. 2 to Bayou Rapides | R | 10.0 | | F | N | | | | | | FWP | TOTAL DISSOLVED SOLIDS (TDS) | IRC 5 | L | RURAL (RESIDENTIAL AREAS) |
| LA060210_00 | Bayou Carron | R | 19.0 | N | N | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | NATURAL SOURCES |
| LA060210_00 | Bayou Carron | R | 19.0 | N | N | N | | | | | | FWP | NITRATE/NITRITE (NITRITE + NITRATE AS N) | IRC 4a | | AGRICULTURE |
| LA060210_00 | Bayou Carron | R | 19.0 | N | N | Ν | | | | | | FWP | PHOSPHORUS, TOTAL | IRC 4a | | NATURAL SOURCES |
| LA060210_00 | Bayou Carron | R | 19.0 | Ν | Ν | Ν | | | | | | FWP | TURBIDITY | IRC 4a | | AGRICULTURE |
| LA060210_00 | Bayou Carron | R | 19.0 | N | N | N | | | | | | PCR | FECAL COLIFORM | IRC 5 | L | LIVESTOCK (GRAZING OR FEEDING OPERATIONS) |
| LA060210_00 | Bayou Carron | R | 19.0 | N | N | N | | | | | | PCR | FECAL COLIFORM | IRC 5 | L | MUNICIPAL POINT SOURCE DISCHARGES |
| LA060210_00 | Bayou Carron | R | 19.0 | N | N | N | | | | | | SCR | FECAL COLIFORM | IRC 5 | L | LIVESTOCK (GRAZING OR FEEDING OPERATIONS) |
| LA060210_00 | Bayou Carron | R | 19.0 | N | N | N | | | | | | SCR | FECAL COLIFORM | IRC 5 | L | MUNICIPAL POINT SOURCE DISCHARGES |
| LA060211_00 | West Atchafalaya Borrow Pit Canal-From Bayou Courtableau to Henderson; includes Bayou Portage | R | 43.5 | N | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | SOURCE UNKNOWN |
| LA060211_00 | West Atchafalaya Borrow Pit Canal-From Bayou Courtableau to Henderson; includes Bayou Portage | R | 43.5 | N | F | Ν | | | | | | FWP | TURBIDITY | IRC 4a | | AGRICULTURE |
| LA060211_00 | West Atchafalaya Borrow Pit Canal-From Bayou Courtableau to Henderson; includes Bayou Portage | R | 43.5 | N | F | N | | | | | | FWP | TURBIDITY | IRC 4a | | NATURAL SOURCES |
| LA060211_00 | West Atchafalaya Borrow Pit Canal-From Bayou Courtableau to Henderson; includes Bayou Portage | R | 43.5 | N | F | N | | | | | | PCR | FECAL COLIFORM | IRC 5 | L | MUNICIPAL POINT SOURCE DISCHARGES |
| LA060211_00 | West Atchafalaya Borrow Pit Canal-From Bayou Courtableau to Henderson; includes Bayou Portage | R | 43.5 | N | F | N | | | | | | PCR | FECAL COLIFORM | IRC 5 | L | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | SMG | ONR | SYO | AGR | LAL | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | TMDL Priority | Suspected Sources of Impairment |
|-------------------|--|-----------------------|------|-----|-----|-----|-----|-----|-----|-----|-----|---|--|--|------------------|--|
| LA060212_00 | Chatlin Lake Canal and Bayou DuLac-From Alexandria to Bayou des Glaises Diversion Canal; includes a portion of Bayou des Glaises | R | 51.3 | F | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | DISCHARGES FROM MUNICIPAL SEPARATE STORM SEWER SYSTEMS (MS4) |
| LA060212_00 | Chatlin Lake Canal and Bayou DuLac-From Alexandria to Bayou des Glaises Diversion Canal; includes a portion of Bayou des Glaises | R | 51.3 | F | F | N | | | | | | FWP | NITRATE/NITRITE (NITRITE + NITRATE AS N) | IRC 4a | | DISCHARGES FROM MUNICIPAL SEPARATE STORM SEWER SYSTEMS (MS4) |
| LA060212_00 | Chatlin Lake Canal and Bayou DuLac-From Alexandria to Bayou des Glaises Diversion Canal; includes a portion of Bayou des Glaises | R | 51.3 | F | F | N | | | | | | FWP | PHOSPHORUS, TOTAL | IRC 4a | | DISCHARGES FROM MUNICIPAL SEPARATE STORM SEWER SYSTEMS (MS4) |
| LA060212_00 | Chatlin Lake Canal and Bayou DuLac-From Alexandria to Bayou des Glaises Diversion Canal; includes a portion of Bayou des Glaises | R | 51.3 | F | F | N | | | | | | FWP | TOTAL DISSOLVED SOLIDS (TDS) | IRC 5 | L | AGRICULTURE |
| LA060212_00 | Chatlin Lake Canal and Bayou DuLac-From Alexandria to Bayou des Glaises Diversion Canal; includes a portion of Bayou des Glaises | R | 51.3 | F | F | N | | | | | | FWP | TOTAL DISSOLVED SOLIDS (TDS) | IRC 5 | L | RURAL (RESIDENTIAL AREAS) |
| LA060212_00 | Chatlin Lake Canal and Bayou DuLac-From Alexandria to Bayou des Glaises Diversion Canal; includes a portion of Bayou des Glaises | R | 51.3 | F | F | N | | | | | | FWP | TOTAL DISSOLVED SOLIDS (TDS) | IRC 5 | L | SEWAGE DISCHARGES IN UNSEWERED AREAS |
| LA060212_00 | Chatlin Lake Canal and Bayou DuLac-From Alexandria to Bayou des Glaises Diversion Canal; includes a portion of Bayou des Glaises | R | 51.3 | F | F | N | | | | | | FWP | TURBIDITY | IRC 4a | | AGRICULTURE |
| LA060212_00 | Chatlin Lake Canal and Bayou DuLac-From Alexandria to Bayou des Glaises Diversion Canal; includes a portion of Bayou des Glaises | R | 51.3 | F | F | N | | | | | | FWP | TURBIDITY | IRC 4a | | SOURCE UNKNOWN |
| LA060301_00 | Bayou Teche-From headwaters at Bayou Courtableau to Keystone Locks and Dam | R | 52.6 | N | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | SOURCE UNKNOWN |
| LA060301_00 | Bayou Teche-From headwaters at Bayou Courtableau to Keystone Locks and Dam | R | 52.6 | N | F | N | | | | | | PCR | FECAL COLIFORM | IRC 4a | | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | SWG | ONR | OYS | AGR | LAL | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | TMDL Priority | Suspected Sources of Impairment |
|-------------------|---|-----------------------|------|-----|-----|-----|-----|-----|-----|-----|-----|---|--|--|------------------|--|
| LA060301_00 | Bayou Teche-From headwaters at Bayou Courtableau to Keystone Locks and Dam | R | 52.6 | | F | N | | | | | | PCR | FECAL COLIFORM | IRC 4a | | PACKAGE PLANT OR OTHER PERMITTED SMALL FLOWS DISCHARGES |
| LA060401_00 | Bayou Teche-From Keystone Locks and Dam to Charenton Canal | R | 39.1 | N | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | AGRICULTURE |
| LA060401_00 | Bayou Teche-From Keystone Locks and Dam to Charenton Canal | R | 39.1 | N | F | Ν | | | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | MUNICIPAL POINT SOURCE DISCHARGES |
| LA060401_00 | Bayou Teche-From Keystone Locks and Dam to Charenton Canal | R | 39.1 | N | F | N | | | | | | FWP | NITRATE/NITRITE (NITRITE + NITRATE AS N) | IRC 4a | | AGRICULTURE |
| LA060401_00 | Bayou Teche-From Keystone Locks and Dam to Charenton Canal | R | 39.1 | N | F | N | | | | | | FWP | NITRATE/NITRITE (NITRITE + NITRATE AS N) | IRC 4a | | MUNICIPAL POINT SOURCE DISCHARGES |
| LA060401_00 | Bayou Teche-From Keystone Locks and Dam to Charenton Canal | R | 39.1 | N | F | N | | | | | | FWP | PHOSPHORUS, TOTAL | IRC 4a | | AGRICULTURE |
| LA060401_00 | Bayou Teche-From Keystone Locks and Dam to Charenton Canal | R | 39.1 | N | F | Ν | | | | | | FWP | PHOSPHORUS, TOTAL | IRC 4a | | MUNICIPAL POINT SOURCE DISCHARGES |
| LA060401_00 | Bayou Teche-From Keystone Locks and Dam to Charenton Canal | R | 39.1 | N | F | N | | | | | | PCR | FECAL COLIFORM | IRC 4a | | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |
| LA060401_00 | Bayou Teche-From Keystone Locks and Dam to Charenton Canal | R | 39.1 | N | F | N | | | | | | PCR | FECAL COLIFORM | IRC 4a | | PACKAGE PLANT OR OTHER PERMITTED SMALL FLOWS DISCHARGES |
| LA060501_00 | Bayou Teche-From Charenton Canal to Wax Lake Outlet | R | 22.6 | N | F | N | F | | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | MUNICIPAL POINT SOURCE DISCHARGES |
| LA060501_00 | Bayou Teche-From Charenton Canal to Wax Lake Outlet | R | 22.6 | N | F | N | F | | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | SMG | ONR | SYO | AGR | LAL | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | TMDL Priority | Suspected Sources of Impairment |
|-------------------|---|-----------------------|------|-----|-----|-----|-----|-----|-----|-----|-----|---|--|--|------------------|--|
| LA060501_00 | Bayou Teche-From Charenton Canal to Wax Lake Outlet | R | 22.6 | N | F | N | F | | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | PACKAGE PLANT OR OTHER PERMITTED SMALL FLOWS DISCHARGES |
| LA060501_00 | Bayou Teche-From Charenton Canal to Wax Lake Outlet | R | 22.6 | N | F | N | F | | | | | PCR | FECAL COLIFORM | IRC 5 | L | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |
| LA060501_00 | Bayou Teche-From Charenton Canal to Wax Lake Outlet | R | 22.6 | N | F | N | F | | | | | PCR | FECAL COLIFORM | IRC 5 | L | PACKAGE PLANT OR OTHER PERMITTED SMALL FLOWS DISCHARGES |
| LA060601_00 | Charenton Canal-From Charenton Floodgate to ICWW; includes Bayou Teche from Charenton to Baldwin | R | 11.8 | N | F | N | F | | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | SOURCE UNKNOWN |
| LA060601_00 | Charenton Canal-From Charenton Floodgate to ICWW; includes Bayou Teche from Charenton to Baldwin | R | 11.8 | N | F | N | F | | | | | FWP | NITRATE/NITRITE (NITRITE + NITRATE AS N) | IRC 4a | | SOURCE UNKNOWN |
| LA060601_00 | Charenton Canal-From Charenton Floodgate to ICWW; includes Bayou Teche from Charenton to Baldwin | R | 11.8 | N | F | N | F | | | | | FWP | PHOSPHORUS, TOTAL | IRC 4a | | SOURCE UNKNOWN |
| LA060601_00 | Charenton Canal-From Charenton Floodgate to ICWW; includes Bayou Teche from Charenton to Baldwin | R | 11.8 | N | F | N | F | | | | | FWP | TURBIDITY | IRC 4a | | SOURCE UNKNOWN |
| LA060601_00 | Charenton Canal-From Charenton Floodgate to ICWW; includes Bayou Teche from Charenton to Baldwin | R | 11.8 | N | F | N | F | | | | | PCR | FECAL COLIFORM | IRC 5 | L | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |
| LA060601_00 | Charenton Canal-From Charenton Floodgate to ICWW; includes Bayou Teche from Charenton to Baldwin | R | 11.8 | N | F | N | F | | | | | PCR | FECAL COLIFORM | IRC 5 | L | PACKAGE PLANT OR OTHER PERMITTED SMALL FLOWS DISCHARGES |
| LA060701_00 | Tete Bayou | R | 10.3 | N | N | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | NATURAL SOURCES |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | DWS | ONR | SYO | AGR | LAL | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | TMDL Priority | Suspected Sources of Impairment |
|-------------------|--------------------------------------|-----------------------|----------|-----|-----|-----|-----|-----|-----|-----|-----|---|-----------------------------------|--|------------------|--|
| LA060701_00 | Tete Bayou | R | 10.3 | N | N | N | | | | | | FWP | TOTAL DISSOLVED SOLIDS (TDS) | IRC 5 | L | AGRICULTURE |
| LA060701_00 | Tete Bayou | R | 10.3 | Ν | Ν | Ν | | | | | | FWP | TURBIDITY | IRC 4a | | SOURCE UNKNOWN |
| LA060701_00 | Tete Bayou | R | 10.3 | N | N | N | | | | | | PCR | FECAL COLIFORM | IRC 4a | | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |
| LA060701_00 | Tete Bayou | R | 10.3 | N | N | N | | | | | | SCR | FECAL COLIFORM | IRC 4a | | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |
| LA060702_00 | Lake Fausse Point and Dauterive Lake | L | 16,495.0 | F | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | NATURAL SOURCES |
| LA060702_00 | Lake Fausse Point and Dauterive Lake | L | 16,495.0 | F | F | Ν | | | | | | FWP | TURBIDITY | IRC 4a | | SOURCE UNKNOWN |
| LA060703_00 | Bayou du Portage | R | 5.7 | N | N | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | NATURAL SOURCES |
| LA060703_00 | Bayou du Portage | R | 5.7 | Ν | | | | | | | | FWP | TURBIDITY | IRC 4a | | AGRICULTURE |
| LA060703_00 | Bayou du Portage | R | 5.7 | N | N | N | | | | | | PCR | FECAL COLIFORM | IRC 4a | | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |
| LA060703_00 | Bayou du Portage | R | 5.7 | N | N | N | | | | | | PCR | FECAL COLIFORM | IRC 4a | | PACKAGE PLANT OR OTHER PERMITTED SMALL FLOWS DISCHARGES |
| LA060703_00 | Bayou du Portage | R | 5.7 | N | N | N | | | | | | SCR | FECAL COLIFORM | IRC 4a | | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | SMG | ONR | OYS | AGR | LAL | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | Suspected Sources of Impairment |
|-------------------|---|-----------------------|-------|-----|-----|-----|-----|-----|-----|-----|-----|---|--|--|--|
| LA060703_00 | Bayou du Portage | R | 5.7 | N | N | N | | | | | | SCR | FECAL COLIFORM | IRC 4a | PACKAGE PLANT OR OTHER PERMITTED SMALL FLOWS DISCHARGES |
| LA060801_00 | Vermilion River-From headwaters to LA-3073 bridge | R | 27.0 | N | F | N | | | | F | | FWP | DISSOLVED OXYGEN | IRC 4a | AGRICULTURE |
| LA060801_00 | Vermilion River-From headwaters to LA-3073 bridge | R | 27.0 | N | F | N | | | | F | | FWP | DISSOLVED OXYGEN | IRC 4a | NATURAL SOURCES |
| LA060801_00 | Vermilion River-From headwaters to LA-3073 bridge | R | 27.0 | N | F | N | | | | F | | FWP | NITRATE/NITRITE (NITRITE + NITRATE AS N) | IRC 4a | SOURCE UNKNOWN |
| LA060801_00 | Vermilion River-From headwaters to LA-3073 bridge | R | 27.0 | N | F | N | | | | F | | PCR | FECAL COLIFORM | IRC 4a | AGRICULTURE |
| LA060801_00 | Vermilion River-From headwaters to LA-3073 bridge | R | 27.0 | N | F | N | | | | F | | PCR | FECAL COLIFORM | IRC 4a | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |
| LA060801_00 | Vermilion River-From headwaters to LA-3073 bridge | R | 27.0 | N | F | N | | | | F | | PCR | FECAL COLIFORM | IRC 4a | PACKAGE PLANT OR OTHER PERMITTED SMALL FLOWS DISCHARGES |
| LA060801_001 | Cote Gelee Wetland-Forested wetland located in Lafayette Parish, 2 miles east of Broussard, 2 miles northeast of US- 90, and west of Bayou Tortue | W | 238.0 | | X | F | | | | | | | | | |
| LA060802_00 | Vermilion River-From LA-3073 bridge to ICWW | R | 38.8 | N | F | N | | | | F | | FWP | DISSOLVED OXYGEN | IRC 4a | AGRICULTURE |
| LA060802_00 | Vermilion River-From LA-3073 bridge to ICWW | R | 38.8 | N | F | N | | | | F | | FWP | NITRATE/NITRITE (NITRITE + NITRATE AS N) | IRC 4a | MUNICIPAL POINT SOURCE DISCHARGES |
| LA060802_00 | Vermilion River-From LA-3073 bridge to ICWW | R | 38.8 | Ν | F | Ν | | | | F | | PCR | FECAL COLIFORM | IRC 4a | AGRICULTURE |
| LA060802_00 | Vermilion River-From LA-3073 bridge to ICWW | R | 38.8 | N | F | N | | | | F | | PCR | FECAL COLIFORM | IRC 4a | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | DWS | ONR | SYO | AGR | LAL | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | TMDL Priority | Suspected Sources of Impairment |
|-------------------|--|-----------------------|---------|-----|-----|-----|-----|-----|-----|-----|-----|---|---|--|------------------|--|
| LA060802_00 | Vermilion River-From LA-3073 bridge to ICWW | R | 38.8 | N | F | N | | | | F | | PCR | FECAL COLIFORM | IRC 4a | | PACKAGE PLANT OR OTHER PERMITTED SMALL FLOWS DISCHARGES |
| LA060802_001 | Seventh Ward Canal - Located within subsegment 060802. This unit is added for advisory tracking purposes only and is not a subsegment as defined by LAC 33:IX.1123.A. et seq. No other assessment is made for this waterbody. | R | 1.6 | | | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | ATMOSPHERIC DEPOSITION - TOXICS |
| LA060802_001 | Seventh Ward Canal - Located within subsegment 060802. This unit is added for advisory tracking purposes only and is not a subsegment as defined by LAC 33:IX.1123.A. et seq. No other assessment is made for this waterbody. | R | 1.6 | | | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | SOURCE UNKNOWN |
| LA060803_00 | Vermilion River Cutoff-From ICWW to Vermilion Bay (Estuarine) | R | 3.2 | F | F | N | | | | | | FWP | TURBIDITY | IRC 4a | | AGRICULTURE |
| LA060804_00 | Intracoastal Waterway-From Vermilion Lock to 1/2 mile west of Gum Island Canal (Estuarine) | R | 6.1 | F | F | N | | | | | | FWP | TURBIDITY | IRC 4a | | AGRICULTURE |
| LA060805_00 | Breaux Bridge Swamp-Forested wetland in St. Martin Parish, 1/2 mile southwest of Breaux Bridge, southeast of LA-94, west of Bayou Teche, east of Vermilion River, and north of Evangeline and Ruth Canals; also called Cypriere Perdue Swamp | W | 2,560.0 | | X | F | | | | | | | | | | |
| LA060806_00 | Cypress Island Coulee Wetland-Forested wetland located in St. Martin Parish, 2 miles west of St. Martinville, 1/2 mile north of LA-96, west of Bayou Teche, and east of Vermilion River | W | 627.0 | | X | F | | | | | | | | | | |
| LA060901_00 | Bayou Petite Anse-From headwaters to Bayou Carlin (Estuarine) | R | 11.7 | N | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | AGRICULTURE |
| LA060901_00 | Bayou Petite Anse-From headwaters to Bayou Carlin (Estuarine) | R | 11.7 | N | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | MUNICIPAL POINT SOURCE DISCHARGES |
| LA060901_00 | Bayou Petite Anse-From headwaters to Bayou Carlin (Estuarine) | R | 11.7 | N | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | NATURAL SOURCES |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | SMG | ONR | SYO | AGR | LAL | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | TMDL Priority | Suspected Sources of Impairment |
|-------------------|--|-----------------------|------|-----|-----|-----|-----|-----|-----|-----|-----|---|--|--|------------------|--|
| LA060901_00 | Bayou Petite Anse-From headwaters to Bayou Carlin (Estuarine) | R | 11.7 | N | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |
| LA060901_00 | Bayou Petite Anse-From headwaters to Bayou Carlin (Estuarine) | R | 11.7 | N | F | N | | | | | | FWP | NITRATE/NITRITE (NITRITE + NITRATE AS N) | IRC 4a | | AGRICULTURE |
| LA060901_00 | Bayou Petite Anse-From headwaters to Bayou Carlin (Estuarine) | R | 11.7 | N | F | N | | | | | | FWP | NITRATE/NITRITE (NITRITE + NITRATE AS N) | IRC 4a | | MUNICIPAL POINT SOURCE DISCHARGES |
| LA060901_00 | Bayou Petite Anse-From headwaters to Bayou Carlin (Estuarine) | R | 11.7 | N | F | N | | | | | | FWP | NITRATE/NITRITE (NITRITE + NITRATE AS N) | IRC 4a | | NATURAL SOURCES |
| LA060901_00 | Bayou Petite Anse-From headwaters to Bayou Carlin (Estuarine) | R | 11.7 | N | F | N | | | | | | FWP | NITRATE/NITRITE (NITRITE + NITRATE AS N) | IRC 4a | | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |
| LA060901_00 | Bayou Petite Anse-From headwaters to Bayou Carlin (Estuarine) | R | 11.7 | N | F | N | | | | | | FWP | PHOSPHORUS, TOTAL | IRC 4a | | AGRICULTURE |
| LA060901_00 | Bayou Petite Anse-From headwaters to Bayou Carlin (Estuarine) | R | 11.7 | N | F | N | | | | | | FWP | PHOSPHORUS, TOTAL | IRC 4a | | MUNICIPAL POINT SOURCE DISCHARGES |
| LA060901_00 | Bayou Petite Anse-From headwaters to Bayou Carlin (Estuarine) | R | 11.7 | N | F | N | | | | | | FWP | PHOSPHORUS, TOTAL | IRC 4a | | NATURAL SOURCES |
| LA060901_00 | Bayou Petite Anse-From headwaters to Bayou Carlin (Estuarine) | R | 11.7 | N | F | N | | | | | | FWP | PHOSPHORUS, TOTAL | IRC 4a | | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |
| LA060901_00 | Bayou Petite Anse-From headwaters to Bayou Carlin (Estuarine) | R | 11.7 | N | F | N | | | | | | FWP | TURBIDITY | IRC 4a | | AGRICULTURE |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | DWS | ONR | SYO | AGR | LAL | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | TMDL Priority | Suspected Sources of Impairment |
|-------------------|--|-----------------------|------|-----|-----|-----|-----|-----|-----|-----|-----|---|--|--|------------------|--|
| LA060901_00 | Bayou Petite Anse-From headwaters to Bayou Carlin (Estuarine) | R | 11.7 | N | F | Ν | | | | | | PCR | FECAL COLIFORM | IRC 4a | | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |
| LA060902_00 | Bayou Carlin-From Lake Peigneur to Bayou Petite Anse; also called Delcambre Canal (Estuarine) | R | 3.7 | N | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 5 | L | PACKAGE PLANT OR OTHER PERMITTED SMALL FLOWS DISCHARGES |
| LA060902_00 | Bayou Carlin-From Lake Peigneur to Bayou Petite Anse; also called Delcambre Canal (Estuarine) | R | 3.7 | N | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 5 | L | SEAFOOD PROCESSING OPERATIONS |
| LA060902_00 | Bayou Carlin-From Lake Peigneur to Bayou Petite Anse; also called Delcambre Canal (Estuarine) | R | 3.7 | N | F | N | | | | | | FWP | TURBIDITY | IRC 4a | | CHANGES IN TIDAL CIRCULATION/FLUSHING |
| LA060902_00 | Bayou Carlin-From Lake Peigneur to Bayou Petite Anse; also called Delcambre Canal (Estuarine) | R | 3.7 | N | F | N | | | | | | FWP | TURBIDITY | IRC 4a | | SEAFOOD PROCESSING OPERATIONS |
| LA060902_00 | Bayou Carlin-From Lake Peigneur to Bayou Petite Anse; also called Delcambre Canal (Estuarine) | R | 3.7 | N | F | N | | | | | | PCR | FECAL COLIFORM | IRC 5 | L | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |
| LA060903_00 | Bayou Tigre-From headwaters to Bayou Petite Anse (Estuarine) | R | 7.0 | N | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | MUNICIPAL POINT SOURCE DISCHARGES |
| LA060903_00 | Bayou Tigre-From headwaters to Bayou Petite Anse (Estuarine) | R | 7.0 | N | F | N | | | | | | FWP | NITRATE/NITRITE (NITRITE + NITRATE AS N) | IRC 4a | | MUNICIPAL POINT SOURCE DISCHARGES |
| LA060903_00 | Bayou Tigre-From headwaters to Bayou Petite Anse (Estuarine) | R | 7.0 | N | F | N | | | | | | FWP | PHOSPHORUS, TOTAL | IRC 4a | | MUNICIPAL POINT SOURCE DISCHARGES |
| LA060903_00 | Bayou Tigre-From headwaters to Bayou Petite Anse (Estuarine) | R | 7.0 | N | F | N | | | | | | FWP | TURBIDITY | IRC 4a | | AGRICULTURE |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | SMG | ONR | SYO | AGR | LAL | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | TMDL Priority | Suspected Sources of Impairment |
|-------------------|--|-----------------------|------|-----|-----|-----|-----|-----|-----|-----|-----|---|--|--|------------------|--|
| LA060903_00 | Bayou Tigre-From headwaters to Bayou Petite Anse (Estuarine) | R | 7.0 | N | F | N | | | | | | PCR | FECAL COLIFORM | IRC 5 | L | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |
| LA060904_00 | New Iberia Southern Drainage Canal-From headwaters to ICWW (Estuarine) | R | 7.7 | N | F | | | | | | F | PCR | ENTEROCOCCUS | IRC 5 | L | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |
| LA060906_00 | Intracoastal Waterway-From New Iberia Southern Drainage Canal to Bayou Sale (Estuarine) | R | 27.8 | N | F | N | | | | | | FWP | TURBIDITY | IRC 4a | | AGRICULTURE |
| LA060906_00 | Intracoastal Waterway-From New Iberia Southern Drainage Canal to Bayou Sale (Estuarine) | R | 27.8 | N | F | N | | | | | | PCR | FECAL COLIFORM | IRC 5 | L | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |
| LA060906_00 | Intracoastal Waterway-From New Iberia Southern Drainage Canal to Bayou Sale (Estuarine) | R | 27.8 | N | F | N | | | | | | PCR | FECAL COLIFORM | IRC 5 | L | PACKAGE PLANT OR OTHER PERMITTED SMALL FLOWS DISCHARGES |
| LA060907_00 | Franklin Canal | R | 4.7 | N | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | MUNICIPAL POINT SOURCE DISCHARGES |
| LA060907_00 | Franklin Canal | R | 4.7 | N | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | NATURAL SOURCES |
| LA060907_00 | Franklin Canal | R | 4.7 | N | F | N | | | | | | FWP | NITRATE/NITRITE (NITRITE + NITRATE AS N) | IRC 4a | | MUNICIPAL POINT SOURCE DISCHARGES |
| LA060907_00 | Franklin Canal | R | 4.7 | N | F | N | | | | | | FWP | NITRATE/NITRITE (NITRITE + NITRATE AS N) | IRC 4a | | NATURAL SOURCES |
| LA060907_00 | Franklin Canal | R | 4.7 | N | F | N | | | | | | FWP | PHOSPHORUS, TOTAL | IRC 4a | | MUNICIPAL POINT SOURCE DISCHARGES |
| LA060907_00 | Franklin Canal | R | 4.7 | N | F | N | | | | | | FWP | PHOSPHORUS, TOTAL | IRC 4a | | NATURAL SOURCES |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | DWS | ONR | OYS | AGR | LAL | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | TMDL Priority | Suspected Sources of Impairment |
|-------------------|---|-----------------------|---------|-----|-----|-----|-----|-----|-----|-----|-----|---|--|--|------------------|--|
| LA060907_00 | Franklin Canal | R | 4.7 | | F | Ν | | | | | | FWP | TURBIDITY | IRC 4a | | AGRICULTURE |
| LA060907_00 | Franklin Canal | R | 4.7 | N | F | N | | | | | | PCR | FECAL COLIFORM | IRC 5 | L | MUNICIPAL POINT SOURCE DISCHARGES |
| LA060907_00 | Franklin Canal | R | 4.7 | Ν | F | N | | | | | | PCR | FECAL COLIFORM | IRC 5 | L | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |
| LA060908 00 | Spanish Lake | L | 1,216.5 | F | F | N | | | | | | FWP | PH, HIGH | IRC 5 | L | NATURAL SOURCES |
| LA060908_00 | Spanish Lake | L | 1,216.5 | | | N | | | | | | FWP | TURBIDITY | IRC 5 | L | SEDIMENT RESUSPENSION (CLEAN SEDIMENT) |
| LA060909_00 | Lake Peigneur | L | 1,158.9 | | F | Ν | | | | | | FWP | TURBIDITY | IRC 4a | | SOURCE UNKNOWN |
| LA060909_00 | Lake Peigneur | L | 1,158.9 | Ν | F | Ν | | | | | | PCR | FECAL COLIFORM | IRC 4a | | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |
| LA060910_00 | Boston Canal; includes associated canals (Estuarine) | R | 12.4 | F | F | N | | | | | | FWP | TURBIDITY | IRC 4a | | AGRICULTURE |
| LA060911_00 | Dugas Canal-By Tiger Lagoon Oil and Gas Field (Estuarine) | R | 4.0 | F | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | NATURAL SOURCES |
| LA060911_00 | Dugas Canal-By Tiger Lagoon Oil and Gas Field (Estuarine) | R | 4.0 | F | F | N | | | | | | FWP | NITRATE/NITRITE (NITRITE + NITRATE AS N) | IRC 4a | | NATURAL SOURCES |
| LA060911_00 | Dugas Canal-By Tiger Lagoon Oil and Gas Field (Estuarine) | R | 4.0 | F | F | N | | | | | | FWP | PHOSPHORUS, TOTAL | IRC 4a | | NATURAL SOURCES |
| LA061001_00 | West Cote Blanche Bay | Е | 133.5 | | | F | | | F | | | | | | | |
| LA061002_00 | East Cote Blanche Bay | Е | 92.9 | | F | F | | | Ν | | | OYS | FECAL COLIFORM | IRC 5 | М | NATURAL SOURCES |
| LA061002_00 | East Cote Blanche Bay | E | 92.9 | | F | F | | | N | | | OYS | FECAL COLIFORM | IRC 5 | М | PACKAGE PLANT OR OTHER PERMITTED SMALL FLOWS DISCHARGES |
| LA061101_00 | Bayou Petite Anse-From Bayou Carlin at its confluence with Bayou Tigre to ICWW (Estuarine) | R | 2.7 | N | N | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 5 | L | NATURAL SOURCES |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | DWS | ONR | SYO | AGR | LAL | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | TMDL Priority | Suspected Sources of Impairment |
|-------------------|--|-----------------------|----------|-----|-----|-----|-----|-----|-----|-----|-----|---|-----------------------------------|--|------------------|--|
| LA061101_00 | Bayou Petite Anse-From Bayou Carlin at its confluence with Bayou Tigre to ICWW (Estuarine) | R | 2.7 | N | N | N | | | | | | FWP | TURBIDITY | IRC 4a | | AGRICULTURE |
| LA061101_00 | Bayou Petite Anse-From Bayou Carlin at its confluence with Bayou Tigre to ICWW (Estuarine) | R | 2.7 | N | Ν | N | | | | | | PCR | ENTEROCOCCUS | IRC 5 | L | PACKAGE PLANT OR OTHER PERMITTED SMALL FLOWS DISCHARGES |
| LA061101_00 | Bayou Petite Anse-From Bayou Carlin at its confluence with Bayou Tigre to ICWW (Estuarine) | R | 2.7 | N | N | N | | | | | | SCR | FECAL COLIFORM | IRC 5 | L | PACKAGE PLANT OR OTHER PERMITTED SMALL FLOWS DISCHARGES |
| LA061102_00 | Intracoastal Waterway-From 1/2 mile west of Gum Island Canal to New Iberia Southern Drainage Canal (Estuarine) | R | 15.0 | F | F | N | | | | | | FWP | TURBIDITY | IRC 4a | | AGRICULTURE |
| LA061103_00 | Freshwater Bayou Canal-From 1/2 mile below ICWW to control structure (Estuarine) | R | 18.6 | N | F | N | | | | | | FWP | TURBIDITY | IRC 4a | | SOURCE UNKNOWN |
| LA061103_00 | Freshwater Bayou Canal-From 1/2 mile below ICWW to control structure (Estuarine) | R | 18.6 | N | F | N | | | | | | PCR | FECAL COLIFORM | IRC 5 | L | MARINA/BOATING SANITARY ON-VESSEL DISCHARGES |
| LA061103_00 | Freshwater Bayou Canal-From 1/2 mile below ICWW to control structure (Estuarine) | R | 18.6 | Ν | F | Χ | | | | | | PCR | FECAL COLIFORM | IRC 5 | L | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |
| LA061104_00 | Vermilion Bay | Е | 216.5 | F | F | F | | | Ν | | | OYS | FECAL COLIFORM | IRC 5 | М | SOURCE UNKNOWN |
| LA061104_001 | Cypremort Point Beach - Located within subsegment LA061104_00. This unit is added for swimming advisory tracking purposes only and is not a subsegment as defined by LAC 33:IX.1123.A. et seq. No other assessment is made for this bayou. | С | 0.5 | N | | | | | | | | PCR | ENTEROCOCCUS | IRC 5 | L | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |
| LA061104_001 | Cypremort Point Beach - Located within subsegment LA061104_00. This unit is added for swimming advisory tracking purposes only and is not a subsegment as defined by LAC 33:IX.1123.A. et seq. No other assessment is made for this bayou. | С | 0.5 | | | | | | | | | PCR | ENTEROCOCCUS | IRC 5 | L | PACKAGE PLANT OR OTHER PERMITTED SMALL FLOWS DISCHARGES |
| LA061105_00 | Marsh Island (Estuarine) | W | 72,320.0 | F | F | F | | | Ν | | | OYS | FECAL COLIFORM | IRC 5 | М | WATERFOWL |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | SMG | ONR | SYO | AGR | LAL | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | TMDL Priority | Suspected Sources of Impairment |
|-------------------|---|-----------------------|----------|-----|-----|-----|-----|-----|-----|-----|-----|---|--|--|------------------|--|
| LA061105_00 | Marsh Island (Estuarine) | W | 72,320.0 | F | F | F | | | N | | | OYS | FECAL COLIFORM | IRC 5 | М | WILDLIFE OTHER THAN WATERFOWL |
| LA061201_00 | Vermilion-Teche River Basin Coastal Bays and Gulf Waters to the State 3 mile limit | E | 190.9 | F | F | N | | | N | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | ATMOSPHERIC DEPOSITION - TOXICS |
| LA061201_00 | Vermilion-Teche River Basin Coastal Bays and Gulf Waters to the State 3 mile limit | E | 190.9 | F | F | N | | | N | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | SOURCE UNKNOWN |
| LA061201_00 | Vermilion-Teche River Basin Coastal Bays and Gulf Waters to the State 3 mile limit | E | 190.9 | F | F | N | | | N | | | OYS | FECAL COLIFORM | IRC 5 | М | MARINA/BOATING PUMPOUT RELEASES |
| LA061201_00 | Vermilion-Teche River Basin Coastal Bays and Gulf Waters to the State 3 mile limit | E | 190.9 | F | F | N | | | N | | | OYS | FECAL COLIFORM | IRC 5 | М | SEWAGE DISCHARGES IN UNSEWERED AREAS |
| LA070101_00 | Mississippi River-From Arkansas state line to Old River Control Structure | R | 190.5 | F | F | F | | | | | | | | | | |
| LA070102_00 | Gassoway Lake | L | 800.0 | Х | Х | Х | | | | | | | | | | |
| LA070103_00 | Marengo Bend- Portion within the Louisiana state line | L | 1,158.0 | F | F | N | F | | | | | FWP | TURBIDITY | IRC 5 | L | NATURAL SOURCES |
| LA070201_00 | Mississippi River-From Old River Control Structure to Monte Sano Bayou | R | 84.4 | F | F | F | F | | | | | | | | | |
| LA070202_00 | Raccourci Old River | L | 4,160.0 | F | F | N | | | | | | FWP | NON-NATIVE AQUATIC PLANTS | IRC 4b | | INTRODUCTION OF NON- NATIVE ORGANISMS (ACCIDENTAL OR INTENTIONAL) |
| LA070203_00 | Devil's Swamp Lake and Bayou Baton Rouge | L | 24.0 | N | N | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 3 | L | NATURAL SOURCES |
| LA070203_00 | Devil's Swamp Lake and Bayou Baton Rouge | L | 24.0 | N | N | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4b | | CONTAMINATED SEDIMENTS |
| LA070203_00 | Devil's Swamp Lake and Bayou Baton Rouge | L | 24.0 | N | N | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4b | | INDUSTRIAL POINT SOURCE DISCHARGE |
| LA070203_00 | Devil's Swamp Lake and Bayou Baton Rouge | L | 24.0 | N | N | N | | | | | | FWP | NITRATE/NITRITE (NITRITE + NITRATE AS N) | IRC 3 | L | INDUSTRIAL POINT SOURCE DISCHARGE |
| LA070203_00 | Devil's Swamp Lake and Bayou Baton Rouge | L | 24.0 | N | N | N | | | | | | FWP | OIL AND GREASE | IRC 4b | | CONTAMINATED SEDIMENTS |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | DWS | ONR | OYS | AGR | LAL | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | TMDL Priority | Suspected Sources of Impairment |
|-------------------|--|-----------------------|------|-----|-----|-----|-----|-----|-----|-----|-----|---|--|--|------------------|--|
| LA070203_00 | Devil's Swamp Lake and Bayou Baton Rouge | L | 24.0 | N | N | N | | | | | | FWP | OIL AND GREASE | IRC 4b | | INDUSTRIAL POINT SOURCE DISCHARGE |
| LA070203_00 | Devil's Swamp Lake and Bayou Baton Rouge | L | 24.0 | N | N | N | | | | | | FWP | OIL AND GREASE | IRC 4b | | INDUSTRIAL/COMMERCI AL SITE STORMWATER DISCHARGE (PERMITTED) |
| LA070203_00 | Devil's Swamp Lake and Bayou Baton Rouge | L | 24.0 | N | N | N | | | | | | FWP | PCBS - FISH CONSUMPTION ADVISORY | IRC 4b | | CONTAMINATED SEDIMENTS |
| LA070203_00 | Devil's Swamp Lake and Bayou Baton Rouge | L | 24.0 | N | N | N | | | | | | FWP | PCBS - FISH CONSUMPTION ADVISORY | IRC 4b | | INDUSTRIAL POINT SOURCE DISCHARGE |
| LA070203_00 | Devil's Swamp Lake and Bayou Baton Rouge | L | 24.0 | N | N | N | | | | | | FWP | PCBS - FISH CONSUMPTION ADVISORY | IRC 4b | | INDUSTRIAL/COMMERCI AL SITE STORMWATER DISCHARGE (PERMITTED) |
| LA070203_00 | Devil's Swamp Lake and Bayou Baton Rouge | L | 24.0 | N | N | N | | | | | | FWP | PHOSPHORUS, TOTAL | IRC 3 | L | INDUSTRIAL POINT SOURCE DISCHARGE |
| LA070203_00 | Devil's Swamp Lake and Bayou Baton Rouge | L | 24.0 | Ν | Ν | Ν | | | | | | FWP | TURBIDITY | IRC 3 | L | UPSTREAM SOURCE |
| LA070203_00 | Devil's Swamp Lake and Bayou Baton Rouge | L | 24.0 | N | N | N | | | | | | PCR | ARSENIC | IRC 4b | | CONTAMINATED SEDIMENTS |
| LA070203_00 | Devil's Swamp Lake and Bayou Baton Rouge | L | 24.0 | N | N | N | | | | | | PCR | ARSENIC | IRC 4b | | INDUSTRIAL POINT SOURCE DISCHARGE |
| LA070203_00 | Devil's Swamp Lake and Bayou Baton Rouge | L | 24.0 | N | N | N | | | | | | PCR | ARSENIC | IRC 4b | | INDUSTRIAL/COMMERCI AL SITE STORMWATER DISCHARGE (PERMITTED) |
| LA070203_00 | Devil's Swamp Lake and Bayou Baton Rouge | L | 24.0 | N | N | N | | | | | | PCR | HEXACHLOROBENZE NE | IRC 4b | | CONTAMINATED SEDIMENTS |
| LA070203_00 | Devil's Swamp Lake and Bayou Baton Rouge | L | 24.0 | N | N | N | | | | | | PCR | HEXACHLOROBENZE NE | IRC 4b | | INDUSTRIAL POINT SOURCE DISCHARGE |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | DWS | ONR | OYS | AGR | LAL | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | TMDL Priority | Suspected Sources of Impairment |
|-------------------|--|-----------------------|-------|-----|-----|-----|-----|-----|-----|-----|-----|---|-----------------------------------|--|------------------|--|
| LA070203_00 | Devil's Swamp Lake and Bayou Baton Rouge | L | 24.0 | N | N | N | | | | | | PCR | HEXACHLOROBENZE NE | IRC 4b | | INDUSTRIAL/COMMERCI AL SITE STORMWATER DISCHARGE (PERMITTED) |
| LA070203_00 | Devil's Swamp Lake and Bayou Baton Rouge | L | 24.0 | N | N | N | | | | | | PCR | HEXACHLOROBUTAD IENE | IRC 4b | | CONTAMINATED SEDIMENTS |
| LA070203_00 | Devil's Swamp Lake and Bayou Baton Rouge | L | 24.0 | N | N | N | | | | | | PCR | HEXACHLOROBUTAD IENE | IRC 4b | | INDUSTRIAL POINT SOURCE DISCHARGE |
| LA070203_00 | Devil's Swamp Lake and Bayou Baton Rouge | L | 24.0 | N | N | N | | | | | | PCR | HEXACHLOROBUTAD IENE | IRC 4b | | INDUSTRIAL/COMMERCI AL SITE STORMWATER DISCHARGE (PERMITTED) |
| LA070203_00 | Devil's Swamp Lake and Bayou Baton Rouge | L | 24.0 | N | N | N | | | | | | PCR | LEAD | IRC 4b | | INDUSTRIAL/COMMERCI AL SITE STORMWATER DISCHARGE (PERMITTED) |
| LA070203_00 | Devil's Swamp Lake and Bayou Baton Rouge | L | 24.0 | N | N | N | | | | | | PCR | MERCURY | IRC 4b | | CONTAMINATED SEDIMENTS |
| LA070203_00 | Devil's Swamp Lake and Bayou Baton Rouge | L | 24.0 | N | N | N | | | | | | PCR | MERCURY | IRC 4b | | INDUSTRIAL POINT SOURCE DISCHARGE |
| LA070203_00 | Devil's Swamp Lake and Bayou Baton Rouge | L | 24.0 | N | N | N | | | | | | PCR | MERCURY | IRC 4b | | INDUSTRIAL/COMMERCI AL SITE STORMWATER DISCHARGE (PERMITTED) |
| LA070203_00 | Devil's Swamp Lake and Bayou Baton Rouge | L | 24.0 | N | N | N | | - | | - | | SCR | FECAL COLIFORM | IRC 3 | L | NATURAL SOURCES |
| LA070301_00 | Mississippi River-From Monte Sano Bayou to Head of Passes | R | 236.0 | | F | | F | | | | | | | | | |
| LA070401_00 | Mississippi River Passes-Head of Passes to Mouth of Passes; includes all passes in the birdfoot delta (Estuarine) | R | 191.4 | F | F | F | | | N | | | OYS | FECAL COLIFORM | IRC 4a | | MARINA/BOATING SANITARY ON-VESSEL DISCHARGES |
| LA070501_00 | Bayou Sara-From Mississippi state line to Mississippi River | R | 22.7 | F | F | F | | | | | | | | | | |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | SMG | ONR | SYO | AGR | LAL | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | TMDL Priority | Suspected Sources of Impairment |
|-------------------|---|-----------------------|-------|-----|-----|-----|-----|-----|-----|-----|-----|---|---|--|------------------|--|
| LA070502_00 | Thompson Creek-From Mississippi state line to Mississippi River | R | 33.7 | _ | _ | F | | | | | | PCR | FECAL COLIFORM | IRC 4a | | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |
| LA070503_00 | Capitol Lake | L | 55.4 | F | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 5 | L | DISCHARGES FROM MUNICIPAL SEPARATE STORM SEWER SYSTEMS (MS4) |
| LA070503_00 | Capitol Lake | L | 55.4 | F | F | N | | | | | | FWP | PCBS - FISH CONSUMPTION ADVISORY | IRC 4b | | DISCHARGES FROM MUNICIPAL SEPARATE STORM SEWER SYSTEMS (MS4) |
| LA070503_00 | Capitol Lake | L | 55.4 | F | F | N | | | | | | FWP | PCBS - FISH CONSUMPTION ADVISORY | IRC 4b | | INDUSTRIAL/COMMERCI AL SITE STORMWATER DISCHARGE (PERMITTED) |
| LA070504_00 | Monte Sano Bayou-From US-61 to Mississippi River | R | 6.3 | | F | | | | | | F | | | | | |
| LA070505_00 | Tunica Bayou-From headwaters to Mississippi River | R | 8.9 | N | F | F | | | | | | PCR | FECAL COLIFORM | IRC 5-alt | L | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |
| LA070601_00 | Mississippi River Basin Coastal Bays and Gulf Waters to the State 3 mile limit | E | 200.0 | F | F | N | | | N | | | FWP | DISSOLVED OXYGEN | IRC 5RC | L | NATURAL CONDITIONS - WATER QUALITY STANDARDS USE ATTAINABILITY ANALYSES NEEDED |
| LA070601_00 | Mississippi River Basin Coastal Bays and Gulf Waters to the State 3 mile limit | Е | 200.0 | F | F | N | | | N | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | ATMOSPHERIC DEPOSITION - TOXICS |
| LA070601_00 | Mississippi River Basin Coastal Bays and Gulf Waters to the State 3 mile limit | E | 200.0 | F | F | N | | | N | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | SOURCE UNKNOWN |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | DWS | ONR | SYO | AGR | LAL | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | TMDL Priority | Suspected Sources of Impairment |
|-------------------|---|-----------------------|-------|-----|-----|-----|-----|-----|-----|-----|-----|---|--|--|------------------|--|
| LA070601_00 | Mississippi River Basin Coastal Bays and Gulf Waters to the State 3 mile limit | Е | 200.0 | F | F | N | | | N | | | OYS | FECAL COLIFORM | IRC 5 | М | SOURCE UNKNOWN |
| LA080101_00 | Ouachita River-From Arkansas state line to Columbia Lock and Dam | R | 102.9 | N | F | N | N | | | | | DWS | COLOR | IRC 5 | L | INDUSTRIAL POINT SOURCE DISCHARGE |
| LA080101_00 | Ouachita River-From Arkansas state line to Columbia Lock and Dam | R | 102.9 | N | F | N | N | | | | | DWS | COLOR | IRC 5 | L | NATURAL SOURCES |
| LA080101_00 | Ouachita River-From Arkansas state line to Columbia Lock and Dam | R | 102.9 | N | F | N | N | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | ATMOSPHERIC DEPOSITION - TOXICS |
| LA080101_00 | Ouachita River-From Arkansas state line to Columbia Lock and Dam | R | 102.9 | N | F | N | N | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | SOURCE UNKNOWN |
| LA080101_00 | Ouachita River-From Arkansas state line to Columbia Lock and Dam | R | 102.9 | N | F | N | N | | | | | PCR | FECAL COLIFORM | IRC 5 | L | SEWAGE DISCHARGES IN UNSEWERED AREAS |
| LA080102_00 | Bayou Chauvin-From headwaters to Ouachita River | R | 6.6 | N | N | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | NATURAL SOURCES |
| LA080102_00 | Bayou Chauvin-From headwaters to Ouachita River | R | 6.6 | N | N | N | | | | | | FWP | NITRATE/NITRITE (NITRITE + NITRATE AS N) | IRC 4a | | NATURAL SOURCES |
| LA080102_00 | Bayou Chauvin-From headwaters to Ouachita River | R | 6.6 | N | N | N | | | | | | FWP | NON-NATIVE AQUATIC PLANTS | IRC 4a | | INTRODUCTION OF NON- NATIVE ORGANISMS (ACCIDENTAL OR INTENTIONAL) |
| LA080102_00 | Bayou Chauvin-From headwaters to Ouachita River | R | 6.6 | N | N | N | | | | | | FWP | PHOSPHORUS, TOTAL | IRC 4a | | NATURAL SOURCES |
| LA080102_00 | Bayou Chauvin-From headwaters to Ouachita River | R | 6.6 | Ν | Ν | Ν | | | | | | FWP | TURBIDITY | IRC 4a | | SOURCE UNKNOWN |
| LA080102_00 | Bayou Chauvin-From headwaters to Ouachita River | R | 6.6 | N | N | N | | | | | | PCR | FECAL COLIFORM | IRC 4a | | MUNICIPAL POINT SOURCE DISCHARGES |
| LA080102_00 | Bayou Chauvin-From headwaters to Ouachita River | R | 6.6 | N | N | N | | | | | | SCR | FECAL COLIFORM | IRC 4a | | MUNICIPAL POINT SOURCE DISCHARGES |
| LA080201_00 | Ouachita River-From Columbia Lock and Dam to Jonesville | R | 75.8 | F | F | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 5 | L | ATMOSPHERIC DEPOSITION - TOXICS |
| LA080201_00 | Ouachita River-From Columbia Lock and Dam to Jonesville | R | 75.8 | F | F | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 5 | L | SOURCE UNKNOWN |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | DWS | ONR | OYS | AGR | LAL | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | TMDL Priority | Suspected Sources of Impairment |
|-------------------|---|-----------------------|-------|-----|-----|-----|-----|-----|-----|-----|-----|---|---|--|------------------|---|
| LA080201_00 | Ouachita River-From Columbia Lock and Dam to Jonesville | R | 75.8 | F | F | N | | | | | | FWP | TURBIDITY | IRC 5 | L | AGRICULTURE |
| LA080202_00 | Bayou Louis-From headwaters to Ouachita River | R | 8.7 | N | F | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 5 | L | ATMOSPHERIC DEPOSITION - TOXICS |
| LA080202_00 | Bayou Louis-From headwaters to Ouachita River | R | 8.7 | Ν | F | Ν | | | | | | FWP | TURBIDITY | IRC 4a | | AGRICULTURE |
| LA080202_00 | Bayou Louis-From headwaters to Ouachita River | R | 8.7 | Ν | F | Ν | | | | | | FWP | TURBIDITY | IRC 4a | | SOURCE UNKNOWN |
| LA080202_00 | Bayou Louis-From headwaters to Ouachita River | R | 8.7 | N | F | N | | | | | | PCR | FECAL COLIFORM | IRC 5 | L | SEWAGE DISCHARGES IN UNSEWERED AREAS |
| LA080203_00 | Lake Louis | L | 756.4 | N | F | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 5 | L | ATMOSPHERIC DEPOSITION - TOXICS |
| LA080203_00 | Lake Louis | L | 756.4 | N | F | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 5 | L | SOURCE UNKNOWN |
| LA080203_00 | Lake Louis | L | 756.4 | Ν | F | Ν | | | | | | FWP | TURBIDITY | IRC 5 | L | AGRICULTURE |
| LA080203_00 | Lake Louis | L | 756.4 | Ν | F | Ν | | | | | | FWP | TURBIDITY | IRC 5 | L | SOURCE UNKNOWN |
| LA080203_00 | Lake Louis | L | 756.4 | N | F | N | | | | | | PCR | FECAL COLIFORM | IRC 5 | L | SEWAGE DISCHARGES IN UNSEWERED AREAS |
| LA080301_00 | Black River-From Jonesville to Corps of Engineers (USACE) Control Structure at Mile 25 | R | 16.6 | N | F | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 5 | L | ATMOSPHERIC DEPOSITION - TOXICS |
| LA080301_00 | Black River-From Jonesville to Corps of Engineers (USACE) Control Structure at Mile 25 | R | 16.6 | Ν | F | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 5 | L | SOURCE UNKNOWN |
| LA080301_00 | Black River-From Jonesville to Corps of Engineers (USACE) Control Structure at Mile 25 | R | 16.6 | N | F | N | | | | | | PCR | FECAL COLIFORM | IRC 5 | L | SEWAGE DISCHARGES IN UNSEWERED AREAS |
| LA080302_00 | Black River-From USACE Control Structure to Red River | R | 25.0 | N | F | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 5 | L | ATMOSPHERIC DEPOSITION - TOXICS |
| LA080302_00 | Black River-From USACE Control Structure to Red River | R | 25.0 | N | F | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 5 | L | SOURCE UNKNOWN |
| LA080302_00 | Black River-From USACE Control Structure to Red River | R | 25.0 | N | F | N | | | | | | PCR | FECAL COLIFORM | IRC 5 | L | WATERFOWL |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | DWS | ONR | OYS | AGR | LAL | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | TMDL Priority | Suspected Sources of Impairment |
|-------------------|--|-----------------------|------|-----|-----|-----|-----|-----|-----|-----|-----|---|---|--|------------------|--|
| LA080302_00 | Black River-From USACE Control Structure to Red River | R | 25.0 | N | F | N | | | | | | PCR | FECAL COLIFORM | IRC 5 | L | WILDLIFE OTHER THAN WATERFOWL |
| LA080401_00 | Bayou Bartholomew-From Arkansas state line to Ouachita River (Scenic to Dead Bayou) | R | 72.5 | N | F | N | | N | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | ATMOSPHERIC DEPOSITION - TOXICS |
| LA080401_00 | Bayou Bartholomew-From Arkansas state line to Ouachita River (Scenic to Dead Bayou) | R | 72.5 | N | F | N | | N | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | SOURCE UNKNOWN |
| LA080401_00 | Bayou Bartholomew-From Arkansas state line to Ouachita River (Scenic to Dead Bayou) | R | 72.5 | N | F | N | | N | | | | FWP | TURBIDITY | IRC 4a | | AGRICULTURE |
| LA080401_00 | Bayou Bartholomew-From Arkansas state line to Ouachita River (Scenic to Dead Bayou) | R | 72.5 | N | F | N | | N | | | | ONR | TURBIDITY | IRC 4a | | AGRICULTURE |
| LA080401_00 | Bayou Bartholomew-From Arkansas state line to Ouachita River (Scenic to Dead Bayou) | R | 72.5 | Ν | F | N | | N | | | | PCR | FECAL COLIFORM | IRC 5 | L | MUNICIPAL POINT SOURCE DISCHARGES |
| LA080401_00 | Bayou Bartholomew-From Arkansas state line to Ouachita River (Scenic to Dead Bayou) | R | 72.5 | N | F | N | | N | | | | PCR | FECAL COLIFORM | IRC 5 | L | SANITARY SEWER OVERFLOWS (COLLECTION SYSTEM FAILURES) |
| LA080501_00 | Bayou de L'Outre-From Arkansas state line to Ouachita River (Scenic) | R | 55.9 | F | F | N | | F | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | NATURAL SOURCES |
| LA080501_00 | Bayou de L'Outre-From Arkansas state line to Ouachita River (Scenic) | R | 55.9 | F | F | N | | F | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 5 | L | ATMOSPHERIC DEPOSITION - TOXICS |
| LA080501_00 | Bayou de L'Outre-From Arkansas state line to Ouachita River (Scenic) | R | 55.9 | F | F | N | | F | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 5 | L | SOURCE UNKNOWN |
| LA080501_00 | Bayou de L'Outre-From Arkansas state line to Ouachita River (Scenic) | R | 55.9 | F | F | N | | F | | | | FWP | PH, LOW | IRC 5 | L | NATURAL SOURCES |
| LA080501_001 | Hudson Lake-Located within subsegment LA080501_00. This unit is added for advisory tracking purposes only and is not a subsegment as defined by LAC 33:IX.1123.A. et seq. No other assessment is made for this waterbody. | L | 13.0 | | | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 5 | L | ATMOSPHERIC DEPOSITION - TOXICS |
| LA080501_001 | Hudson Lake-Located within subsegment LA080501_00. This unit is added for advisory tracking purposes only and is not a subsegment as defined by LAC 33:IX.1123.A. et seq. No other assessment is made for this waterbody. | L | 13.0 | | | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 5 | L | SOURCE UNKNOWN |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | DWS | ONR | SYO | AGR | LAL | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | TMDL Priority | Suspected Sources of Impairment |
|-------------------|--|-----------------------|----------|-----|-----|-----|-----|-----|-----|-----|-----|---|---|--|------------------|--------------------------------------|
| LA080501_00554678 | Hatley Lake-Located within subsegment LA080501_00. This unit is added for advisory tracking purposes only and is not a subsegment as defined by LAC 33:IX.1123.A. et seq. No other assessment is made for this waterbody. | L | 7.0 | | | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 5 | L | ATMOSPHERIC DEPOSITION - TOXICS |
| LA080501_00554678 | Hatley Lake-Located within subsegment LA080501_00. This unit is added for advisory tracking purposes only and is not a subsegment as defined by LAC 33:IX.1123.A. et seq. No other assessment is made for this waterbody. | L | 7.0 | | | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 5 | L | SOURCE UNKNOWN |
| LA080501_00555636 | Phillips Lake-Located within subsegment LA080501_00. This unit is added for advisory tracking purposes only and is not a subsegment as defined by LAC 33:IX.1123.A. et seq. No other assessment is made for this waterbody. | L | 29.0 | | | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 5 | L | ATMOSPHERIC DEPOSITION - TOXICS |
| LA080501_00555636 | Phillips Lake-Located within subsegment LA080501_00. This unit is added for advisory tracking purposes only and is not a subsegment as defined by LAC 33:IX.1123.A. et seq. No other assessment is made for this waterbody. | L | 29.0 | | | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 5 | L | SOURCE UNKNOWN |
| LA080601_00 | Bayou D'Arbonne-From headwaters to Lake Claiborne | R | 14.6 | N | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 5RC | L | AGRICULTURE |
| _A080601_00 | Bayou D'Arbonne-From headwaters to Lake Claiborne | R | 14.6 | N | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 5RC | L | NATURAL SOURCES |
| _A080601_00 | Bayou D'Arbonne-From headwaters to Lake Claiborne | R | 14.6 | | | N | | | | | | PCR | FECAL COLIFORM | IRC 5 | L | MUNICIPAL POINT SOURCE DISCHARGES |
| LA080602_00 | Lake Claiborne | L | 5,769.4 | F | | F | F | | | | | | | | | |
| LA080603_00 | Bayou D'Arbonne-From Lake Claiborne to Bayou D'Arbonne Lake | R | 40.4 | N | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | NATURAL SOURCES |
| LA080603_00 | Bayou D'Arbonne-From Lake Claiborne to Bayou D'Arbonne Lake | R | 40.4 | N | F | N | | | | | | PCR | FECAL COLIFORM | IRC 5 | L | ANIMAL FEEDING OPERATIONS (NPS) |
| LA080603_00 | Bayou D'Arbonne-From Lake Claiborne to Bayou D'Arbonne Lake | R | | - | F | N | | | | | | PCR | FECAL COLIFORM | IRC 5 | L | MUNICIPAL POINT SOURCE DISCHARGES |
| LA080604_00 | Bayou D'Arbonne Lake | L | 12,711.0 | N | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 5RC | L | NATURAL SOURCES |
| _A080604_00 | Bayou D'Arbonne Lake | L | 12,711.0 | N | F | N | | | | | | PCR | FECAL COLIFORM | IRC 5 | L | INDUSTRIAL POINT SOURCE DISCHARGE |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | DWS | ONR | OYS | AGR | LAL | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | TMDL Priority | Suspected Sources of Impairment |
|-------------------|--|-----------------------|----------|-----|-----|-----|-----|-----|-----|-----|-----|---|---|--|------------------|--|
| LA080604_00 | Bayou D'Arbonne Lake | L | 12,711.0 | N | F | N | | | | | | PCR | FECAL COLIFORM | IRC 5 | L | MUNICIPAL POINT SOURCE DISCHARGES |
| LA080605_00 | Bayou D'Arbonne-From Bayou D'Arbonne Lake to Ouachita River (Scenic) | R | 27.5 | N | F | N | | F | | | | FWP | DISSOLVED OXYGEN | IRC 5RC | L | DROUGHT-RELATED IMPACTS |
| LA080605_00 | Bayou D'Arbonne-From Bayou D'Arbonne Lake to Ouachita River (Scenic) | R | 27.5 | N | F | N | | F | | | | PCR | FECAL COLIFORM | IRC 5 | L | MARINA/BOATING SANITARY ON-VESSEL DISCHARGES |
| LA080606_00 | Cypress Creek-From headwaters to Bayou D'Arbonne; includes Colvin Creek | R | 35.8 | N | F | N | | | | | | FWP | SULFATE | IRC 5RC | L | NATURAL SOURCES |
| LA080606_00 | Cypress Creek-From headwaters to Bayou D'Arbonne; includes Colvin Creek | R | 35.8 | N | F | N | | | | | | FWP | TOTAL DISSOLVED SOLIDS (TDS) | IRC 5RC | L | SITE CLEARANCE (LAND DEVELOPMENT OR REDEVELOPMENT) |
| LA080606_00 | Cypress Creek-From headwaters to Bayou D'Arbonne; includes Colvin Creek | R | 35.8 | N | F | N | | | | | | PCR | FECAL COLIFORM | IRC 4a | | PACKAGE PLANT OR OTHER PERMITTED SMALL FLOWS DISCHARGES |
| LA080606_00 | Cypress Creek-From headwaters to Bayou D'Arbonne; includes Colvin Creek | R | 35.8 | N | F | N | | | | | | PCR | FECAL COLIFORM | IRC 4a | | SANITARY SEWER OVERFLOWS (COLLECTION SYSTEM FAILURES) |
| LA080607_00 | Corney Bayou-From Arkansas state line to Corney Lake (Scenic) | R | 15.4 | F | F | N | | F | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | SOURCE UNKNOWN |
| LA080607_00 | Corney Bayou-From Arkansas state line to Corney Lake (Scenic) | R | 15.4 | F | F | N | | F | | | | FWP | PH, LOW | IRC 5RC | L | NATURALLY OCCURRING ORGANIC ACIDS |
| LA080608_00 | Corney Lake | L | 1,384.1 | N | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 5RC | L | NATURAL SOURCES |
| LA080608_00 | Corney Lake | L | 1,384.1 | N | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 5RC | L | SOURCE UNKNOWN |
| LA080608_00 | Corney Lake | L | 1,384.1 | N | F | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 5 | L | ATMOSPHERIC DEPOSITION - TOXICS |
| LA080608_00 | Corney Lake | L | 1,384.1 | N | F | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 5 | L | SOURCE UNKNOWN |
| LA080608_00 | Corney Lake | L | 1,384.1 | | F | | | | | | | PCR | FECAL COLIFORM | IRC 5 | L | WATERFOWL |
| LA080608_00 | Corney Lake | L | 1,384.1 | N | F | Ν | | | | | | PCR | FECAL COLIFORM | IRC 5 | L | WILDLIFE OTHER THAN WATERFOWL |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | DWS | ONR | OYS | AGR | LAL | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | TMDL Priority | Suspected Sources of Impairment |
|-------------------|---|-----------------------|---------|-----|-----|-----|-----|-----|-----|-----|-----|---|---|--|------------------|--|
| LA080609_00 | Corney Bayou-From Corney Lake to Bayou D'Arbonne Lake (Scenic) | R | 25.6 | N | F | N | | F | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | NATURAL SOURCES |
| LA080609_00 | Corney Bayou-From Corney Lake to Bayou D'Arbonne Lake (Scenic) | R | 25.6 | N | F | N | | F | | | | PCR | FECAL COLIFORM | IRC 5 | L | MANAGED PASTURE GRAZING |
| LA080610_00 | Middle Fork Bayou D'Arbonne-From headwaters to Bayou D'Arbonne Lake (Scenic) | R | 63.4 | F | F | N | | N | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | NATURAL SOURCES |
| LA080610_00 | Middle Fork Bayou D'Arbonne-From headwaters to Bayou D'Arbonne Lake (Scenic) | R | 63.4 | F | F | N | | N | | | | ONR | TURBIDITY | IRC 5 | L | SOURCE UNKNOWN |
| LA080701_00 | Bayou Desiard and Lake Bartholomew; also called Dead Bayou | L | 1,101.0 | N | F | N | F | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 5 | L | ATMOSPHERIC DEPOSITION - TOXICS |
| LA080701_00 | Bayou Desiard and Lake Bartholomew; also called Dead Bayou | L | 1,101.0 | N | F | N | F | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 5 | L | SOURCE UNKNOWN |
| LA080701_00 | Bayou Desiard and Lake Bartholomew; also called Dead Bayou | L | 1,101.0 | N | F | N | F | | | | | PCR | FECAL COLIFORM | IRC 5 | L | PACKAGE PLANT OR OTHER PERMITTED SMALL FLOWS DISCHARGES |
| LA080701_00 | Bayou Desiard and Lake Bartholomew; also called Dead Bayou | L | 1,101.0 | N | F | N | F | | | | | PCR | FECAL COLIFORM | IRC 5 | L | SEWAGE DISCHARGES IN UNSEWERED AREAS |
| LA080701_00553675 | Black Bayou Lake (Ouachita Parish)-Located within LA080701. This unit is added for advisory tracking purposes only and is not a subsegment as defined by LAC 33:IX.1123.A. et seq. No other assessment is made for this lake. | L | 3,968.0 | | | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 5 | L | ATMOSPHERIC DEPOSITION - TOXICS |
| LA080701_00553675 | Black Bayou Lake (Ouachita Parish)-Located within LA080701. This unit is added for advisory tracking purposes only and is not a subsegment as defined by LAC 33:IX.1123.A. et seq. No other assessment is made for this lake. | L | 3,968.0 | | | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 5 | L | SOURCE UNKNOWN |
| LA080801_00 | Cheniere Creek-From headwaters to Cheniere Brake Lake | R | 6.0 | F | F | N | | | 1 | | | FWP | DISSOLVED OXYGEN | IRC 5RC | L | NATURAL SOURCES |
| LA080801_00 | Cheniere Creek-From headwaters to Cheniere Brake Lake | R | 6.0 | F | F | N | | | | | | FWP | TOTAL DISSOLVED SOLIDS (TDS) | IRC 5 | L | NATURAL SOURCES |
| LA080802_00 | Cheniere Brake Lake | L | 2,681.7 | F | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 5RC | L | NATURAL SOURCES |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | DWS | ONR | OYS | AGR | LAL | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | TMDL Priority | Suspected Sources of Impairment |
|-------------------|--|-----------------------|---------|-----|-----|-----|-----|-----|-----|-----|-----|---|---|--|------------------|---|
| LA080802_00 | Cheniere Brake Lake | L | 2,681.7 | F | F | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 5 | L | ATMOSPHERIC DEPOSITION - TOXICS |
| LA080802_00 | Cheniere Brake Lake | L | 2,681.7 | F | F | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 5 | L | SOURCE UNKNOWN |
| LA080901_00 | Boeuf River-From Arkansas state line to Ouachita River | R | 184.9 | N | N | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | AGRICULTURE |
| LA080901_00 | Boeuf River-From Arkansas state line to Ouachita River | R | 184.9 | N | N | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 5 | L | ATMOSPHERIC DEPOSITION - TOXICS |
| LA080901_00 | Boeuf River-From Arkansas state line to Ouachita River | R | 184.9 | N | N | N | | | | | | | MERCURY - FISH CONSUMPTION ADVISORY | IRC 5 | L | SOURCE UNKNOWN |
| LA080901_00 | Boeuf River-From Arkansas state line to Ouachita River | R | 184.9 | N | N | N | | | | | | FWP | TURBIDITY | IRC 4a | | AGRICULTURE |
| LA080901_00 | Boeuf River-From Arkansas state line to Ouachita River | R | 184.9 | N | N | N | | | | | | PCR | FECAL COLIFORM | IRC 5 | L | MUNICIPAL POINT SOURCE DISCHARGES |
| LA080901_00 | Boeuf River-From Arkansas state line to Ouachita River | R | 184.9 | N | N | N | | | | | | PCR | FECAL COLIFORM | IRC 5 | L | SEWAGE DISCHARGES IN UNSEWERED AREAS |
| LA080901_00 | Boeuf River-From Arkansas state line to Ouachita River | R | 184.9 | N | N | N | | | | | | SCR | FECAL COLIFORM | IRC 5 | L | MUNICIPAL POINT SOURCE DISCHARGES |
| LA080901_00 | Boeuf River-From Arkansas state line to Ouachita River | R | 184.9 | N | N | N | | | | | | SCR | FECAL COLIFORM | IRC 5 | L | SEWAGE DISCHARGES IN UNSEWERED AREAS |
| LA080902_00 | Bayou Bonne Idee-From headwaters to Boeuf River | R | 64.3 | F | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | |
| LA080902_00 | Bayou Bonne Idee-From headwaters to Boeuf River | R | 64.3 | F | F | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 5 | L | ATMOSPHERIC DEPOSITION - TOXICS |
| LA080902_00 | Bayou Bonne Idee-From headwaters to Boeuf River | R | 64.3 | F | F | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 5 | L | SOURCE UNKNOWN |
| LA080903_00 | Big Creek-From headwaters to Boeuf River; includes Big Colewa Bayou | R | 43.0 | F | F | N | | 1 | | | | FWP | ATRAZINE | IRC 5 | L | AGRICULTURE |
| LA080903_00 | Big Creek-From headwaters to Boeuf River; includes Big Colewa Bayou | R | 43.0 | F | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | AGRICULTURE |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | DWS | ONR | OYS | AGR | LAL | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | TMDL Priority | Suspected Sources of Impairment |
|-------------------|---|-----------------------|------|-----|-----|-----|-----|-----|-----|-----|-----|---|---|--|------------------|--|
| LA080903_00 | Big Creek-From headwaters to Boeuf River; includes Big Colewa Bayou | R | 43.0 | | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | NATURAL SOURCES |
| LA080903_00 | Big Creek-From headwaters to Boeuf River; includes Big Colewa Bayou | R | 43.0 | F | F | N | | | | | | FWP | METHYL PARATHION | IRC 4a | | AGRICULTURE |
| LA080903_00 | Big Creek-From headwaters to Boeuf River; includes Big Colewa Bayou | R | 43.0 | F | F | N | | | | | | FWP | TURBIDITY | IRC 4a | | AGRICULTURE |
| LA080904_00 | Bayou Lafourche-From near Oakridge to Boeuf River near Columbia | R | 57.0 | N | F | N | | | | | | FWP | 2,3,7,8- TETRACHLORODIBEN ZOFURAN | IRC 4a | | INDUSTRIAL POINT SOURCE DISCHARGE |
| LA080904_00 | Bayou Lafourche-From near Oakridge to Boeuf River near Columbia | R | 57.0 | N | F | N | | | | | | FWP | 2,3,7,8- TETRACHLORODIBEN ZO-P-DIOXIN | IRC 4a | | INDUSTRIAL POINT SOURCE DISCHARGE |
| LA080904_00 | Bayou Lafourche-From near Oakridge to Boeuf River near Columbia | R | 57.0 | N | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | AGRICULTURE |
| LA080904_00 | Bayou Lafourche-From near Oakridge to Boeuf River near Columbia | R | 57.0 | N | F | N | | | | | | FWP | TURBIDITY | IRC 4a | | AGRICULTURE |
| LA080904_00 | Bayou Lafourche-From near Oakridge to Boeuf River near Columbia | R | 57.0 | N | F | N | | | | | | PCR | FECAL COLIFORM | IRC 5 | L | MUNICIPAL POINT SOURCE DISCHARGES |
| LA080904_00 | Bayou Lafourche-From near Oakridge to Boeuf River near Columbia | R | 57.0 | N | F | N | | | | | | PCR | FECAL COLIFORM | IRC 5 | L | SEWAGE DISCHARGES IN UNSEWERED AREAS |
| LA080904_00559693 | Little Bayou Boeuf/Wham Brake-located with LA080904_00 This unit is added for advisory tracking purposes only and is not a subsegment as defined by LAC 33:IX.1123.A. et seq. No other assessment is made for this waterbody. | R | 17.0 | | | N | | | | | | FWP | 2,3,7,8- TETRACHLORODIBEN ZOFURAN | IRC 4a | | INDUSTRIAL POINT SOURCE DISCHARGE |
| LA080904_00559693 | Little Bayou Boeuf/Wham Brake-located with LA080904_00 This unit is added for advisory tracking purposes only and is not a subsegment as defined by LAC 33:IX.1123.A. et seq. No other assessment is made for this waterbody. | R | 17.0 | | | N | | | | | | FWP | 2,3,7,8- TETRACHLORODIBEN ZO-P-DIOXIN | IRC 4a | | INDUSTRIAL POINT SOURCE DISCHARGE |
| LA080905_00 | Turkey Creek-From headwaters to Turkey Creek Cutoff; includes Turkey Creek Cutoff, Big Creek, and Glade Slough | R | 34.9 | | N | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 5-alt | L | PACKAGE PLANT OR OTHER PERMITTED SMALL FLOWS DISCHARGES |
| LA080905_00 | Turkey Creek-From headwaters to Turkey Creek Cutoff; includes Turkey Creek Cutoff, Big Creek, and Glade Slough | R | 34.9 | | N | N | | | | | | SCR | FECAL COLIFORM | IRC 4a | | MUNICIPAL POINT SOURCE DISCHARGES |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | SWG | ONR | SYO | AGR | LAL | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | TMDL Priority | Suspected Sources of Impairment |
|-------------------|--|-----------------------|---------|-----|-----|-----|-----|-----|-----|-----|-----|---|-----------------------------------|--|------------------|--|
| LA080905_00 | Turkey Creek-From headwaters to Turkey Creek Cutoff; includes Turkey Creek Cutoff, Big Creek, and Glade Slough | R | 34.9 | | N | N | | | | | | SCR | FECAL COLIFORM | IRC 4a | | SEWAGE DISCHARGES IN UNSEWERED AREAS |
| LA080906_00 | Turkey Creek-From Turkey Creek Cutoff to Turkey Creek Lake | R | 19.4 | N | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 5 | L | AGRICULTURE |
| LA080906_00 | Turkey Creek-From Turkey Creek Cutoff to Turkey Creek Lake | R | 19.4 | N | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 5 | L | NATURAL SOURCES |
| LA080906_00 | Turkey Creek-From Turkey Creek Cutoff to Turkey Creek Lake | R | 19.4 | N | F | N | | | | | | PCR | FECAL COLIFORM | IRC 4a | | LIVESTOCK (GRAZING OR FEEDING OPERATIONS) |
| LA080906_00 | Turkey Creek-From Turkey Creek Cutoff to Turkey Creek Lake | R | 19.4 | N | F | N | | | | | | PCR | FECAL COLIFORM | IRC 4a | | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |
| LA080907_00 | Turkey Creek Lake; includes outfall to Boeuf River | L | 4,877.9 | F | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 5 | L | AGRICULTURE |
| LA080907_00 | Turkey Creek Lake; includes outfall to Boeuf River | L | 4,877.9 | F | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 5 | L | NATURAL SOURCES |
| LA080907_00 | Turkey Creek Lake; includes outfall to Boeuf River | L | 4,877.9 | F | F | Ν | | | | | | FWP | TURBIDITY | IRC 5 | L | AGRICULTURE |
| LA080908_00 | Lake LaFourche | L | 154.0 | | | | | | | | | FWP | DISSOLVED OXYGEN | IRC 5 | L | AGRICULTURE |
| LA080908_00 | Lake LaFourche | L | 154.0 | F | Ν | Ν | | | | | | FWP | TURBIDITY | IRC 5 | L | AGRICULTURE |
| LA080908_00 | Lake LaFourche | L | 154.0 | F | N | N | | | | | | SCR | FECAL COLIFORM | IRC 5 | L | SEWAGE DISCHARGES IN UNSEWERED AREAS |
| LA080909_00 | Crew Lake | L | 81.3 | F | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | AGRICULTURE |
| LA080909_00 | Crew Lake | L | 81.3 | F | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | SEWAGE DISCHARGES IN UNSEWERED AREAS |
| LA080909_00 | Crew Lake | L | 81.3 | F | F | N | | | | | | FWP | TURBIDITY | IRC 5 | L | AGRICULTURE |
| LA080910_00 | Clear Lake | L | 108.1 | | | | | | | | | PCR | FECAL COLIFORM | IRC 4a | | SEWAGE DISCHARGES IN UNSEWERED AREAS |
| LA080910_00 | Clear Lake | L | 108.1 | N | F | F | 1 | 1 | | 1 | 1 | PCR | FECAL COLIFORM | IRC 4a | | SOURCE UNKNOWN |
| LA080911_00 | Woolen Lake | L | 274.4 | | | | | | | | | | | | | |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | DWS | ONR | SYO | AGR | LAL | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | | Suspected Sources of Impairment |
|-------------------|--|-----------------------|---------|-----|-----|-----|-----|-----|-----|-----|-----|---|--|--|---|--|
| LA080912_00 | Tisdale Brake and Staulkinghead Creek-From headwaters to Little Bayou Boeuf | R | 13.0 | | F | | | | | | N | LAL | 2,3,7,8- TETRACHLORODIBEN ZOFURAN | IRC 4a | | INDUSTRIAL POINT SOURCE DISCHARGE |
| LA080912_00 | Tisdale Brake and Staulkinghead Creek-From headwaters to Little Bayou Boeuf | R | 13.0 | | F | | | | | | N | LAL | 2,3,7,8- TETRACHLORODIBEN ZO-P-DIOXIN | IRC 4a | | INDUSTRIAL POINT SOURCE DISCHARGE |
| LA081001_00 | Bayou Macon-From Arkansas state line to Tensas River | R | 124.0 | N | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 5 | L | AGRICULTURE |
| LA081001_00 | Bayou Macon-From Arkansas state line to Tensas River | R | 124.0 | N | F | N | | | | | | FWP | TURBIDITY | IRC 4a | | AGRICULTURE |
| LA081001_00 | Bayou Macon-From Arkansas state line to Tensas River | R | 124.0 | N | F | N | | | | | | PCR | FECAL COLIFORM | IRC 4a | | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |
| LA081002_00 | Joe's Bayou-From headwaters to Bayou Macon | R | 72.4 | N | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | AGRICULTURE |
| LA081002_00 | Joe's Bayou-From headwaters to Bayou Macon | R | 72.4 | Ν | F | Ν | | | | | | FWP | TURBIDITY | IRC 4a | | AGRICULTURE |
| LA081002_00 | Joe's Bayou-From headwaters to Bayou Macon | R | 72.4 | N | F | N | | | | | | PCR | FECAL COLIFORM | IRC 5 | L | MUNICIPAL POINT SOURCE DISCHARGES |
| LA081003_00 | Deer Creek-From headwaters to Boeuf River | R | 45.8 | | F | | | | | | N | LAL | DISSOLVED OXYGEN | IRC 4a | | AGRICULTURE |
| LA081101_00 | Lake Providence | L | 1,448.4 | F | F | N | | | | | | FWP | TOTAL DISSOLVED SOLIDS (TDS) | IRC 5 | L | AGRICULTURE |
| LA081201_00 | Tensas River-From headwaters to Jonesville; includes Tensas Bayou | R | 176.7 | F | F | Ν | | | | | | FWP | TURBIDITY | IRC 4a | | AGRICULTURE |
| LA081202_00 | Lake St. Joseph | L | 1,336.1 | F | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | AGRICULTURE |
| LA081202_00 | Lake St. Joseph | L | 1,336.1 | F | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | SEWAGE DISCHARGES IN UNSEWERED AREAS |
| LA081202_00 | Lake St. Joseph | L | 1,336.1 | F | F | N | | | | | | FWP | NITRATE/NITRITE (NITRITE + NITRATE AS N) | IRC 4a | | AGRICULTURE |
| LA081202_00 | Lake St. Joseph | L | 1,336.1 | F | F | N | | | | | | FWP | NITRATE/NITRITE (NITRITE + NITRATE AS N) | IRC 4a | | SEWAGE DISCHARGES IN UNSEWERED AREAS |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | DWS | ONR | SYO | AGR | LAL | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | TMDL Priority | Suspected Sources of Impairment |
|-------------------|---|-----------------------|---------|-----|-----|-----|-----|-----|-----|-----|-----|---|---|--|------------------|---|
| LA081202_00 | Lake St. Joseph | L | 1,336.1 | F | F | Ν | | | | | | FWP | PHOSPHORUS, TOTAL | IRC 4a | | AGRICULTURE |
| LA081202_00 | Lake St. Joseph | L | 1,336.1 | F | F | N | | | | | | FWP | PHOSPHORUS, TOTAL | IRC 4a | | SOURCE UNKNOWN |
| LA081202_00 | Lake St. Joseph | L | 1,336.1 | F | F | N | | | | | | FWP | TOTAL DISSOLVED SOLIDS (TDS) | IRC 5 | L | AGRICULTURE |
| LA081202_00 | Lake St. Joseph | L | 1,336.1 | F | F | N | | | | | | FWP | TOTAL DISSOLVED SOLIDS (TDS) | IRC 5 | L | SEWAGE DISCHARGES IN UNSEWERED AREAS |
| LA081203_00 | Lake Bruin | L | 2.991.2 | F | F | N | F | | | | | FWP | PH, HIGH | IRC 5 | L | NATURAL SOURCES |
| LA081203_00 | Lake Bruin | L | 2,991.2 | | F | N | F | | | | | FWP | TOTAL DISSOLVED SOLIDS (TDS) | IRC 5 | L | AGRICULTURE |
| LA081203_00 | Lake Bruin | L | 2,991.2 | F | F | N | F | | | | | FWP | TOTAL DISSOLVED SOLIDS (TDS) | IRC 5 | L | SEWAGE DISCHARGES IN UNSEWERED AREAS |
| LA081301_00 | Little River-From Archie Dam to Ouachita River | R | 13.0 | N | F | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | ATMOSPHERIC DEPOSITION - TOXICS |
| LA081301_00 | Little River-From Archie Dam to Ouachita River | R | 13.0 | N | F | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | SOURCE UNKNOWN |
| LA081301_00 | Little River-From Archie Dam to Ouachita River | R | 13.0 | Ν | F | Ν | | | | | | FWP | PH, HIGH | IRC 5 | L | |
| LA081301_00 | Little River-From Archie Dam to Ouachita River | R | 13.0 | | F | N | | | | | | PCR | FECAL COLIFORM | IRC 5 | L | MUNICIPAL POINT SOURCE DISCHARGES |
| LA081301_00556223 | Tew Lake-Located within subsegment LA081301_00. This unit is added for advisory tracking purposes only and is not a subsegment as defined by LAC 33:IX.1123.A. et seq. No other assessment is made for this waterbody. | L | 235.0 | | | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 5 | L | ATMOSPHERIC DEPOSITION - TOXICS |
| LA081301_00556223 | Tew Lake-Located within subsegment LA081301_00. This unit is added for advisory tracking purposes only and is not a subsegment as defined by LAC 33:IX.1123.A. et seq. No other assessment is made for this waterbody. | L | 235.0 | | | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 5 | L | SOURCE UNKNOWN |
| LA081401_00 | Dugdemona River-From headwaters to Big Creek | R | 81.4 | F | F | F | | | | | | | | | | |
| LA081402_00 | Dugdemona River-From Big Creek to Little River | R | 55.4 | F | F | F | | 1 | | | | | | | | |
| LA081501_00 | Castor Creek-From headwaters to Little River | R | 109.7 | N | F | N | | | | | | FWP | TOTAL DISSOLVED SOLIDS (TDS) | IRC 4a | | PETROLEUM/NATURAL GAS ACTIVITIES |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | DWS | ONR | SYO | AGR | LAL | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | TMDL Priority | Suspected Sources of Impairment |
|-------------------|---|-----------------------|---------|-----|-----|-----|-----|-----|-----|-----|-----|---|---|--|------------------|--|
| LA081501_00 | Castor Creek-From headwaters to Little River | R | 109.7 | N | F | N | | | | | | PCR | FECAL COLIFORM | IRC 5 | L | MUNICIPAL POINT SOURCE DISCHARGES |
| LA081501_00 | Castor Creek-From headwaters to Little River | R | 109.7 | N | F | N | | | | | | PCR | FECAL COLIFORM | IRC 5 | L | SEWAGE DISCHARGES IN UNSEWERED AREAS |
| LA081502_00 | Chatham Lake | L | 173.0 | F | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 5RC | L | NATURAL SOURCES |
| LA081503_00 | Beaucoup Creek-From headwaters to Castor Creek | R | 24.3 | F | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | NATURAL SOURCES |
| LA081504_00 | Flat Creek-From headwaters to Castor Creek | R | 49.2 | F | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | NATURAL SOURCES |
| LA081505_00 | Caney Lake | L | 4,734.1 | N | F | F | | | | | | PCR | FECAL COLIFORM | IRC 5 | L | CONFINED ANIMAL FEEDING OPERATIONS (NPS) |
| LA081505_00 | Caney Lake | L | 4,734.1 | N | F | F | | | | | | PCR | FECAL COLIFORM | IRC 5 | L | SEWAGE DISCHARGES IN UNSEWERED AREAS |
| LA081601_00 | Little River-From Castor Creek-Dugdemona River confluence to Bear Creek (Scenic) | R | 11.0 | F | F | N | | N | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | ATMOSPHERIC DEPOSITION - TOXICS |
| LA081601_00 | Little River-From Castor Creek-Dugdemona River confluence to Bear Creek (Scenic) | R | 11.0 | F | F | N | | N | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | SOURCE UNKNOWN |
| LA081601_00 | Little River-From Castor Creek-Dugdemona River confluence to Bear Creek (Scenic) | R | 11.0 | F | F | N | | N | | | | FWP | TURBIDITY | IRC 4a | | INDUSTRIAL POINT SOURCE DISCHARGE |
| LA081601_00 | Little River-From Castor Creek-Dugdemona River confluence to Bear Creek (Scenic) | R | 11.0 | F | F | N | | N | | | | FWP | TURBIDITY | IRC 4a | | SILVICULTURE ACTIVITIES |
| LA081601_00 | Little River-From Castor Creek-Dugdemona River confluence to Bear Creek (Scenic) | R | 11.0 | F | F | N | | N | | | | ONR | TURBIDITY | IRC 4a | | INDUSTRIAL POINT SOURCE DISCHARGE |
| LA081601_00 | Little River-From Castor Creek-Dugdemona River confluence to Bear Creek (Scenic) | R | 11.0 | F | F | N | | N | | | | ONR | TURBIDITY | IRC 4a | | SILVICULTURE ACTIVITIES |
| LA081601_556716 | Georgetown Reservoir | L | 28.9 | | F | F | F | Ν | | | | | TURBIDITY | IRC 5 | L | SOURCE UNKNOWN |
| LA081602_00 | Little River-From Bear Creek to Catahoula Lake (Scenic) | R | 51.7 | F | F | N | | N | | | | FWP | DISSOLVED OXYGEN | IRC 5 | L | AGRICULTURE |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | DWS | ONR | SYO | AGR | LAL | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | TMDL Priority | Suspected Sources of Impairment |
|-------------------|--|-----------------------|----------|-----|-----|-----|-----|-----|-----|-----|-----|---|---|--|------------------|---|
| LA081602_00 | Little River-From Bear Creek to Catahoula Lake (Scenic) | R | 51.7 | F | F | N | | N | | | | FWP | DISSOLVED OXYGEN | IRC 5 | L | IMPACTS FROM HYDROSTRUCTURE FLOW REGULATION/MODIFICAT ION |
| LA081602_00 | Little River-From Bear Creek to Catahoula Lake (Scenic) | R | 51.7 | F | F | N | | N | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | ATMOSPHERIC DEPOSITION - TOXICS |
| LA081602_00 | Little River-From Bear Creek to Catahoula Lake (Scenic) | R | 51.7 | F | F | N | | N | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | SOURCE UNKNOWN |
| LA081602_00 | Little River-From Bear Creek to Catahoula Lake (Scenic) | R | 51.7 | F | F | N | | N | | | | FWP | TURBIDITY | IRC 4a | | AGRICULTURE |
| LA081602_00 | Little River-From Bear Creek to Catahoula Lake (Scenic) | R | 51.7 | F | F | N | | N | | | | FWP | TURBIDITY | IRC 4a | | SOURCE UNKNOWN |
| LA081602_00 | Little River-From Bear Creek to Catahoula Lake (Scenic) | R | 51.7 | F | F | N | | N | | | | ONR | TURBIDITY | IRC 4a | | AGRICULTURE |
| LA081602_00 | Little River-From Bear Creek to Catahoula Lake (Scenic) | R | 51.7 | F | F | N | | N | | | | ONR | TURBIDITY | IRC 4a | | SOURCE UNKNOWN |
| LA081603_00 | Catahoula Lake | L | 16,509.1 | F | F | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | ATMOSPHERIC DEPOSITION - TOXICS |
| LA081603_00 | Catahoula Lake | L | 16,509.1 | F | F | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | SOURCE UNKNOWN |
| LA081603_00 | Catahoula Lake | L | 16,509.1 | F | F | Ν | | | | | | FWP | TURBIDITY | IRC 5 | L | AGRICULTURE |
| LA081604_00 | Catahoula Lake Diversion Canal-From Catahoula Lake to Black River | R | 16.1 | F | F | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | ATMOSPHERIC DEPOSITION - TOXICS |
| LA081604_00 | Catahoula Lake Diversion Canal-From Catahoula Lake to Black River | R | 16.1 | F | F | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | SOURCE UNKNOWN |
| LA081605_00 | Little River-From Catahoula Lake to Dam at Archie | R | 11.2 | F | F | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | ATMOSPHERIC DEPOSITION - TOXICS |
| LA081605_00 | Little River-From Catahoula Lake to Dam at Archie | R | 11.2 | F | F | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | SOURCE UNKNOWN |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | DWS | ONR | OYS | AGR | LAL | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | TMDL Priority | Suspected Sources of Impairment |
|-------------------|--|-----------------------|------|-----|-----|-----|-----|-----|-----|-----|-----|---|---|--|------------------|--|
| LA081606_00 | Fish Creek-From headwaters to Little River (Scenic) | R | 24.2 | N | | N | | F | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | ATMOSPHERIC DEPOSITION - TOXICS |
| LA081606_00 | Fish Creek-From headwaters to Little River (Scenic) | R | 24.2 | N | F | N | | F | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | SOURCE UNKNOWN |
| LA081606_00 | Fish Creek-From headwaters to Little River (Scenic) | R | 24.2 | N | F | N | | F | | | | PCR | FECAL COLIFORM | IRC 5 | L | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |
| LA081607_00 | Trout Creek-From headwaters to Little River (Scenic) | R | 19.6 | N | F | N | | F | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | ATMOSPHERIC DEPOSITION - TOXICS |
| LA081607_00 | Trout Creek-From headwaters to Little River (Scenic) | R | 19.6 | N | F | N | | F | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | SOURCE UNKNOWN |
| LA081607_00 | Trout Creek-From headwaters to Little River (Scenic) | R | 19.6 | N | F | N | | F | | | | PCR | FECAL COLIFORM | IRC 5 | L | SEWAGE DISCHARGES IN UNSEWERED AREAS |
| LA081608_00 | Big Creek-From headwaters to Little River (Scenic) | R | 28.2 | N | F | N | N | N | | | | DWS | COLOR | IRC 5 | L | SILVICULTURE ACTIVITIES |
| LA081608_00 | Big Creek-From headwaters to Little River (Scenic) | R | 28.2 | N | F | N | N | N | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | ATMOSPHERIC DEPOSITION - TOXICS |
| LA081608_00 | Big Creek-From headwaters to Little River (Scenic) | R | 28.2 | N | F | N | N | N | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | SOURCE UNKNOWN |
| LA081608_00 | Big Creek-From headwaters to Little River (Scenic) | R | 28.2 | N | F | N | N | N | | | | ONR | TURBIDITY | IRC 5 | L | SILVICULTURE ACTIVITIES |
| LA081608_00 | Big Creek-From headwaters to Little River (Scenic) | R | 28.2 | N | F | N | N | N | | | | PCR | FECAL COLIFORM | IRC 4a | | LIVESTOCK (GRAZING OR FEEDING OPERATIONS) |
| LA081608_00 | Big Creek-From headwaters to Little River (Scenic) | R | 28.2 | N | F | N | N | N | | | | PCR | FECAL COLIFORM | IRC 4a | | SEWAGE DISCHARGES IN UNSEWERED AREAS |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | SWG | ONR | SYO | AGR | LAL | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | TMDL Priority | Suspected Sources of Impairment |
|-------------------|---|-----------------------|------|-----|-----|-----|-----|-----|-----|-----|-----|---|---|--|------------------|--|
| LA081609_00 | Hemphill Creek-From headwaters to Catahoula Lake; includes Hair Creek | R | 26.8 | N | F | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | ATMOSPHERIC DEPOSITION - TOXICS |
| LA081609_00 | Hemphill Creek-From headwaters to Catahoula Lake; includes Hair Creek | R | 26.8 | N | F | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | SOURCE UNKNOWN |
| LA081609_00 | Hemphill Creek-From headwaters to Catahoula Lake; includes Hair Creek | R | 26.8 | N | F | N | | | | | | PCR | FECAL COLIFORM | IRC 5 | L | LIVESTOCK (GRAZING OR FEEDING OPERATIONS) |
| LA081609_00 | Hemphill Creek-From headwaters to Catahoula Lake; includes Hair Creek | R | 26.8 | N | F | N | | | | | | PCR | FECAL COLIFORM | IRC 5 | L | SEWAGE DISCHARGES IN UNSEWERED AREAS |
| LA081610_00 | Old River-From Catahoula Lake to Little River | R | 8.4 | F | F | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | ATMOSPHERIC DEPOSITION - TOXICS |
| LA081610_00 | Old River-From Catahoula Lake to Little River | R | 8.4 | F | F | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | SOURCE UNKNOWN |
| LA081610_001 | Big Bushley Creek-Located within subsegment LA081610_00. This unit is added for advisory tracking purposes only and is not a subsegment as defined by LAC 33:IX.1123.A. et seq. No other assessment is made for this waterbody. | R | 3.0 | | | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | ATMOSPHERIC DEPOSITION - TOXICS |
| LA081610_001 | Big Bushley Creek-Located within subsegment LA081610_00. This unit is added for advisory tracking purposes only and is not a subsegment as defined by LAC 33:IX.1123.A. et seq. No other assessment is made for this waterbody. | R | 3.0 | | | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | SOURCE UNKNOWN |
| LA081610_002 | Bushley Bayou-Located within subsegment LA081610_00. This unit is added for advisory tracking purposes only and is not a subsegment as defined by LAC 33:IX.1123.A. et seq. No other assessment is made for this waterbody. | R | 7.0 | | | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | ATMOSPHERIC DEPOSITION - TOXICS |
| LA081610_002 | Bushley Bayou-Located within subsegment LA081610_00. This unit is added for advisory tracking purposes only and is not a subsegment as defined by LAC 33:IX.1123.A. et seq. No other assessment is made for this waterbody. | R | 7.0 | | | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | SOURCE UNKNOWN |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | DWS | ONR | SYO | AGR | LAL | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | TMDL Priority | Suspected Sources of Impairment |
|-------------------|---|-----------------------|------|-----|-----|-----|-----|-----|-----|-----|-----|---|---|--|------------------|---|
| LA081610_003 | Bushley Creek-Located within subsegment LA081610_00. This unit is added for advisory tracking purposes only and is not a subsegment as defined by LAC 33:IX.1123.A. et seq. No other assessment is made for this waterbody. | R | 16.0 | | | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | ATMOSPHERIC DEPOSITION - TOXICS |
| LA081610_003 | Bushley Creek-Located within subsegment LA081610_00. This unit is added for advisory tracking purposes only and is not a subsegment as defined by LAC 33:IX.1123.A. et seq. No other assessment is made for this waterbody. | R | 16.0 | | | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | SOURCE UNKNOWN |
| LA081611_00 | Bayou Funny Louis-From headwaters to Little River | R | 62.5 | F | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 5 | L | NATURAL SOURCES |
| LA081611_00 | Bayou Funny Louis-From headwaters to Little River | R | 62.5 | F | F | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | ATMOSPHERIC DEPOSITION - TOXICS |
| LA081611_00 | Bayou Funny Louis-From headwaters to Little River | R | 62.5 | F | F | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | SOURCE UNKNOWN |
| LA090101_00 | Pearl River-From Mississippi state line to Pearl River Navigation Canal | R | 40.9 | F | F | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | ATMOSPHERIC DEPOSITION - TOXICS |
| LA090101_00 | Pearl River-From Mississippi state line to Pearl River Navigation Canal | R | 40.9 | F | F | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | SOURCE UNKNOWN |
| LA090101_00 | Pearl River-From Mississippi state line to Pearl River Navigation Canal | R | 40.9 | F | F | N | | | | | | FWP | SULFATE | IRC 5 | L | INDUSTRIAL POINT SOURCE DISCHARGE |
| LA090101_00 | Pearl River-From Mississippi state line to Pearl River Navigation Canal | R | 40.9 | F | F | N | | | | | | FWP | SULFATE | IRC 5 | L | NATURAL SOURCES |
| LA090101_00 | Pearl River-From Mississippi state line to Pearl River Navigation Canal | R | 40.9 | F | F | N | | | | | | FWP | SULFATE | IRC 5 | L | SOURCES OUTSIDE STATE JURISDICTION OR BORDERS |
| LA090102_00 | East Pearl River-From Holmes Bayou to I-10 | R | 23.7 | F | F | Ν | | | | | | FWP | CHLORIDE | IRC 5 | L | NATURAL SOURCES |
| LA090102_00 | East Pearl River-From Holmes Bayou to I-10 | R | 23.7 | | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 5 | L | NATURAL SOURCES |
| LA090102_00 | East Pearl River-From Holmes Bayou to I-10 | R | 23.7 | F | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 5 | L | WATERFOWL |
| LA090102_00 | East Pearl River-From Holmes Bayou to I-10 | R | 23.7 | F | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 5 | L | WILDLIFE OTHER THAN WATERFOWL |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | DWS | ONR | SYO | AGR | TAL | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | TMDL Priority | Suspected Sources of Impairment |
|-------------------|--|-----------------------|------|-----|-----|-----|-----|-----|-----|-----|-----|---|---|--|------------------|--|
| LA090102_00 | East Pearl River-From Holmes Bayou to I-10 | R | 23.7 | F | F | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | ATMOSPHERIC DEPOSITION - TOXICS |
| LA090102_00 | East Pearl River-From Holmes Bayou to I-10 | R | 23.7 | F | F | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | SOURCE UNKNOWN |
| LA090102_00 | East Pearl River-From Holmes Bayou to I-10 | R | 23.7 | F | F | Ν | | | | | | FWP | SULFATE | IRC 5 | L | NATURAL SOURCES |
| LA090103_00 | East Pearl River-From I-10 to Lake Borgne (Estuarine) | R | 15.4 | F | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 5 | L | NATURAL SOURCES |
| LA090103_00 | East Pearl River-From I-10 to Lake Borgne (Estuarine) | R | 15.4 | F | F | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | ATMOSPHERIC DEPOSITION - TOXICS |
| LA090103_00 | East Pearl River-From I-10 to Lake Borgne (Estuarine) | R | 15.4 | F | F | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | SOURCE UNKNOWN |
| LA090104_00 | Peters Creek-From headwaters to Pearl River | R | 12.0 | F | F | F | | | | | | | | | | |
| LA090105_00 | Pearl River Navigation Canal-From Pools Bluff to Lock No. 3 | R | 4.8 | F | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |
| LA090105_00 | Pearl River Navigation Canal-From Pools Bluff to Lock No. 3 | R | 4.8 | F | F | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | ATMOSPHERIC DEPOSITION - TOXICS |
| LA090105_00 | Pearl River Navigation Canal-From Pools Bluff to Lock No. 3 | R | 4.8 | F | F | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | SOURCE UNKNOWN |
| LA090106_00 | Holmes Bayou-From Pearl River to West Pearl River (Scenic) | R | 4.0 | F | F | N | | N | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | ATMOSPHERIC DEPOSITION - TOXICS |
| LA090106_00 | Holmes Bayou-From Pearl River to West Pearl River (Scenic) | R | 4.0 | F | F | N | | N | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | SOURCE UNKNOWN |
| LA090106_00 | Holmes Bayou-From Pearl River to West Pearl River (Scenic) | R | 4.0 | F | F | N | | N | | | | FWP | SULFATE | IRC 5 | L | INDUSTRIAL POINT SOURCE DISCHARGE |
| LA090106_00 | Holmes Bayou-From Pearl River to West Pearl River (Scenic) | R | 4.0 | F | F | N | | N | | | | FWP | SULFATE | IRC 5 | L | NATURAL SOURCES |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | DWS | ONR | OYS | AGR | LAL | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | TMDL Priority | Suspected Sources of Impairment |
|-------------------|--|-----------------------|------|-----|-----|-----|-----|-----|-----|-----|-----|---|---|--|------------------|---|
| LA090106_00 | Holmes Bayou-From Pearl River to West Pearl River (Scenic) | R | 4.0 | F | F | N | | N | | | | FWP | TURBIDITY | IRC 4a | | NATURAL SOURCES |
| LA090106_00 | Holmes Bayou-From Pearl River to West Pearl River (Scenic) | R | 4.0 | F | F | N | | N | | | | FWP | TURBIDITY | IRC 4a | | SOURCES OUTSIDE STATE JURISDICTION OR BORDERS |
| LA090106_00 | Holmes Bayou-From Pearl River to West Pearl River (Scenic) | R | 4.0 | F | F | N | | N | | | | ONR | TURBIDITY | IRC 4a | | NATURAL SOURCES |
| LA090106_00 | Holmes Bayou-From Pearl River to West Pearl River (Scenic) | R | 4.0 | F | F | N | | N | | | | ONR | TURBIDITY | IRC 4a | | SOURCES OUTSIDE STATE JURISDICTION OR BORDERS |
| LA090107_00 | Pearl River-From Pearl River Navigation Canal to Holmes Bayou | R | 38.2 | F | F | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | ATMOSPHERIC DEPOSITION - TOXICS |
| LA090107_00 | Pearl River-From Pearl River Navigation Canal to Holmes Bayou | R | 38.2 | F | F | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | SOURCE UNKNOWN |
| LA090107_00 | Pearl River-From Pearl River Navigation Canal to Holmes Bayou | R | 38.2 | F | F | N | | | | | | FWP | SULFATE | IRC 5 | L | INDUSTRIAL POINT SOURCE DISCHARGE |
| LA090107_00 | Pearl River-From Pearl River Navigation Canal to Holmes Bayou | R | 38.2 | F | F | N | | | | | | FWP | SULFATE | IRC 5 | L | NATURAL SOURCES |
| LA090201_00 | West Pearl River-From headwaters to Holmes Bayou (Scenic) | R | 9.2 | F | F | N | | N | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | ATMOSPHERIC DEPOSITION - TOXICS |
| LA090201_00 | West Pearl River-From headwaters to Holmes Bayou (Scenic) | R | 9.2 | F | F | N | | N | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | SOURCE UNKNOWN |
| LA090201_00 | West Pearl River-From headwaters to Holmes Bayou (Scenic) | R | 9.2 | F | F | N | | N | | | | FWP | TURBIDITY | IRC 4a | | NATURAL SOURCES |
| LA090201_00 | West Pearl River-From headwaters to Holmes Bayou (Scenic) | R | 9.2 | F | F | N | | N | | | | FWP | TURBIDITY | IRC 4a | | SEDIMENT RESUSPENSION (CLEAN SEDIMENT) |
| LA090201_00 | West Pearl River-From headwaters to Holmes Bayou (Scenic) | R | 9.2 | F | F | N | | N | | | | ONR | TURBIDITY | IRC 4a | | NATURAL SOURCES |
| LA090201_00 | West Pearl River-From headwaters to Holmes Bayou (Scenic) | R | 9.2 | F | F | N | | N | | | | ONR | TURBIDITY | IRC 4a | | SEDIMENT RESUSPENSION (CLEAN SEDIMENT) |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | SMG | ONR | SYO | AGR | LAL | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | TMDL Priority | Suspected Sources of Impairment |
|-------------------|---|-----------------------|------|-----|-----|-----|-----|-----|-----|-----|-----|---|---|--|------------------|--|
| LA090202_00 | West Pearl River-From Holmes Bayou to The Rigolets; includes east and west mouths (Scenic) | R | 31.9 | F | F | N | | F | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | ATMOSPHERIC DEPOSITION - TOXICS |
| LA090202_00 | West Pearl River-From Holmes Bayou to The Rigolets; includes east and west mouths (Scenic) | R | 31.9 | F | F | N | | F | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | SOURCE UNKNOWN |
| LA090202_5126 | Morgan River-From Porters River to West Pearl River (Scenic) | R | 2.2 | F | F | N | | N | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | ATMOSPHERIC DEPOSITION - TOXICS |
| LA090202_5126 | Morgan River-From Porters River to West Pearl River (Scenic) | R | 2.2 | F | F | N | | N | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | SOURCE UNKNOWN |
| LA090202_5126 | Morgan River-From Porters River to West Pearl River (Scenic) | R | 2.2 | F | F | N | | N | | | | ONR | TURBIDITY | IRC 5 | L | NATURAL SOURCES |
| LA090203_00 | Lower Bogue Chitto-From Pearl River Navigation Canal to Wilsons Slough | R | 11.0 | F | F | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | ATMOSPHERIC DEPOSITION - TOXICS |
| LA090203_00 | Lower Bogue Chitto-From Pearl River Navigation Canal to Wilsons Slough | R | 11.0 | F | F | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | SOURCE UNKNOWN |
| LA090204_00 | Pearl River Navigation Canal-from below Lock No.3 | R | 14.6 | F | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 5 | L | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |
| LA090204_00 | Pearl River Navigation Canal-from below Lock No.3 | R | 14.6 | F | F | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | ATMOSPHERIC DEPOSITION - TOXICS |
| LA090204_00 | Pearl River Navigation Canal-from below Lock No.3 | R | 14.6 | F | F | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | SOURCE UNKNOWN |
| LA090205_00 | Wilson Slough-From Bogue Chitto to West Pearl River (Scenic) | R | 3.0 | F | F | N | | N | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | ATMOSPHERIC DEPOSITION - TOXICS |
| LA090205_00 | Wilson Slough-From Bogue Chitto to West Pearl River (Scenic) | R | 3.0 | F | F | N | | N | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | SOURCE UNKNOWN |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | DWS | ONR | SYO | AGR | LAL | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | TMDL Priority | Suspected Sources of Impairment |
|-------------------|--|-----------------------|------|-----|-----|-----|-----|-----|-----|-----|-----|---|---|--|------------------|---|
| LA090205_00 | Wilson Slough-From Bogue Chitto to West Pearl River (Scenic) | R | 3.0 | | F | N | | N | | | | FWP | SULFATE | IRC 5 | L | INDUSTRIAL POINT SOURCE DISCHARGE |
| LA090205_00 | Wilson Slough-From Bogue Chitto to West Pearl River (Scenic) | R | 3.0 | F | F | N | | N | | | | FWP | SULFATE | IRC 5 | L | NATURAL SOURCES |
| LA090205_00 | Wilson Slough-From Bogue Chitto to West Pearl River (Scenic) | R | 3.0 | F | F | N | | N | | | | FWP | SULFATE | IRC 5 | L | SOURCE UNKNOWN |
| LA090205_00 | Wilson Slough-From Bogue Chitto to West Pearl River (Scenic) | R | 3.0 | F | F | N | | N | | | | FWP | TURBIDITY | IRC 5RC | L | NATURAL SOURCES |
| LA090205_00 | Wilson Slough-From Bogue Chitto to West Pearl River (Scenic) | R | 3.0 | F | F | N | | N | | | | FWP | TURBIDITY | IRC 5RC | L | SEDIMENT RESUSPENSION (CLEAN SEDIMENT) |
| LA090205_00 | Wilson Slough-From Bogue Chitto to West Pearl River (Scenic) | R | 3.0 | F | F | N | | N | | | | FWP | TURBIDITY | IRC 5RC | L | SOURCES OUTSIDE STATE JURISDICTION OR BORDERS |
| LA090205_00 | Wilson Slough-From Bogue Chitto to West Pearl River (Scenic) | R | 3.0 | F | F | N | | N | | | | ONR | TURBIDITY | IRC 5RC | L | NATURAL SOURCES |
| LA090205_00 | Wilson Slough-From Bogue Chitto to West Pearl River (Scenic) | R | 3.0 | F | F | N | | N | | | | ONR | TURBIDITY | IRC 5RC | L | SEDIMENT RESUSPENSION (CLEAN SEDIMENT) |
| LA090205_00 | Wilson Slough-From Bogue Chitto to West Pearl River (Scenic) | R | 3.0 | F | F | N | | N | | | | ONR | TURBIDITY | IRC 5RC | L | SOURCES OUTSIDE STATE JURISDICTION OR BORDERS |
| LA090206_00 | Bradley Slough-From Bogue Chitto to West Pearl River (Scenic) | R | 4.7 | Ι | Ι | N | | Ι | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | ATMOSPHERIC DEPOSITION - TOXICS |
| LA090206_00 | Bradley Slough-From Bogue Chitto to West Pearl River (Scenic) | R | 4.7 | Ι | Ι | N | | Ι | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | SOURCE UNKNOWN |
| LA090207_00 | Middle Pearl River and West Middle Pearl River-From West Pearl River to Little Lake | R | 25.0 | F | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | NATURAL SOURCES |
| LA090207_00 | Middle Pearl River and West Middle Pearl River-From West Pearl River to Little Lake | R | 25.0 | F | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | WILDLIFE OTHER THAN WATERFOWL |
| LA090207_00 | Middle Pearl River and West Middle Pearl River-From West Pearl River to Little Lake | R | 25.0 | F | F | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | ATMOSPHERIC DEPOSITION - TOXICS |
| LA090207_00 | Middle Pearl River and West Middle Pearl River-From West Pearl River to Little Lake | R | 25.0 | F | F | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | SOURCE UNKNOWN |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | SMG | ONR | SYO | AGR | LAL | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | TMDL Priority | Suspected Sources of Impairment |
|-------------------|---|-----------------------|------|-----|-----|-----|-----|-----|-----|-----|-----|---|---|--|------------------|---|
| LA090207_00 | Middle Pearl River and West Middle Pearl River-From West Pearl River to Little Lake | R | 25.0 | F | F | N | | | | | | FWP | TOTAL DISSOLVED SOLIDS (TDS) | IRC 5 | L | NATURAL SOURCES |
| LA090207_5112 | Morgan Bayou-From headwaters near I-10 to Middle River | R | 4.3 | F | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | NATURAL SOURCES |
| LA090207_5112 | Morgan Bayou-From headwaters near I-10 to Middle River | R | 4.3 | F | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | WATERFOWL |
| LA090207_5112 | Morgan Bayou-From headwaters near I-10 to Middle River | R | 4.3 | F | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | WILDLIFE OTHER THAN WATERFOWL |
| LA090207_5112 | Morgan Bayou-From headwaters near I-10 to Middle River | R | 4.3 | F | F | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | ATMOSPHERIC DEPOSITION - TOXICS |
| LA090207_5112 | Morgan Bayou-From headwaters near I-10 to Middle River | R | 4.3 | F | F | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | SOURCE UNKNOWN |
| LA090208_00 | Little Lake (Estuarine) | Е | 3.0 | F | F | F | | | | | | | | | | |
| LA090301_00 | Pushepatapa Creek-From headwaters and tributaries at Mississippi state line to Pearl River floodplain (Scenic) | R | 27.0 | F | F | F | | F | | | | | | | | |
| LA090401_00 | Bogue Lusa Creek-From headwaters to Pearl River floodplain | R | 30.4 | F | F | F | | | | | | | | | | |
| LA090501_00 | Bogue Chitto River-From Mississippi state line to Pearl River Navigation Canal (Scenic) | R | 59.3 | F | F | N | | N | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | ATMOSPHERIC DEPOSITION - TOXICS |
| LA090501_00 | Bogue Chitto River-From Mississippi state line to Pearl River Navigation Canal (Scenic) | R | 59.3 | F | F | N | | N | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | SOURCE UNKNOWN |
| LA090501_00 | Bogue Chitto River-From Mississippi state line to Pearl River Navigation Canal (Scenic) | R | 59.3 | F | F | N | | N | | | | ONR | TURBIDITY | IRC 4a | | NATURAL SOURCES |
| LA090501_00 | Bogue Chitto River-From Mississippi state line to Pearl River Navigation Canal (Scenic) | R | 59.3 | F | F | N | | N | | | | ONR | TURBIDITY | IRC 4a | | SILVICULTURE ACTIVITIES |
| LA090501_00 | Bogue Chitto River-From Mississippi state line to Pearl River Navigation Canal (Scenic) | R | 59.3 | F | F | N | | N | | | | ONR | TURBIDITY | IRC 4a | | SOURCES OUTSIDE STATE JURISDICTION OR BORDERS |
| LA090502_00 | Big Silver Creek-From headwaters to Bogue Chitto River | R | 15.4 | F | F | F | | | | | | | | | | |
| LA090503_00 | Little Silver Creek-From headwaters to Bogue Chitto River | R | 17.8 | F | F | F | | | | | | | | | | |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | SMO | ONR | OYS | AGR | LAL | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | TMDL Priority | Suspected Sources of Impairment |
|-------------------|--|-----------------------|---------|-----|-----|-----|-----|-----|-----|-----|-----|---|---|--|------------------|--|
| LA090504_00 | Lawrence Creek-From headwaters to Bogue Chitto River | R | 17.9 | F | F | F | | | | | | | | | | |
| LA090505_00 | Bonner Creek-From headwaters to Bogue Chitto River | R | 8.4 | F | F | F | | | | | | | | | | |
| LA090506_00 | Thigpen Creek-From headwaters to Bogue Chitto River | R | 10.8 | N | F | N | | | | | | FWP | LEAD | IRC 5 | L | SOURCE UNKNOWN |
| LA090506_00 | Thigpen Creek-From headwaters to Bogue Chitto River | R | 10.8 | N | F | N | | | | | | PCR | FECAL COLIFORM | IRC 4a | | SOURCE UNKNOWN |
| LA100101_00 | Red River-From Arkansas state line to US-165 in Alexandria | R | 196.3 | F | F | F | N | | | F | | DWS | COLOR | IRC 5 | L | SOURCE UNKNOWN |
| LA100201_00 | Red River-From US-165 to Old River Control Structure Outflow Channel | R | 91.7 | F | F | F | | | | | | | | | | |
| LA100202_00 | Little River-From headwaters to Old River near Marksville | R | 12.4 | N | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 5 | L | AGRICULTURE |
| LA100202_00 | Little River-From headwaters to Old River near Marksville | R | 12.4 | N | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 5 | L | SEWAGE DISCHARGES IN UNSEWERED AREAS |
| LA100202_00 | Little River-From headwaters to Old River near Marksville | R | 12.4 | N | F | N | | | | | | PCR | FECAL COLIFORM | IRC 5 | L | SEWAGE DISCHARGES IN UNSEWERED AREAS |
| LA100203_00 | Old River; includes associated water bodies in Spring Bayou WMA: also called LaVielle Riviere | R | 51.1 | F | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 5 | L | DROUGHT-RELATED IMPACTS |
| LA100203_00 | Old River; includes associated water bodies in Spring Bayou WMA; also called LaVielle Riviere | R | 51.1 | F | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 5 | L | SEWAGE DISCHARGES IN UNSEWERED AREAS |
| LA100301_00 | Black Bayou-FromTexas state line to LA-1 at Black Bayou Lake | R | 6.7 | F | F | N | | | | F | | FWP | DISSOLVED OXYGEN | IRC 5 | L | NATURAL SOURCES |
| LA100302_00 | Black Bayou Lake-From LA-1 to spillway | L | 4,382.4 | F | F | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 5 | L | ATMOSPHERIC DEPOSITION - TOXICS |
| LA100302_00 | Black Bayou Lake-From LA-1 to spillway | L | 4,382.4 | F | F | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 5 | L | SOURCE UNKNOWN |
| LA100302_00 | Black Bayou Lake-From LA-1 to spillway | L | 4,382.4 | F | F | N | | | | | | FWP | NON-NATIVE AQUATIC PLANTS | IRC 4b | | INTRODUCTION OF NON- NATIVE ORGANISMS (ACCIDENTAL OR INTENTIONAL) |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | DWS | ONR | SYO | AGR | LAL | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | TMDL Priority | Suspected Sources of Impairment |
|-------------------|--|-----------------------|----------|-----|-----|-----|-----|-----|-----|-----|-----|---|---|--|------------------|--|
| LA100303_00 | Black Bayou-From spillway at Black Bayou Lake to Twelve Mile Bayou | R | 17.6 | F | F | F | | | | | | | | | | |
| LA100304_00 | Twelve Mile Bayou-From headwaters to Red River | R | 22.8 | F | F | N | F | | | F | | FWP | DISSOLVED OXYGEN | IRC 5RC | L | NATURAL SOURCES |
| LA100305_00 | Mahlin Bayou and McCain Creek-From headwaters to Twelve Mile Bayou | R | 14.3 | | N | | | | | | F | SCR | FECAL COLIFORM | IRC 5 | L | MUNICIPAL POINT SOURCE DISCHARGES |
| LA100305_00 | Mahlin Bayou and McCain Creek-From headwaters to Twelve Mile Bayou | R | 14.3 | | N | | | | | | F | SCR | FECAL COLIFORM | IRC 5 | L | PACKAGE PLANT OR OTHER PERMITTED SMALL FLOWS DISCHARGES |
| LA100306_00 | Kelly Bayou-From Arkansas state line to Black Bayou | R | 17.0 | F | F | F | | | | F | | | | | | |
| LA100307_00 | Caddo Lake-From Texas state line to spillway; includes James Bayou | L | 32,640.0 | F | F | N | N | | | F | | DWS | COLOR | IRC 5 | L | NATURAL SOURCES |
| LA100307_00 | Caddo Lake-From Texas state line to spillway; includes James Bayou | L | 32,640.0 | F | F | Ν | N | | | F | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 5 | L | ATMOSPHERIC DEPOSITION - TOXICS |
| LA100307_00 | Caddo Lake-From Texas state line to spillway; includes James Bayou | L | 32,640.0 | F | F | N | N | | | F | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 5 | L | SOURCE UNKNOWN |
| LA100308_00 | Paw Paw Bayou-From Texas state line to Cross Lake; includes tributaries | R | 5.8 | F | F | N | N | | | F | | DWS | COLOR | IRC 5 | L | NATURAL SOURCES |
| LA100308_00 | Paw Paw Bayou-From Texas state line to Cross Lake; includes tributaries | R | 5.8 | F | F | N | N | | | F | | FWP | DISSOLVED OXYGEN | IRC 5RC | L | NATURAL SOURCES |
| LA100308_00 | Paw Paw Bayou-From Texas state line to Cross Lake; includes tributaries | R | 5.8 | F | F | N | N | | | F | | FWP | TOTAL DISSOLVED SOLIDS (TDS) | IRC 5 | L | UPSTREAM SOURCE |
| LA100309_00 | Cross Bayou-From Texas state line to Cross Lake | R | 15.0 | F | F | Ν | Ν | | | F | | DWS | COLOR | IRC 5 | L | NATURAL SOURCES |
| LA100309_00 | Cross Bayou-From Texas state line to Cross Lake | R | 15.0 | | F | Ν | N | | | F | | DWS | COLOR | IRC 5 | L | SEDIMENT RESUSPENSION (CLEAN SEDIMENT) |
| LA100309_00 | Cross Bayou-From Texas state line to Cross Lake | R | 15.0 | F | F | N | N | | | F | | FWP | CHLORIDE | IRC 4a | | PETROLEUM/NATURAL GAS PRODUCTION ACTIVITIES (PERMITTED) |
| LA100309_00 | Cross Bayou-From Texas state line to Cross Lake | R | 15.0 | F | F | N | N | | | F | | FWP | DISSOLVED OXYGEN | IRC 5 | L | NATURAL SOURCES |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | SWG | ONR | SYO | AGR | TVT | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | TMDL Priority | Suspected Sources of Impairment |
|-------------------|---|-----------------------|---------|-----|-----|-----|-----|-----|-----|-----|----------|---|--|--|------------------|------------------------------------|
| LA100309_00 | Cross Bayou-From Texas state line to Cross Lake | R | 15.0 | F | F | N | N | | | F | | FWP | NITRATE/NITRITE (NITRITE + NITRATE AS N) | IRC 5 | L | NATURAL SOURCES |
| LA100309_00 | Cross Bayou-From Texas state line to Cross Lake | R | 15.0 | F | F | N | N | | | F | | FWP | PHOSPHORUS, TOTAL | IRC 5 | L | NATURAL SOURCES |
| LA100309_00 | Cross Bayou-From Texas state line to Cross Lake | R | 15.0 | F | F | Ν | Ν | | | F | | FWP | SULFATE | IRC 4a | | NATURAL SOURCES |
| LA100309_00 | Cross Bayou-From Texas state line to Cross Lake | R | 15.0 | | F | | | | | F | | FWP | TOTAL DISSOLVED SOLIDS (TDS) | IRC 4a | | NATURAL SOURCES |
| LA100309_00 | Cross Bayou-From Texas state line to Cross Lake | R | 15.0 | F | F | Ν | Ν | | | F | | FWP | TURBIDITY | IRC 4a | | NATURAL SOURCES |
| LA100310_00 | Cross Lake | L | 8,838.0 | F | F | F | F | | | F | | | | | | |
| LA100401_00 | Bayou Bodcau-From Arkansas state line to Red Chute Bayou at Cypress Bayou confluence | R | 58.0 | F | F | N | | | | F | | FWP | DISSOLVED OXYGEN | IRC 5RC | L | NATURAL SOURCES |
| LA100401_0556575 | Ivan Lake-Located within subsegment LA100401_00. This unit is added for advisory tracking purposes only and is not a subsegment as defined by LAC 33:IX.1123.A. et seq. No other assessment is made for this lake. | L | 520.0 | | | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | ATMOSPHERIC DEPOSITION - TOXICS |
| LA100401_0556575 | Ivan Lake-Located within subsegment LA100401_00. This unit is added for advisory tracking purposes only and is not a subsegment as defined by LAC 33:IX.1123.A. et seq. No other assessment is made for this lake. | L | 520.0 | | | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | SOURCE UNKNOWN |
| LA100402_00 | Red Chute Bayou-From Cypress Bayou to Flat River | R | 35.8 | F | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 5 | L | SOURCE UNKNOWN |
| LA100403_00 | Cypress Bayou-From headwaters to Cypress Bayou Reservoir | R | 33.1 | F | F | N | | | | F | | FWP | DISSOLVED OXYGEN | IRC 5RC | L | NATURAL SOURCES |
| LA100404_00 | Cypress Bayou Reservoir | L | 2,840.6 | F | F | Ν | Ν | | | F | | DWS | COLOR | IRC 5 | L | NATURAL SOURCES |
| LA100404_00 | Cypress Bayou Reservoir | L | 2,840.6 | | F | N | N | | | F | | FWP | DISSOLVED OXYGEN | IRC 4a | | NATURAL SOURCES |
| LA100404_00 | Cypress Bayou Reservoir | L | 2,840.6 | F | F | Ν | N | | | F | | FWP | DISSOLVED OXYGEN | IRC 4a | | SOURCE UNKNOWN |
| LA100405_00 | Black Bayou-From headwaters to spillway at Black Bayou Reservoir; includes Black Bayou Reservoir | R | 14.2 | N | F | F | | | | F | <u> </u> | PCR | FECAL COLIFORM | IRC 5 | L | WILDLIFE OTHER THAN WATERFOWL |
| LA100406_00 | Flat River-From headwaters to Loggy Bayou | R | 55.0 | F | F | Ν | | | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | SOURCE UNKNOWN |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | SMG | ONR | OYS | AGR | LAL | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | TMDL Priority | Suspected Sources of Impairment |
|-------------------|---|-----------------------|----------|-----|-----|-----|-----|-----|-----|-----|-----|---|---|--|------------------|--|
| LA100406_00 | Flat River-From headwaters to Loggy Bayou | R | 55.0 | F | F | N | | | | | | FWP | NON-NATIVE AQUATIC PLANTS | IRC 4b | | INTRODUCTION OF NON- NATIVE ORGANISMS (ACCIDENTAL OR INTENTIONAL) |
| LA100406_00 | Flat River-From headwaters to Loggy Bayou | R | 55.0 | F | F | N | | | | | | FWP | TOTAL DISSOLVED SOLIDS (TDS) | IRC 4a | | RESIDENTIAL DISTRICTS |
| LA100501_00 | Bayou Dorcheat-From Arkansas state line to Lake Bistineau (Scenic) | R | 53.1 | F | F | N | | N | | F | | FWP | DISSOLVED OXYGEN | IRC 4a | | NATURAL SOURCES |
| LA100501_00 | Bayou Dorcheat-From Arkansas state line to Lake Bistineau (Scenic) | R | 53.1 | F | F | N | | N | | F | | FWP | DISSOLVED OXYGEN | IRC 4a | | SOURCE UNKNOWN |
| LA100501_00 | Bayou Dorcheat-From Arkansas state line to Lake Bistineau (Scenic) | R | 53.1 | F | F | N | | N | | F | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | ATMOSPHERIC DEPOSITION - TOXICS |
| LA100501_00 | Bayou Dorcheat-From Arkansas state line to Lake Bistineau (Scenic) | R | 53.1 | F | F | N | | N | | F | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | SOURCE UNKNOWN |
| LA100501_00 | Bayou Dorcheat-From Arkansas state line to Lake Bistineau (Scenic) | R | 53.1 | F | F | N | | N | | F | | ONR | TURBIDITY | IRC 5 | L | NATURAL SOURCES |
| LA100501_00 | Bayou Dorcheat-From Arkansas state line to Lake Bistineau (Scenic) | R | 53.1 | F | F | N | | N | | F | | ONR | TURBIDITY | IRC 5 | L | SOURCE UNKNOWN |
| LA100502_00 | Lake Bistineau | L | 17,216.0 | F | F | N | | | | F | | FWP | DISSOLVED OXYGEN | IRC 5 | L | INTRODUCTION OF NON- NATIVE ORGANISMS (ACCIDENTAL OR INTENTIONAL) |
| LA100502_00 | Lake Bistineau | L | 17,216.0 | F | F | N | | | | F | | FWP | DISSOLVED OXYGEN | IRC 5 | L | SOURCE UNKNOWN |
| LA100502_00 | Lake Bistineau | L | 17,216.0 | F | F | N | | | | F | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 5 | L | ATMOSPHERIC DEPOSITION - TOXICS |
| LA100502_00 | Lake Bistineau | L | 17,216.0 | F | F | N | | | | F | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 5 | L | SOURCE UNKNOWN |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | DWS | ONR | SYO | AGR | LAL | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | TMDL Priority | Suspected Sources of Impairment |
|-------------------|---|-----------------------|----------|-----|-----|-----|-----|-----|-----|-----|-----|---|-----------------------------------|--|------------------|--|
| LA100502_00 | Lake Bistineau | L | 17,216.0 | F | F | N | | | | F | | FWP | NON-NATIVE AQUATIC PLANTS | IRC 4b | | INTRODUCTION OF NON- NATIVE ORGANISMS (ACCIDENTAL OR INTENTIONAL) |
| LA100503_00 | Caney Creek-From headwaters to Bayou Dorcheat; excludes Caney Lake | R | 10.0 | X | X | X | | | | X | | | | | | |
| LA100504_00 | Caney Lake | L | 361.0 | Х | Х | Х | | | | Х | | | | | | |
| LA100505_00 | Loggy Bayou-From Lake Bistineau dam to Flat River | R | 9.2 | | F | N | | | | F | | FWP | DISSOLVED OXYGEN | IRC 5 | L | SOURCE UNKNOWN |
| LA100506_00 | Loggy Bayou-From Flat River to Red River | R | 8.1 | F | F | N | | | | F | | FWP | DISSOLVED OXYGEN | IRC 5RC | L | NATURAL SOURCES |
| LA100601_00 | Bayou Pierre-From headwaters to Bayou Pierre | R | 35.5 | F | F | N | | | | F | | FWP | DISSOLVED OXYGEN | IRC 4a | | SOURCE UNKNOWN |
| LA100602_00 | Boggy Bayou-From headwaters to Wallace Lake | R | 25.5 | F | F | N | | | | F | | FWP | DISSOLVED OXYGEN | IRC 4a | | PACKAGE PLANT OR OTHER PERMITTED SMALL FLOWS DISCHARGES |
| LA100602_00 | Boggy Bayou-From headwaters to Wallace Lake | R | 25.5 | F | F | N | | | | F | | FWP | DISSOLVED OXYGEN | IRC 4a | | SANITARY SEWER OVERFLOWS (COLLECTION SYSTEM FAILURES) |
| LA100602_00 | Boggy Bayou-From headwaters to Wallace Lake | R | 25.5 | F | F | N | | | | F | | FWP | DISSOLVED OXYGEN | IRC 4a | | SOURCE UNKNOWN |
| LA100603_00 | Wallace Lake | L | 9,248.0 | F | F | N | | | | F | | FWP | DISSOLVED OXYGEN | IRC 5RC | L | INTRODUCTION OF NON- NATIVE ORGANISMS (ACCIDENTAL OR INTENTIONAL) |
| LA100603_00 | Wallace Lake | L | 9,248.0 | F | F | N | | | | F | | FWP | DISSOLVED OXYGEN | IRC 5RC | L | SOURCE UNKNOWN |
| LA100603_00 | Wallace Lake | L | 9,248.0 | F | F | N | | | | F | | FWP | NON-NATIVE AQUATIC PLANTS | IRC 4b | | INTRODUCTION OF NON- NATIVE ORGANISMS (ACCIDENTAL OR INTENTIONAL) |
| LA100604_00 | Wallace Bayou-From Wallace Lake to Bayou Pierre | R | 3.4 | F | F | N | | | | F | | FWP | DISSOLVED OXYGEN | IRC 5RC | L | NATURAL SOURCES |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | DWS | ONR | SYO | AGR | LAL | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | TMDL Priority | Suspected Sources of Impairment |
|-------------------|--|-----------------------|---------|-----|-----|-----|-----|-----|-----|-----|-----|---|--|--|------------------|--|
| LA100604_00 | Wallace Bayou-From Wallace Lake to Bayou Pierre | R | 3.4 | F | F | N | | | | F | | FWP | DISSOLVED OXYGEN | IRC 5RC | L | SOURCE UNKNOWN |
| LA100605_00 | Clear Lake and Smithport Lake; includes old Edwards Lake | L | 2,944.0 | F | F | N | | | | F | | FWP | DISSOLVED OXYGEN | IRC 4a | | NATURAL SOURCES |
| LA100605_00 | Clear Lake and Smithport Lake; includes old Edwards Lake | L | 2,944.0 | F | F | N | | | | F | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 5 | L | ATMOSPHERIC DEPOSITION - TOXICS |
| LA100605_00 | Clear Lake and Smithport Lake; includes old Edwards Lake | L | 2,944.0 | F | F | N | | | | F | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 5 | L | SOURCE UNKNOWN |
| LA100605_00 | Clear Lake and Smithport Lake; includes old Edwards Lake | L | 2,944.0 | F | F | N | | | | F | | FWP | NITRATE/NITRITE (NITRITE + NITRATE AS N) | IRC 4a | | NATURAL SOURCES |
| LA100605_00 | Clear Lake and Smithport Lake; includes old Edwards Lake | L | 2,944.0 | F | F | N | | | | F | | FWP | NON-NATIVE AQUATIC PLANTS | IRC 4b | | INTRODUCTION OF NON- NATIVE ORGANISMS (ACCIDENTAL OR INTENTIONAL) |
| LA100605_00 | Clear Lake and Smithport Lake; includes old Edwards Lake | L | 2,944.0 | F | F | N | | | | F | | FWP | PHOSPHORUS, TOTAL | IRC 4a | | NATURAL SOURCES |
| LA100606_00 | Bayou Pierre-From Sawing Lake to Red River | R | 49.6 | N | F | N | | | | F | | FWP | DISSOLVED OXYGEN | IRC 4a | | NATURAL SOURCES |
| LA100606_00 | Bayou Pierre-From Sawing Lake to Red River | R | 49.6 | N | F | Ν | | | | F | | PCR | FECAL COLIFORM | IRC 5 | L | MANURE RUNOFF |
| LA100701_00 | Black Lake Bayou-From headwaters to 1 mile north of confluence with Leatherman Creek | R | 38.1 | F | F | N | | | | F | | FWP | SULFATE | IRC 4a | | SOURCE UNKNOWN |
| LA100701_00 | Black Lake Bayou-From headwaters to 1 mile north of confluence with Leatherman Creek | R | 38.1 | F | F | N | | | | F | | FWP | TOTAL DISSOLVED SOLIDS (TDS) | IRC 4a | | NATURAL SOURCES |
| LA100702_00 | Black Lake Bayou-From 1 mile north of Leatherman Creek to Black Lake (Scenic) | R | 37.0 | N | F | N | | N | | F | | FWP | DISSOLVED OXYGEN | IRC 4a | | INTRODUCTION OF NON- NATIVE ORGANISMS (ACCIDENTAL OR INTENTIONAL) |
| LA100702_00 | Black Lake Bayou-From 1 mile north of Leatherman Creek to Black Lake (Scenic) | R | 37.0 | N | F | N | | N | | F | | FWP | DISSOLVED OXYGEN | IRC 4a | | NATURAL SOURCES |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | DWS | ONR | SYO | AGR | LAL | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | TMDL Priority | Suspected Sources of Impairment |
|-------------------|--|-----------------------|----------|-----|-----|-----|-----|-----|-----|-----|-----|---|---|--|------------------|--|
| LA100702_00 | Black Lake Bayou-From 1 mile north of Leatherman Creek to Black Lake (Scenic) | R | 37.0 | N | F | N | | N | | F | | FWP | NON-NATIVE AQUATIC PLANTS | IRC 4b | | INTRODUCTION OF NON- NATIVE ORGANISMS (ACCIDENTAL OR INTENTIONAL) |
| LA100702_00 | Black Lake Bayou-From 1 mile north of Leatherman Creek to Black Lake (Scenic) | R | 37.0 | N | F | N | | N | | F | | FWP | SULFATE | IRC 5 | L | NATURAL SOURCES |
| LA100702_00 | Black Lake Bayou-From 1 mile north of Leatherman Creek to Black Lake (Scenic) | R | 37.0 | N | F | N | | N | | F | | FWP | SULFATE | IRC 5 | L | SOURCE UNKNOWN |
| LA100702_00 | Black Lake Bayou-From 1 mile north of Leatherman Creek to Black Lake (Scenic) | R | 37.0 | N | F | N | | N | | F | | FWP | TOTAL DISSOLVED SOLIDS (TDS) | IRC 5 | L | SOURCE UNKNOWN |
| LA100702_00 | Black Lake Bayou-From 1 mile north of Leatherman Creek to Black Lake (Scenic) | R | 37.0 | N | F | N | | N | | F | | ONR | TURBIDITY | IRC 5 | L | SOURCE UNKNOWN |
| LA100702_00 | Black Lake Bayou-From 1 mile north of Leatherman Creek to Black Lake (Scenic) | R | 37.0 | N | F | N | | N | | F | | PCR | FECAL COLIFORM | IRC 5 | L | SOURCE UNKNOWN |
| LA100703_00 | Black Lake and Clear Lake | L | 12,909.0 | F | F | Ν | Ν | | | F | | DWS | COLOR | IRC 5 | L | NATURAL SOURCES |
| LA100703_00 | Black Lake and Clear Lake | L | 12,909.0 | | F | Ν | Ν | | | F | | DWS | COLOR | IRC 5 | L | SOURCE UNKNOWN |
| LA100703_00 | Black Lake and Clear Lake | L | 12,909.0 | F | F | N | N | | | F | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | ATMOSPHERIC DEPOSITION - TOXICS |
| LA100703_00 | Black Lake and Clear Lake | L | 12,909.0 | F | F | N | N | | | F | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | SOURCE UNKNOWN |
| LA100703_00 | Black Lake and Clear Lake | L | 12,909.0 | F | F | N | N | | | F | | FWP | TOTAL DISSOLVED SOLIDS (TDS) | IRC 5 | L | SOURCE UNKNOWN |
| LA100704_00 | Kepler Creek-From headwaters to Kepler Lake | R | 12.5 | F | F | N | | | | F | | FWP | DISSOLVED OXYGEN | IRC 5RC | L | NATURAL SOURCES |
| LA100704_00 | Kepler Creek-From headwaters to Kepler Lake | R | 12.5 | F | F | N | | | | F | | FWP | TOTAL DISSOLVED SOLIDS (TDS) | IRC 4a | | SOURCE UNKNOWN |
| LA100705_00 | Kepler Lake | L | 1,926.0 | F | F | N | | | | F | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | ATMOSPHERIC DEPOSITION - TOXICS |
| LA100705_00 | Kepler Lake | L | 1,926.0 | F | F | N | | | | F | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | SOURCE UNKNOWN |
| LA100705_00 | Kepler Lake | L | 1,926.0 | F | F | N | | | | F | | FWP | TOTAL DISSOLVED SOLIDS (TDS) | IRC 5 | L | SOURCE UNKNOWN |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | DWS | ONR | SYO | AGR | LAL | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | TMDL Priority | Suspected Sources of Impairment |
|-------------------|--|-----------------------|---------|-----|-----|-----|-----|-----|-----|-----|-----|---|---|--|------------------|--|
| LA100706_00 | Kepler Creek-From Kepler Lake to Black Lake Bayou | R | 1.8 | F | F | N | | | | F | | FWP | TOTAL DISSOLVED SOLIDS (TDS) | IRC 5 | L | SOURCE UNKNOWN |
| LA100707_00 | Castor Creek-From headwaters to Black Lake Bayou | R | 18.1 | N | F | N | | | | | | FWP | SULFATE | IRC 5 | L | NATURAL SOURCES |
| LA100707_00 | Castor Creek-From headwaters to Black Lake Bayou | R | 18.1 | N | F | Ν | | | | | | FWP | SULFATE | IRC 5 | L | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |
| LA100707_00 | Castor Creek-From headwaters to Black Lake Bayou | R | 18.1 | N | F | N | | | | | | FWP | TOTAL DISSOLVED SOLIDS (TDS) | IRC 5 | L | SOURCE UNKNOWN |
| LA100707_00 | Castor Creek-From headwaters to Black Lake Bayou | R | 18.1 | N | F | N | | | | | | PCR | FECAL COLIFORM | IRC 4a | | WILDLIFE OTHER THAN WATERFOWL |
| LA100708_00 | Castor Creek Tributary-From headwaters to Castor Creek | R | 1.5 | | F | N | | | | | | FWP | SULFATE | IRC 4a | | NATURAL SOURCES |
| LA100708_00 | Castor Creek Tributary-From headwaters to Castor Creek | R | 1.5 | | F | N | | | | | | FWP | TOTAL DISSOLVED SOLIDS (TDS) | IRC 4a | | NATURAL SOURCES |
| LA100709_00 | Grand Bayou-From headwaters to Black Lake Bayou | R | 54.5 | F | F | N | N | | | | | DWS | 1,2- DICHLOROETHANE | IRC 5 | М | SOURCE UNKNOWN |
| LA100709_00 | Grand Bayou-From headwaters to Black Lake Bayou | R | 54.5 | F | F | N | N | | | | | DWS | COLOR | IRC 5 | L | NATURAL SOURCES |
| LA100709_00 | Grand Bayou-From headwaters to Black Lake Bayou | R | 54.5 | F | F | N | N | | | | | DWS | COLOR | IRC 5 | L | SOURCE UNKNOWN |
| LA100709_00 | Grand Bayou-From headwaters to Black Lake Bayou | R | 54.5 | F | F | N | N | | | | | FWP | DISSOLVED OXYGEN | IRC 5RC | L | NATURAL SOURCES |
| LA100709_00 | Grand Bayou-From headwaters to Black Lake Bayou | R | 54.5 | F | F | N | N | | | | | FWP | TOTAL DISSOLVED SOLIDS (TDS) | IRC 5 | L | NATURAL SOURCES |
| LA100709_001 | Grand Bayou Reservoir-Located within subsegment LA100709_00. This unit is added for advisory tracking purposes only and is not a subsegment as defined by LAC 33:IX.1123.A. et seq. No other assessment is made for this lake. | L | 2,700.0 | | | Ν | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | ATMOSPHERIC DEPOSITION - TOXICS |
| LA100709_001 | Grand Bayou Reservoir-Located within subsegment LA100709_00. This unit is added for advisory tracking purposes only and is not a subsegment as defined by LAC 33:IX.1123.A. et seq. No other assessment is made for this lake. | L | 2,700.0 | | | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | SOURCE UNKNOWN |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | SWG | ONR | SYO | AGR | LAL | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | TMDL Priority | Suspected Sources of Impairment |
|-------------------|--|-----------------------|---------|-----|-----|-----|-----|-----|-----|-----|-----|---|---|--|------------------|--|
| LA100710_00 | Grand Bayou Tributary-From headwaters to Grand Bayou | R | 8.0 | | F | N | | | | | | FWP | CHLORIDE | IRC 4a | | NATURAL SOURCES |
| LA100710_00 | Grand Bayou Tributary-From headwaters to Grand Bayou | R | 8.0 | | F | N | | | | | | FWP | CHLORIDE | IRC 4a | | PETROLEUM/NATURAL GAS ACTIVITIES |
| LA100710_00 | Grand Bayou Tributary-From headwaters to Grand Bayou | R | 8.0 | | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 5 | L | SOURCE UNKNOWN |
| LA100710_00 | Grand Bayou Tributary-From headwaters to Grand Bayou | R | 8.0 | | F | N | | | | | | FWP | SULFATE | IRC 4a | | NATURAL SOURCES |
| LA100710_00 | Grand Bayou Tributary-From headwaters to Grand Bayou | R | 8.0 | | F | N | | | | | | FWP | SULFATE | IRC 4a | | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |
| LA100710_00 | Grand Bayou Tributary-From headwaters to Grand Bayou | R | 8.0 | | F | N | | | | | | FWP | TOTAL DISSOLVED SOLIDS (TDS) | IRC 4a | | NATURAL SOURCES |
| LA100710_00 | Grand Bayou Tributary-From headwaters to Grand Bayou | R | 8.0 | | F | N | | | | | | FWP | TOTAL DISSOLVED SOLIDS (TDS) | IRC 4a | | PETROLEUM/NATURAL GAS ACTIVITIES |
| LA100801_00 | Saline Bayou-From headwaters near Arcadia to Saline Lake (Scenic) | R | 83.4 | F | F | N | | F | | F | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 5 | L | ATMOSPHERIC DEPOSITION - TOXICS |
| LA100801_00 | Saline Bayou-From headwaters near Arcadia to Saline Lake (Scenic) | R | 83.4 | F | F | N | | F | | F | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 5 | L | SOURCE UNKNOWN |
| LA100802_00 | Saline Lake | L | 8,960.0 | F | F | N | | | | F | | FWP | DISSOLVED OXYGEN | IRC 5RC | L | NATURAL SOURCES |
| LA100802_00 | Saline Lake | L | 8,960.0 | F | F | N | | | | F | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 5 | L | ATMOSPHERIC DEPOSITION - TOXICS |
| LA100802_00 | Saline Lake | L | 8,960.0 | F | F | N | | | | F | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 5 | L | SOURCE UNKNOWN |
| LA100803_00 | Saline Bayou-From Saline Lake to Red River | R | 12.9 | F | F | N | | | | F | | FWP | DISSOLVED OXYGEN | IRC 4a | | SOURCE UNKNOWN |
| LA100804_00 | Saline Bayou Tributary-From headwaters to Saline Bayou near Arcadia | R | 2.8 | | | N | | | | | | FWP | TOTAL DISSOLVED SOLIDS (TDS) | IRC 4a | | MUNICIPAL POINT SOURCE DISCHARGES |
| LA100901_00 | Nantaches Creek-From headwaters to Nantaches Lake | R | 29.1 | F | F | N | | | | F | | FWP | DISSOLVED OXYGEN | IRC 5RC | L | NATURAL SOURCES |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | DWS | ONR | OYS | AGR | LAL | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | TMDL Priority | Suspected Sources of Impairment |
|-------------------|---|-----------------------|---------|-----|-----|-----|-----|-----|-----|-----|-----|---|-----------------------------------|--|------------------|--|
| LA100901_00 | Nantaches Creek-From headwaters to Nantaches Lake | R | 29.1 | F | F | N | | | | F | | FWP | TOTAL DISSOLVED SOLIDS (TDS) | IRC 5 | L | SILVICULTURE ACTIVITIES |
| LA100902_00 | Nantaches Lake | L | 1,581.0 | F | F | N | | | | F | | FWP | TOTAL DISSOLVED SOLIDS (TDS) | IRC 5 | L | SOURCE UNKNOWN |
| LA100903_00 | Bayou Nantaches-From Nantaches Lake to Red River | R | 1.0 | F | F | N | | | | F | | FWP | TOTAL DISSOLVED SOLIDS (TDS) | IRC 5 | L | SEWAGE DISCHARGES IN UNSEWERED AREAS |
| LA100903_00 | Bayou Nantaches-From Nantaches Lake to Red River | R | 1.0 | F | F | N | | | | F | | FWP | TOTAL DISSOLVED SOLIDS (TDS) | IRC 5 | L | SILVICULTURE ACTIVITIES |
| LA101001_00 | Sibley Lake | L | 1,830.4 | Ν | F | Ν | F | | | F | | FWP | PH, HIGH | IRC 5 | L | NATURAL SOURCES |
| LA101001_00 | Sibley Lake | L | 1,830.4 | | F | Ν | F | | | F | | PCR | TEMPERATURE | IRC 5 | L | NATURAL SOURCES |
| LA101101_00 | Cane River-From above Natchitoches to Red River | R | 66.6 | N | F | N | | | | F | | FWP | DISSOLVED OXYGEN | IRC 5 | L | SOURCE UNKNOWN |
| LA101101_00 | Cane River-From above Natchitoches to Red River | R | 66.6 | N | F | N | | | | F | | FWP | TOTAL DISSOLVED SOLIDS (TDS) | IRC 4a | | NATURAL SOURCES |
| LA101101_00 | Cane River-From above Natchitoches to Red River | R | 66.6 | N | F | N | | | | F | | FWP | TOTAL DISSOLVED SOLIDS (TDS) | IRC 4a | | RURAL (RESIDENTIAL AREAS) |
| LA101101_00 | Cane River-From above Natchitoches to Red River | R | 66.6 | N | F | N | | | | F | | PCR | FECAL COLIFORM | IRC 4a | | LIVESTOCK (GRAZING OR FEEDING OPERATIONS) |
| LA101101_00 | Cane River-From above Natchitoches to Red River | R | 66.6 | N | F | N | | | | F | | PCR | FECAL COLIFORM | IRC 4a | | RURAL (RESIDENTIAL AREAS) |
| LA101101_00 | Cane River-From above Natchitoches to Red River | R | 66.6 | Ν | F | Ν | | | | F | | PCR | FECAL COLIFORM | IRC 4a | | SOURCE UNKNOWN |
| LA101101_00 | Cane River-From above Natchitoches to Red River | R | 66.6 | | F | N | | | | F | | PCR | FECAL COLIFORM | IRC 4a | | WILDLIFE OTHER THAN WATERFOWL |
| LA101102_00 | Kisatchie Bayou-From headwaters to Kisatchie National Forest | R | 7.4 | F | F | F | | | | F | | | | | | |
| LA101103_00 | Kisatchie Bayou-From Kisatchie National Forest to Old River (Scenic) | R | 45.8 | N | F | F | | N | | F | | ONR | TURBIDITY | IRC 5 | L | AGRICULTURE |
| LA101103_00 | Kisatchie Bayou-From Kisatchie National Forest to Old River (Scenic) | R | 45.8 | N | F | F | | N | | F | | ONR | TURBIDITY | IRC 5 | L | NATURAL SOURCES |
| LA101103_00 | Kisatchie Bayou-From Kisatchie National Forest to Old River (Scenic) | R | 45.8 | N | F | F | | N | | F | | PCR | FECAL COLIFORM | IRC 4a | | SEWAGE DISCHARGES IN UNSEWERED AREAS |
| LA101103_00 | Kisatchie Bayou-From Kisatchie National Forest to Old River (Scenic) | R | 45.8 | N | F | F | | N | | F | | PCR | FECAL COLIFORM | IRC 4a | | WATERFOWL |
| LA101103_00 | Kisatchie Bayou-From Kisatchie National Forest to Old River (Scenic) | R | 45.8 | N | F | F | | N | | F | | PCR | FECAL COLIFORM | IRC 4a | | WILDLIFE OTHER THAN WATERFOWL |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | DWS | ONR | SYO | AGR | LAL | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | TMDL Priority | Suspected Sources of Impairment |
|-------------------|--|-----------------------|---------|-----|-----|-----|-----|-----|-----|-----|-----|---|---|--|------------------|--|
| LA101201_00 | Cotile Reservoir | L | 1,602.4 | | F | F | | | | | | | | | | |
| LA101301_00 | Rigolette Bayou-From headwaters to Red River | R | 26.5 | N | F | F | | | | F | | PCR | FECAL COLIFORM | IRC 4a | | SEWAGE DISCHARGES IN UNSEWERED AREAS |
| LA101302_00 | Iatt Lake | L | 6,280.3 | F | F | N | | | | F | | FWP | DISSOLVED OXYGEN | IRC 4a | | AGRICULTURE |
| LA101302_00 | Iatt Lake | L | 6,280.3 | F | F | N | | | | F | | FWP | DISSOLVED OXYGEN | IRC 4a | | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |
| LA101302_00 | Iatt Lake | L | 6,280.3 | F | F | N | | | | F | | FWP | DISSOLVED OXYGEN | IRC 4a | | RUNOFF FROM FOREST/GRASSLAND/PAR KLAND |
| LA101302_00 | Iatt Lake | L | 6,280.3 | F | F | N | | | | F | | FWP | DISSOLVED OXYGEN | IRC 4a | | SEWAGE DISCHARGES IN UNSEWERED AREAS |
| LA101302_00 | Iatt Lake | L | 6,280.3 | F | F | N | | | | F | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | ATMOSPHERIC DEPOSITION - TOXICS |
| LA101302_00 | Iatt Lake | L | 6,280.3 | F | F | N | | | | F | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | SOURCE UNKNOWN |
| LA101302_00 | Iatt Lake | L | 6,280.3 | F | F | N | | | | F | | FWP | NON-NATIVE AQUATIC PLANTS | IRC 4b | | INTRODUCTION OF NON- NATIVE ORGANISMS (ACCIDENTAL OR INTENTIONAL) |
| LA101302_00 | Iatt Lake | L | 6,280.3 | F | F | N | | | | F | | FWP | TOTAL DISSOLVED SOLIDS (TDS) | IRC 5 | L | AGRICULTURE |
| LA101302_00 | Iatt Lake | L | 6,280.3 | F | F | N | | | | F | | FWP | TOTAL DISSOLVED SOLIDS (TDS) | IRC 5 | L | SEWAGE DISCHARGES IN UNSEWERED AREAS |
| LA101302_00 | Iatt Lake | L | 6,280.3 | F | F | N | | | | F | | FWP | TOTAL DISSOLVED SOLIDS (TDS) | IRC 5 | L | SILVICULTURE ACTIVITIES |
| LA101303_00 | Iatt Creek-From headwaters to Iatt Lake | R | 39.1 | F | F | Ν | | | | F | | FWP | DISSOLVED OXYGEN | IRC 4a | | NATURAL SOURCES |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | DWS | ONR | SYO | AGR | LAL | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | TMDL Priority | Suspected Sources of Impairment |
|-------------------|--|-----------------------|---------|-----|-----|-----|-----|-----|-----|-----|-----|---|---|--|------------------|--|
| LA101303_00 | Iatt Creek-From headwaters to Iatt Lake | R | 39.1 | F | F | N | | | | F | | FWP | DISSOLVED OXYGEN | IRC 4a | | PACKAGE PLANT OR OTHER PERMITTED SMALL FLOWS DISCHARGES |
| LA101303_00 | Iatt Creek-From headwaters to Iatt Lake | R | 39.1 | F | F | N | | | | F | | FWP | TOTAL DISSOLVED SOLIDS (TDS) | IRC 4a | | NATURAL SOURCES |
| LA101401_00 | Buhlow Lake near Pineville | L | 204.2 | N | F | F | | | | | | PCR | FECAL COLIFORM | IRC 5 | L | PACKAGE PLANT OR OTHER PERMITTED SMALL FLOWS DISCHARGES |
| LA101501_00 | Big Saline Bayou-From Catahoula Lake to Saline Lake | R | 12.0 | F | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 5RC | L | NATURAL SOURCES |
| LA101501_00 | Big Saline Bayou-From Catahoula Lake to Saline Lake | R | 12.0 | F | F | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | ATMOSPHERIC DEPOSITION - TOXICS |
| LA101501_00 | Big Saline Bayou-From Catahoula Lake to Saline Lake | R | 12.0 | F | F | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | SOURCE UNKNOWN |
| LA101502_00 | Saline Lake | L | 1,971.0 | N | F | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | ATMOSPHERIC DEPOSITION - TOXICS |
| LA101502_00 | Saline Lake | L | 1,971.0 | N | F | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | SOURCE UNKNOWN |
| LA101502_00 | Saline Lake | L | 1,971.0 | | F | | | | | | | | TURBIDITY | IRC 5 | L | AGRICULTURE |
| LA101502_00 | Saline Lake | L | 1,971.0 | | F | Ν | | | | | | PCR | TEMPERATURE | IRC 5 | L | NATURAL SOURCES |
| LA101502_00537480 | Muddy Bayou-Located within subsegment LA101502_00. This unit is added for advisory tracking purposes only and is not a subsegment as defined by LAC 33:IX.1123.A. et seq. No other assessment is made for this waterbody. | R | 9.0 | | | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | ATMOSPHERIC DEPOSITION - TOXICS |
| LA101502_00537480 | Muddy Bayou-Located within subsegment LA101502_00. This unit is added for advisory tracking purposes only and is not a subsegment as defined by LAC 33:IX.1123.A. et seq. No other assessment is made for this waterbody. | R | 9.0 | | | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | SOURCE UNKNOWN |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | DWS | ONR | SYO | AGR | LAL | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | TMDL Priority | Suspected Sources of Impairment |
|-------------------|--|-----------------------|---------|-----|-----|-----|-----|-----|-----|-----|-----|---|---|--|------------------|------------------------------------|
| LA101504_00 | Saline Bayou-From Larto Lake to Saline Lake (Scenic) | R | 11.0 | N | F | N | | N | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | ATMOSPHERIC DEPOSITION - TOXICS |
| LA101504_00 | Saline Bayou-From Larto Lake to Saline Lake (Scenic) | R | 11.0 | N | F | N | | N | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | SOURCE UNKNOWN |
| LA101504_00 | Saline Bayou-From Larto Lake to Saline Lake (Scenic) | R | 11.0 | N | F | N | | N | | | | FWP | TURBIDITY | IRC 5 | L | AGRICULTURE |
| LA101504_00 | Saline Bayou-From Larto Lake to Saline Lake (Scenic) | R | 11.0 | N | F | N | | N | | | | ONR | TURBIDITY | IRC 5 | L | AGRICULTURE |
| LA101504_00 | Saline Bayou-From Larto Lake to Saline Lake (Scenic) | R | 11.0 | Ν | F | N | | N | | | | PCR | TEMPERATURE | IRC 5 | L | NATURAL SOURCES |
| LA101504_001 | Cross Bayou-Located within subsegment LA101504_00. This unit is added for advisory tracking purposes only and is not a subsegment as defined by LAC 33:IX.1123.A. et seq. No other assessment is made for this waterbody. | R | 4.0 | | | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | ATMOSPHERIC DEPOSITION - TOXICS |
| LA101504_001 | Cross Bayou-Located within subsegment LA101504_00. This unit is added for advisory tracking purposes only and is not a subsegment as defined by LAC 33:IX.1123.A. et seq. No other assessment is made for this waterbody. | R | 4.0 | | | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | SOURCE UNKNOWN |
| LA101504_002 | Shad Lake-Located within subsegment LA101504_00. This unit is added for advisory tracking purposes only and is not a subsegment as defined by LAC 33:IX.1123.A. et seq. No other assessment is made for this waterbody. | L | 307.0 | | | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | ATMOSPHERIC DEPOSITION - TOXICS |
| LA101504_002 | Shad Lake-Located within subsegment LA101504_00. This unit is added for advisory tracking purposes only and is not a subsegment as defined by LAC 33:IX.1123.A. et seq. No other assessment is made for this waterbody. | L | 307.0 | | | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | SOURCE UNKNOWN |
| LA101505_00 | Larto Lake | L | 2,525.1 | F | F | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | ATMOSPHERIC DEPOSITION - TOXICS |
| LA101505_00 | Larto Lake | L | 2,525.1 | F | F | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | SOURCE UNKNOWN |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | SWG | ONR | SYO | AGR | LAL | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | TMDL Priority | Suspected Sources of Impairment |
|-------------------|---|-----------------------|---------|-----|-----|-----|-----|-----|-----|-----|-----|---|---|--|------------------|--|
| LA101506_00 | Big Creek-From headwaters to Saline Lake | R | 12.4 | | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | NATURAL SOURCES |
| LA101506_00 | Big Creek-From headwaters to Saline Lake | R | 12.4 | F | F | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | ATMOSPHERIC DEPOSITION - TOXICS |
| LA101506_00 | Big Creek-From headwaters to Saline Lake | R | 12.4 | F | F | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | SOURCE UNKNOWN |
| LA101506_001 | Open Bayou-Located within subsegment LA101506_00. This unit is added for advisory tracking purposes only and is not a subsegment as defined by LAC 33:IX.1123.A. et seq. No other assessment is made for this waterbody. | R | 2.0 | | | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | ATMOSPHERIC DEPOSITION - TOXICS |
| LA101506_001 | Open Bayou-Located within subsegment LA101506_00. This unit is added for advisory tracking purposes only and is not a subsegment as defined by LAC 33:IX.1123.A. et seq. No other assessment is made for this waterbody. | R | 2.0 | | | N | | | | | | | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | SOURCE UNKNOWN |
| LA101601_00 | Bayou Cocodrie-From Little Cross Bayou to Wild Cow Bayou (Scenic) | R | 29.3 | F | F | N | | N | | F | | FWP | DISSOLVED OXYGEN | IRC 5 | L | AGRICULTURE |
| LA101601_00 | Bayou Cocodrie-From Little Cross Bayou to Wild Cow Bayou (Scenic) | R | 29.3 | F | F | N | | N | | F | | FWP | TURBIDITY | IRC 4a | | AGRICULTURE |
| LA101601_00 | Bayou Cocodrie-From Little Cross Bayou to Wild Cow Bayou (Scenic) | R | 29.3 | F | F | N | | N | | F | | ONR | TURBIDITY | IRC 4a | | AGRICULTURE |
| LA101602_00 | Cocodrie Lake | L | 986.0 | F | F | Ν | | | | | | FWP | TURBIDITY | IRC 5 | L | AGRICULTURE |
| LA101603_00 | Lake St. John | L | 2,126.4 | | F | F | l | | | | 1 | | | | | |
| LA101604_00 | Lake Concordia | L | 1,025.1 | F | F | F | | | | | | | | | | |
| LA101605_00 | Bayou Cocodrie-From Lake Concordia to LA-15 | R | 1.5 | F | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | MUNICIPAL POINT SOURCE DISCHARGES |
| LA101605_00 | Bayou Cocodrie-From Lake Concordia to LA-15 | R | 1.5 | F | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | PACKAGE PLANT OR OTHER PERMITTED SMALL FLOWS DISCHARGES |
| LA101605_00 | Bayou Cocodrie-From Lake Concordia to LA-15 | R | 1.5 | F | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | RESIDENTIAL DISTRICTS |
| LA101606_00 | Bayou Cocodrie-From Wild Cow Bayou to Red River | R | 22.1 | F | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 5 | L | AGRICULTURE |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | DWS | ONR | SYO | AGR | TAL | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | TMDL Priority | Suspected Sources of Impairment |
|-------------------|--|-----------------------|-----------|-----|-----|-----|-----|-----|-----|-----|-----|---|---|--|------------------|--|
| LA101606_00 | Bayou Cocodrie-From Wild Cow Bayou to Red River | R | 22.1 | F | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 5 | L | IMPACTS FROM HYDROSTRUCTURE FLOW REGULATION/MODIFICAT ION |
| LA101607_00 | Bayou Cocodrie-From LA-15 to Little Cross Bayou | R | 7.1 | | Х | | | | | | Х | | | | | |
| LA110101_00 | Toledo Bend Reservoir-From Texas-Louisiana state line to Toledo Bend Dam | L | 165,486.5 | F | F | N | F | | | F | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | ATMOSPHERIC DEPOSITION - TOXICS |
| LA110101_00 | Toledo Bend Reservoir-From Texas-Louisiana state line to Toledo Bend Dam | L | 165,486.5 | F | F | N | F | | | F | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | SOURCE UNKNOWN |
| LA110101_00 | Toledo Bend Reservoir-From Texas-Louisiana state line to Toledo Bend Dam | L | 165,486.5 | F | F | N | F | | | F | | FWP | NON-NATIVE AQUATIC PLANTS | IRC 4b | | INTRODUCTION OF NON- NATIVE ORGANISMS (ACCIDENTAL OR INTENTIONAL) |
| LA110201_00 | Sabine River-From Toledo Bend Dam to Old River below Sabine Island WMA | R | 131.4 | N | F | F | | | | | | PCR | FECAL COLIFORM | IRC 5 | L | SOURCE UNKNOWN |
| LA110201_00537846 | Old River (Nibletts Bluff)-Located within subsegment LA110201_00. This unit is added for advisory tracking purposes only and is not a subsegment as defined by LAC 33:IX.1123.A. et seq. No other assessment is made for this river. | R | 10.6 | | | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | ATMOSPHERIC DEPOSITION - TOXICS |
| LA110201_00537846 | Old River (Nibletts Bluff)-Located within subsegment LA110201_00. This unit is added for advisory tracking purposes only and is not a subsegment as defined by LAC 33:IX.1123.A. et seq. No other assessment is made for this river. | R | 10.6 | | | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | SOURCE UNKNOWN |
| LA110202_00 | Pearl Creek-From headwaters to Sabine River (Scenic) | R | 10.6 | F | F | F | | F | | | | | | | | |
| LA110301_00 | Sabine River-From Old River below Sabine Island WMA to Sabine Lake (Estuarine) | R | 20.1 | F | F | F | | | | | | | | | | |
| LA110302_00 | Black Bayou-From Pirogue Ditch to Sabine Lake (Estuarine) | R | 14.2 | F | F | | | | | | | | | | | |
| LA110303_00 | Sabine Lake (Estuarine) | E | 89.1 | F | F | F | | | Ν | | | OYS | FECAL COLIFORM | IRC 5 | М | NATURAL SOURCES |
| LA110303_00 | Sabine Lake (Estuarine) | Е | 89.1 | F | F | F | | | Ν | | | OYS | FECAL COLIFORM | IRC 5 | М | WATERFOWL |
| LA110304_00 | Sabine Pass (Estuarine) | R | 8.4 | F | F | F | | | Ν | | | OYS | FECAL COLIFORM | IRC 5 | М | NATURAL SOURCES |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | DWS | ONR | SYO | AGR | LAL | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | TMDL Priority | Suspected Sources of Impairment |
|-------------------|---|-----------------------|------|-----|-----|-----|-----|-----|-----|-----|-----|---|-----------------------------------|--|------------------|--|
| LA110304_00 | Sabine Pass (Estuarine) | R | 8.4 | F | F | F | | | Ν | | | OYS | FECAL COLIFORM | IRC 5 | М | WATERFOWL |
| LA110401_00 | Bayou Toro-From headwaters to LA-473 | R | 17.6 | N | F | N | | | | | | FWP | TOTAL DISSOLVED SOLIDS (TDS) | IRC 5 | L | SOURCE UNKNOWN |
| LA110401_00 | Bayou Toro-From headwaters to LA-473 | R | 17.6 | N | F | N | | | | | | PCR | FECAL COLIFORM | IRC 4a | | DROUGHT-RELATED IMPACTS |
| LA110401_00 | Bayou Toro-From headwaters to LA-473 | R | 17.6 | N | F | N | | | | | | PCR | FECAL COLIFORM | IRC 4a | | RUNOFF FROM FOREST/GRASSLAND/PAR KLAND |
| LA110401_00 | Bayou Toro-From headwaters to LA-473 | R | 17.6 | N | F | N | | | | | | PCR | FECAL COLIFORM | IRC 4a | | RURAL (RESIDENTIAL AREAS) |
| LA110402_00 | Bayou Toro-From LA-473 to Sabine River | R | 14.7 | F | F | N | | | | | | FWP | TOTAL DISSOLVED SOLIDS (TDS) | IRC 5 | L | CONSTRUCTION STORMWATER DISCHARGE (PERMITTED) |
| LA110402_00 | Bayou Toro-From LA-473 to Sabine River | R | 14.7 | F | F | N | | | | | | FWP | TOTAL DISSOLVED SOLIDS (TDS) | IRC 5 | L | SILVICULTURE HARVESTING |
| LA110402_00 | Bayou Toro-From LA-473 to Sabine River | R | 14.7 | F | F | N | | | | | | FWP | TOTAL DISSOLVED SOLIDS (TDS) | IRC 5 | L | SITE CLEARANCE (LAND DEVELOPMENT OR REDEVELOPMENT) |
| LA110501_00 | West Anacoco Creek-From headwaters to Vernon Lake | R | 18.3 | N | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | LIVESTOCK (GRAZING OR FEEDING OPERATIONS) |
| LA110501_00 | West Anacoco Creek-From headwaters to Vernon Lake | R | 18.3 | N | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | NATURAL SOURCES |
| LA110501_00 | West Anacoco Creek-From headwaters to Vernon Lake | R | 18.3 | N | F | N | | | | | | FWP | TOTAL DISSOLVED SOLIDS (TDS) | IRC 5 | L | CONSTRUCTION STORMWATER DISCHARGE (PERMITTED) |
| LA110501_00 | West Anacoco Creek-From headwaters to Vernon Lake | R | 18.3 | N | F | N | | | | | | FWP | TOTAL DISSOLVED SOLIDS (TDS) | IRC 5 | L | SILVICULTURE HARVESTING |
| LA110501_00 | West Anacoco Creek-From headwaters to Vernon Lake | R | 18.3 | | F | N | | | | | | FWP | TOTAL DISSOLVED SOLIDS (TDS) | IRC 5 | L | SITE CLEARANCE (LAND DEVELOPMENT OR REDEVELOPMENT) |
| LA110501_00 | West Anacoco Creek-From headwaters to Vernon Lake | R | 18.3 | N | F | N | | | | | | PCR | FECAL COLIFORM | IRC 4a | | DROUGHT-RELATED IMPACTS |
| LA110501_00 | West Anacoco Creek-From headwaters to Vernon Lake | R | 18.3 | N | F | N | | | | | | PCR | FECAL COLIFORM | IRC 4a | | RUNOFF FROM FOREST/GRASSLAND/PAR KLAND |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | SMO | ONR | SYO | AGR | LAL | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | | Suspected Sources of Impairment |
|-------------------|---|-----------------------|---------|-----|-----|-----|-----|-----|-----|-----|-----|---|---|--|---|--|
| LA110501_00 | West Anacoco Creek-From headwaters to Vernon Lake | R | 18.3 | | F | N | | | | | | PCR | FECAL COLIFORM | IRC 4a | | RURAL (RESIDENTIAL AREAS) |
| LA110502_00 | East Anacoco Creek-From headwaters to Vernon Lake | R | 6.2 | Ν | F | Ν | | | | | | FWP | DISSOLVED OXYGEN | IRC 5 | L | NATURAL CONDITIONS - WATER QUALITY STANDARDS USE ATTAINABILITY ANALYSES NEEDED |
| LA110502_00 | East Anacoco Creek-From headwaters to Vernon Lake | R | 6.2 | Ν | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 5 | L | SILVICULTURE HARVESTING |
| LA110502_00 | East Anacoco Creek-From headwaters to Vernon Lake | R | 6.2 | N | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 5 | L | SITE CLEARANCE (LAND DEVELOPMENT OR REDEVELOPMENT) |
| LA110502_00 | East Anacoco Creek-From headwaters to Vernon Lake | R | 6.2 | N | F | N | | | | | | FWP | TOTAL DISSOLVED SOLIDS (TDS) | IRC 5 | L | CONSTRUCTION STORMWATER DISCHARGE (PERMITTED) |
| LA110502_00 | East Anacoco Creek-From headwaters to Vernon Lake | R | 6.2 | N | F | N | | | | | | FWP | TOTAL DISSOLVED SOLIDS (TDS) | IRC 5 | L | SILVICULTURE HARVESTING |
| LA110502_00 | East Anacoco Creek-From headwaters to Vernon Lake | R | 6.2 | N | F | N | | | | | | FWP | TOTAL DISSOLVED SOLIDS (TDS) | IRC 5 | L | SITE CLEARANCE (LAND DEVELOPMENT OR REDEVELOPMENT) |
| LA110502_00 | East Anacoco Creek-From headwaters to Vernon Lake | R | 6.2 | N | F | N | | | | | | PCR | FECAL COLIFORM | IRC 5 | L | DROUGHT-RELATED IMPACTS |
| LA110502_00 | East Anacoco Creek-From headwaters to Vernon Lake | R | 6.2 | N | F | N | | | | | | PCR | FECAL COLIFORM | IRC 5 | L | RUNOFF FROM FOREST/GRASSLAND/PAR KLAND |
| LA110502_00 | East Anacoco Creek-From headwaters to Vernon Lake | R | 6.2 | N | F | N | | | | | | PCR | FECAL COLIFORM | IRC 5 | L | RURAL (RESIDENTIAL AREAS) |
| LA110503_00 | Vernon Lake | L | 4,021.8 | F | F | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | ATMOSPHERIC DEPOSITION - TOXICS |
| LA110503_00 | Vernon Lake | L | 4,021.8 | F | F | N | | | | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | SOURCE UNKNOWN |
| LA110503_00 | Vernon Lake | L | 4,021.8 | F | F | N | | | | | | FWP | TOTAL DISSOLVED SOLIDS (TDS) | IRC 5 | L | CONSTRUCTION STORMWATER DISCHARGE (PERMITTED) |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | DWS | ONR | SYO | AGR | TAL | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | TMDL Priority | Suspected Sources of Impairment |
|-------------------|---|-----------------------|---------|-----|-----|-----|-----|-----|-----|-----|-----|---|---|--|------------------|--|
| LA110503_00 | Vernon Lake | L | 4,021.8 | F | F | N | | | | | | FWP | TOTAL DISSOLVED SOLIDS (TDS) | IRC 5 | L | SILVICULTURE HARVESTING |
| LA110503_00 | Vernon Lake | L | 4,021.8 | F | F | N | | | | | | FWP | TOTAL DISSOLVED SOLIDS (TDS) | IRC 5 | L | SITE CLEARANCE (LAND DEVELOPMENT OR REDEVELOPMENT) |
| LA110504_00 | Bayou Anacoco-From Vernon Lake to Anacoco Lake | R | 7.0 | F | F | N | | | | | | FWP | TOTAL DISSOLVED SOLIDS (TDS) | IRC 5 | L | DROUGHT-RELATED IMPACTS |
| LA110504_00 | Bayou Anacoco-From Vernon Lake to Anacoco Lake | R | 7.0 | F | F | N | | | | | | FWP | TOTAL DISSOLVED SOLIDS (TDS) | IRC 5 | L | SEDIMENT RESUSPENSION (CLEAN SEDIMENT) |
| LA110505_00 | Anacoco Lake | L | 2,184.2 | F | F | N | | | | | | FWP | TOTAL DISSOLVED SOLIDS (TDS) | IRC 5 | L | NATURAL SOURCES |
| LA110505_00 | Anacoco Lake | L | 2,184.2 | F | F | N | | | | | | FWP | TOTAL DISSOLVED SOLIDS (TDS) | IRC 5 | L | UNSPECIFIED LAND DISTURBANCE |
| LA110506_00 | Bayou Anacoco-From Anacoco Lake to Cypress Creek | R | 27.1 | N | F | N | | | | | | FWP | TOTAL DISSOLVED SOLIDS (TDS) | IRC 5 | L | SOURCE UNKNOWN |
| LA110506_00 | Bayou Anacoco-From Anacoco Lake to Cypress Creek | R | 27.1 | N | F | N | | | | | | PCR | FECAL COLIFORM | IRC 5 | L | SOURCE UNKNOWN |
| LA110507_00 | Bayou Anacoco-From Cypress Creek to Sabine River | R | 18.1 | F | F | F | | | | | | | | | | |
| LA110601_00 | Vinton Waterway-From Vinton to ICWW (Estuarine) | R | 9.6 | F | F | F | | | | | | | | | | |
| LA110602_00 | Black Bayou-From ICWW to Pirogue Ditch (Estuarine) | R | 7.0 | F | F | F | | | | | | | | | | |
| LA110701_00 | Sabine River Basin Coastal Bays and Gulf Waters to the State 3 mile limit | Е | 83.5 | F | F | N | | | N | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | ATMOSPHERIC DEPOSITION - TOXICS |
| LA110701_00 | Sabine River Basin Coastal Bays and Gulf Waters to the State 3 mile limit | E | 83.5 | F | F | N | | | N | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | SOURCE UNKNOWN |
| LA110701_00 | Sabine River Basin Coastal Bays and Gulf Waters to the State 3 mile limit | Е | 83.5 | F | F | N | | | N | | | OYS | FECAL COLIFORM | IRC 5 | М | NATURAL SOURCES |
| LA110701_00 | Sabine River Basin Coastal Bays and Gulf Waters to the State 3 mile limit | E | 83.5 | F | F | N | | | Ν | | | OYS | FECAL COLIFORM | IRC 5 | М | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | DWS | ONR | SYO | AGR | LAL | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | TMDL Priority | Suspected Sources of Impairment |
|-------------------|---|-----------------------|------|-----|-----|-----|-----|-----|-----|-----|-----|---|--|--|------------------|--|
| LA110701_002 | Constance, Long(Dung), Little Florida, Martin, and Gulf Breeze Beaches - Located within subsegment LA110701_00. This unit is added for swimming advisory tracking purposes only and is not a subsegment as defined by LAC 33:IX.1123.A. et seq. | С | 6.3 | N | | | | | | | | PCR | ENTEROCOCCUS | IRC 5 | L | NATURAL SOURCES |
| LA110701_002 | Constance, Long(Dung), Little Florida, Martin, and Gulf Breeze Beaches - Located within subsegment LA110701_00. This unit is added for swimming advisory tracking purposes only and is not a subsegment as defined by LAC 33:IX.1123.A. et seq. | С | 6.3 | N | | | | | | | | PCR | ENTEROCOCCUS | IRC 5 | L | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |
| LA120102_00 | Bayou Poydras-From headwaters to Bayou Choctaw | R | 10.6 | F | F | N | | | | | | FWP | SULFATE | IRC 4a | | WETLAND DRAINAGE |
| LA120102_00 | Bayou Poydras-From headwaters to Bayou Choctaw | R | 10.6 | F | F | N | | | | | | FWP | TURBIDITY | IRC 4a | | SITE CLEARANCE (LAND DEVELOPMENT OR REDEVELOPMENT) |
| LA120103_00 | Bayou Choctaw-From Bayou Poydras to Bayou Grosse Tete | R | 13.1 | N | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | AGRICULTURE |
| LA120103_00 | Bayou Choctaw-From Bayou Poydras to Bayou Grosse Tete | R | 13.1 | N | F | N | | | | | | PCR | FECAL COLIFORM | IRC 5 | L | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |
| LA120104_00 | Bayou Grosse Tete-From headwaters to ICWW near Wilbert Canal | R | 37.3 | F | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | AGRICULTURE |
| LA120104_00 | Bayou Grosse Tete-From headwaters to ICWW near Wilbert Canal | R | 37.3 | F | F | N | | | | | | FWP | NITRATE/NITRITE (NITRITE + NITRATE AS N) | IRC 4a | | AGRICULTURE |
| LA120104_00 | Bayou Grosse Tete-From headwaters to ICWW near Wilbert Canal | R | 37.3 | F | F | N | | | | | | FWP | PHOSPHORUS, TOTAL | IRC 4a | | AGRICULTURE |
| LA120104_00 | Bayou Grosse Tete-From headwaters to ICWW near Wilbert Canal | R | 37.3 | F | F | N | | | | | | FWP | TOTAL DISSOLVED SOLIDS (TDS) | IRC 4a | | AGRICULTURE |
| LA120105_00 | Chamberlin Canal-From Chamberlin to Bayou Choctaw | R | 7.9 | F | F | N | | | | | | FWP | TURBIDITY | IRC 4a | | AGRICULTURE |
| LA120106_00 | Bayou Plaquemine-From Plaquemine Lock to ICWW | R | 7.3 | F | F | F | | | | | | | | | | |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | DWS | ONR | SYO | AGR | LAL | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | TMDL Priority | Suspected Sources of Impairment |
|-------------------|---|-----------------------|---------|-----|-----|-----|-----|-----|-----|-----|-----|---|-----------------------------------|--|------------------|--|
| LA120107_00 | Upper Grand River and Lower Flat River-From headwaters to ICWW | R | 12.4 | F | F | F | | | | | | | | | | |
| LA120108_00 | False River | L | 3,133.1 | F | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 5 | L | SHALLOW LAKE/RESERVOIR |
| LA120108_00 | False River | L | 3,133.1 | F | F | N | | | | | | FWP | NON-NATIVE AQUATIC PLANTS | IRC 4b | | INTRODUCTION OF NON- NATIVE ORGANISMS (ACCIDENTAL OR INTENTIONAL) |
| LA120109_00 | Intracoastal Waterway-From Port Allen Locks to Bayou Sorrel Locks | R | 28.2 | N | F | F | F | | | | | PCR | FECAL COLIFORM | IRC 5 | L | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |
| LA120110_00 | Bayou Cholpe-From headwaters to Bayou Choctaw | R | 8.2 | F | F | N | | | | | | FWP | NON-NATIVE AQUATIC PLANTS | IRC 4b | | INTRODUCTION OF NON- NATIVE ORGANISMS (ACCIDENTAL OR INTENTIONAL) |
| LA120110_00 | Bayou Cholpe-From headwaters to Bayou Choctaw | R | 8.2 | F | F | N | | | | | | FWP | TOTAL DISSOLVED SOLIDS (TDS) | IRC 4a | | AGRICULTURE |
| LA120110_00 | Bayou Cholpe-From headwaters to Bayou Choctaw | R | 8.2 | F | F | N | | | | | | FWP | TOTAL DISSOLVED SOLIDS (TDS) | IRC 4a | | DROUGHT-RELATED IMPACTS |
| LA120111_00 | Bayou Maringouin-From headwaters to East Atchafalaya Basin Levee | R | 20.5 | N | F | N | | | | | | FWP | TOTAL DISSOLVED SOLIDS (TDS) | IRC 4a | | AGRICULTURE |
| LA120111_00 | Bayou Maringouin-From headwaters to East Atchafalaya Basin Levee | R | 20.5 | N | F | N | | | | | | PCR | FECAL COLIFORM | IRC 4a | | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |
| LA120201_00 | Lower Grand River and Belle River-From Bayou Sorrel Lock to Lake Palourde; includes Bay Natchez, Lake Natchez, Bayou Milhomme, and Bayou Long | R | 48.9 | F | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | NATURAL SOURCES |
| LA120202_00 | Bayou Black-From ICWW to Houma | R | 23.5 | Ν | F | Ν | Ν | | | | | DWS | COLOR | IRC 5 | L | NATURAL SOURCES |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | SMG | ONR | SYO | AGR | LAL | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | TMDL Priority | Suspected Sources of Impairment |
|-------------------|---|-----------------------|----------|-----|-----|-----|-----|-----|-----|-----|-----|---|--|--|------------------|--|
| LA120202_00 | Bayou Black-From ICWW to Houma | R | 23.5 | Ν | F | Ν | N | | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | NATURAL SOURCES |
| LA120202_00 | Bayou Black-From ICWW to Houma | R | 23.5 | N | F | N | N | | | | | FWP | NITRATE/NITRITE (NITRITE + NITRATE AS N) | IRC 4a | | NATURAL SOURCES |
| LA120202_00 | Bayou Black-From ICWW to Houma | R | 23.5 | Ν | F | N | N | | | | | FWP | PHOSPHORUS, TOTAL | IRC 4a | | NATURAL SOURCES |
| LA120202_00 | Bayou Black-From ICWW to Houma | R | 23.5 | N | F | N | N | | | | | PCR | FECAL COLIFORM | IRC 5 | L | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |
| LA120202_00 | Bayou Black-From ICWW to Houma | R | 23.5 | N | F | N | N | | | | | PCR | FECAL COLIFORM | IRC 5 | L | PACKAGE PLANT OR OTHER PERMITTED SMALL FLOWS DISCHARGES |
| LA120202_00 | Bayou Black-From ICWW to Houma | R | 23.5 | N | F | N | N | | | | | PCR | FECAL COLIFORM | IRC 5 | L | WILDLIFE OTHER THAN WATERFOWL |
| LA120203_00 | Bayou Boeuf-From Lake Palourde to ICWW | R | 3.7 | F | F | F | F | | | | | | | | | |
| LA120204_00 | Lake Verret and Grassy Lake | L | 16,311.2 | F | F | N | | | | | | FWP | NON-NATIVE AQUATIC PLANTS | IRC 4b | | INTRODUCTION OF NON- NATIVE ORGANISMS (ACCIDENTAL OR INTENTIONAL) |
| LA120204_00 | Lake Verret and Grassy Lake | L | 16,311.2 | F | F | N | | | | | | FWP | TURBIDITY | IRC 5RC | L | AGRICULTURE |
| LA120205_00 | Lake Palourde | L | 10,769.8 | | F | | F | | | | | FWP | PH, HIGH | IRC 4a | | |
| LA120206_00 | Grand Bayou and Little Grand Bayou-From headwaters to Lake Verret | R | | F | | | | | | | | FWP | TURBIDITY | IRC 4a | | AGRICULTURE |
| LA120207_00 | Thibodaux Swamp-Forested wetland located in Lafourche and Terrebonne Parishes, 6.2 miles southwest of Thibodaux, east of Terrebonne-Lafourche Drainage Canal, and north of Southern Pacific Railroad; also called Pointe Au Chene Swamp | W | 4,480.0 | | X | N | | | | | | FWP | CAUSE UNKNOWN | IRC 4b | | SOURCE UNKNOWN |
| LA120208_00 | Bayou Ramos Swamp Wetland-Forested wetland located 1.25 miles north of Amelia in St. Mary Parish, south of Lake Palourde | W | 128.0 | | X | F | | | | | | | | | | |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | DWS | ONR | SYO | AGR | LAL | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | TMDL Priority | Suspected Sources of Impairment |
|-------------------|--|-----------------------|------|-----|-----|-----|-----|-----|-----|-----|-----|---|-----------------------------------|--|------------------|--|
| LA120301_00 | Bayou Terrebonne-From Thibodaux to ICWW in Houma | R | 14.9 | N | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | MUNICIPAL (URBANIZED HIGH DENSITY AREA) |
| LA120301_00 | Bayou Terrebonne-From Thibodaux to ICWW in Houma | R | 14.9 | N | F | N | | | | | | FWP | NON-NATIVE AQUATIC PLANTS | IRC 4b | | INTRODUCTION OF NON- NATIVE ORGANISMS (ACCIDENTAL OR INTENTIONAL) |
| LA120301_00 | Bayou Terrebonne-From Thibodaux to ICWW in Houma | R | 14.9 | N | F | N | | | | | | PCR | FECAL COLIFORM | IRC 4a | | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |
| LA120301_00 | Bayou Terrebonne-From Thibodaux to ICWW in Houma | R | 14.9 | N | F | N | | | | | | PCR | FECAL COLIFORM | IRC 4a | | PACKAGE PLANT OR OTHER PERMITTED SMALL FLOWS DISCHARGES |
| LA120301_00 | Bayou Terrebonne-From Thibodaux to ICWW in Houma | R | 14.9 | N | F | N | | | | | | PCR | FECAL COLIFORM | IRC 4a | | SANITARY SEWER OVERFLOWS (COLLECTION SYSTEM FAILURES) |
| LA120301_00 | Bayou Terrebonne-From Thibodaux to ICWW in Houma | R | 14.9 | N | F | N | | | | | | SCR | FECAL COLIFORM | IRC 4a | | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |
| LA120301_00 | Bayou Terrebonne-From Thibodaux to ICWW in Houma | R | 14.9 | N | F | N | | | | | | SCR | FECAL COLIFORM | IRC 4a | | PACKAGE PLANT OR OTHER PERMITTED SMALL FLOWS DISCHARGES |
| LA120301_00 | Bayou Terrebonne-From Thibodaux to ICWW in Houma | R | 14.9 | N | F | N | | | | | | SCR | FECAL COLIFORM | IRC 4a | | SANITARY SEWER OVERFLOWS (COLLECTION SYSTEM FAILURES) |
| LA120302_00 | Bayou Folse-From headwaters to Company Canal | R | 12.2 | N | F | N | F | | | F | | FWP | DISSOLVED OXYGEN | IRC 4a | | FORCED DRAINAGE PUMPING |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | SMG | ONR | SYO | AGR | LAL | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | TMDL Priority | Suspected Sources of Impairment |
|-------------------|--|-----------------------|------|-----|-----|-----|-----|-----|-----|-----|-----|---|--|--|------------------|--|
| LA120302_00 | Bayou Folse-From headwaters to Company Canal | R | 12.2 | N | F | N | F | | | F | | FWP | DISSOLVED OXYGEN | IRC 4a | | PACKAGE PLANT OR OTHER PERMITTED SMALL FLOWS DISCHARGES |
| LA120302_00 | Bayou Folse-From headwaters to Company Canal | R | 12.2 | N | F | N | F | | | F | | FWP | DISSOLVED OXYGEN | IRC 4a | | SANITARY SEWER OVERFLOWS (COLLECTION SYSTEM FAILURES) |
| LA120302_00 | Bayou Folse-From headwaters to Company Canal | R | 12.2 | N | F | N | F | | | F | | | NITRATE/NITRITE (NITRITE + NITRATE AS N) | IRC 4a | | FORCED DRAINAGE PUMPING |
| LA120302_00 | Bayou Folse-From headwaters to Company Canal | R | 12.2 | N | F | N | F | | | F | | | NITRATE/NITRITE (NITRITE + NITRATE AS N) | IRC 4a | | PACKAGE PLANT OR OTHER PERMITTED SMALL FLOWS DISCHARGES |
| LA120302_00 | Bayou Folse-From headwaters to Company Canal | R | 12.2 | N | F | N | F | | | F | | FWP | NITRATE/NITRITE (NITRITE + NITRATE AS N) | IRC 4a | | SANITARY SEWER OVERFLOWS (COLLECTION SYSTEM FAILURES) |
| LA120302_00 | Bayou Folse-From headwaters to Company Canal | R | 12.2 | N | F | N | F | | | F | | FWP | PHOSPHORUS, TOTAL | IRC 4a | | FORCED DRAINAGE PUMPING |
| LA120302_00 | Bayou Folse-From headwaters to Company Canal | R | 12.2 | N | F | N | F | | | F | | FWP | PHOSPHORUS, TOTAL | IRC 4a | | PACKAGE PLANT OR OTHER PERMITTED SMALL FLOWS DISCHARGES |
| LA120302_00 | Bayou Folse-From headwaters to Company Canal | R | 12.2 | N | F | N | F | | | F | | FWP | PHOSPHORUS, TOTAL | IRC 4a | | SANITARY SEWER OVERFLOWS (COLLECTION SYSTEM FAILURES) |
| LA120302_00 | Bayou Folse-From headwaters to Company Canal | R | 12.2 | Ν | F | N | F | | | F | | PCR | FECAL COLIFORM | IRC 5 | L | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | SMG | ONR | SYO | AGR | LAL | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | | Suspected Sources of Impairment |
|-------------------|---|-----------------------|---------|-----|-----|-----|-----|-----|-----|-----|-----|---|-----------------------------------|--|---|--|
| LA120302_00 | Bayou Folse-From headwaters to Company Canal | R | 12.2 | N | F | N | F | | | F | | PCR | FECAL COLIFORM | IRC 5 | L | PACKAGE PLANT OR OTHER PERMITTED SMALL FLOWS DISCHARGES |
| LA120302_00 | Bayou Folse-From headwaters to Company Canal | R | 12.2 | N | F | N | F | | | F | | PCR | FECAL COLIFORM | IRC 5 | L | WILDLIFE OTHER THAN WATERFOWL |
| LA120302_00 | Bayou Folse-From headwaters to Company Canal | R | 12.2 | Ν | F | Ν | F | | | F | | PCR | TEMPERATURE | IRC 5 | L | NATURAL SOURCES |
| LA120303_00 | Bayou L'eau Bleu-From Company Canal to ICWW | R | 9.2 | F | F | F | | | | | | | | | | |
| LA120304_00 | Intracoastal Waterway-From Houma to Larose | R | 23.7 | F | F | N | F | | | F | | FWP | DISSOLVED OXYGEN | IRC 4a | | DISCHARGES FROM MUNICIPAL SEPARATE STORM SEWER SYSTEMS (MS4) |
| LA120401_00 | Bayou Penchant-From Bayou Chene to Lake Penchant | R | 29.2 | F | F | N | | N | | | | FWP | DISSOLVED OXYGEN | IRC 5 | L | WETLAND DRAINAGE |
| LA120401_00 | Bayou Penchant-From Bayou Chene to Lake Penchant | R | 29.2 | F | F | N | | N | | | | FWP | TURBIDITY | IRC 5 | L | NATURAL SOURCES |
| LA120401_00 | Bayou Penchant-From Bayou Chene to Lake Penchant | R | 29.2 | F | F | N | | N | | | | ONR | TURBIDITY | IRC 5 | L | NATURAL SOURCES |
| LA120402_00 | Bayou Chene-From ICWW to Bayou Penchant | R | 6.5 | F | F | F | | | | | | | | | | |
| LA120403_00 | Intracoastal Waterway-From Bayou Boeuf Locks to Bayou Black in Houma; includes segments of Bayous Boeuf, Black, and Chene | R | 34.7 | F | F | F | F | | | F | | | | | | |
| LA120404_00 | Lake Penchant | L | 882.5 | F | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | WETLAND DRAINAGE |
| LA120404_00 | Lake Penchant | L | 882.5 | F | F | N | | | | | | FWP | NON-NATIVE AQUATIC PLANTS | IRC 4b | | INTRODUCTION OF NON- NATIVE ORGANISMS (ACCIDENTAL OR INTENTIONAL) |
| LA120405_00 | Lake Hache and Lake Theriot | L | 1,685.4 | F | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | INTRODUCTION OF NON- NATIVE ORGANISMS (ACCIDENTAL OR INTENTIONAL) |
| LA120405_00 | Lake Hache and Lake Theriot | L | 1,685.4 | F | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | NATURAL SOURCES |
| LA120405_00 | Lake Hache and Lake Theriot | L | 1,685.4 | F | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | PESTICIDE APPLICATION |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | DWS | ONR | SYO | AGR | LAL | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | TMDL Priority | Suspected Sources of Impairment |
|-------------------|--|-----------------------|---------|-----|-----|-----|-----|-----|-----|-----|-----|---|--|--|------------------|--|
| LA120405_00 | Lake Hache and Lake Theriot | L | 1,685.4 | F | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | WATERFOWL |
| LA120405_00 | Lake Hache and Lake Theriot | L | 1,685.4 | F | F | N | | | | | | FWP | NON-NATIVE AQUATIC PLANTS | IRC 4b | | INTRODUCTION OF NON- NATIVE ORGANISMS (ACCIDENTAL OR INTENTIONAL) |
| LA120406_00 | Lake de Cade | Е | 8.0 | F | F | F | | | F | | | | | | | |
| LA120501_00 | Bayou Grand Caillou-From Houma to Bayou Pelton | R | 8.3 | | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | FORCED DRAINAGE PUMPING |
| LA120501_00 | Bayou Grand Caillou-From Houma to Bayou Pelton | R | 8.3 | N | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | MUNICIPAL POINT SOURCE DISCHARGES |
| LA120501_00 | Bayou Grand Caillou-From Houma to Bayou Pelton | R | 8.3 | N | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | NATURAL SOURCES |
| LA120501_00 | Bayou Grand Caillou-From Houma to Bayou Pelton | R | 8.3 | N | F | N | | | | | | FWP | NITRATE/NITRITE (NITRITE + NITRATE AS N) | IRC 4a | | FORCED DRAINAGE PUMPING |
| LA120501_00 | Bayou Grand Caillou-From Houma to Bayou Pelton | R | 8.3 | N | F | N | | | | | | FWP | NITRATE/NITRITE (NITRITE + NITRATE AS N) | IRC 4a | | MUNICIPAL POINT SOURCE DISCHARGES |
| LA120501_00 | Bayou Grand Caillou-From Houma to Bayou Pelton | R | 8.3 | N | F | N | | | | | | FWP | NITRATE/NITRITE (NITRITE + NITRATE AS N) | IRC 4a | | NATURAL SOURCES |
| LA120501_00 | Bayou Grand Caillou-From Houma to Bayou Pelton | R | 8.3 | N | F | N | | | | | | FWP | NON-NATIVE AQUATIC PLANTS | IRC 4b | | INTRODUCTION OF NON- NATIVE ORGANISMS (ACCIDENTAL OR INTENTIONAL) |
| LA120501_00 | Bayou Grand Caillou-From Houma to Bayou Pelton | R | 8.3 | N | F | N | | | | t | | FWP | PHOSPHORUS, TOTAL | IRC 4a | | FORCED DRAINAGE PUMPING |
| LA120501_00 | Bayou Grand Caillou-From Houma to Bayou Pelton | R | 8.3 | N | F | N | | | | | | FWP | PHOSPHORUS, TOTAL | IRC 4a | | MUNICIPAL POINT SOURCE DISCHARGES |
| LA120501_00 | Bayou Grand Caillou-From Houma to Bayou Pelton | R | 8.3 | N | F | N | | | | | | FWP | PHOSPHORUS, TOTAL | IRC 4a | | NATURAL SOURCES |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | SMG | ONR | SYO | AGR | LAL | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | TMDL Priority | Suspected Sources of Impairment |
|-------------------|--|-----------------------|------|-----|-----|-----|-----|-----|-----|-----|-----|---|-----------------------------------|--|------------------|--|
| LA120501_00 | Bayou Grand Caillou-From Houma to Bayou Pelton | R | 8.3 | N | F | Ν | | | | | | PCR | FECAL COLIFORM | IRC 5 | L | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |
| LA120501_00 | Bayou Grand Caillou-From Houma to Bayou Pelton | R | 8.3 | N | F | N | | | | | | PCR | FECAL COLIFORM | IRC 5 | L | PACKAGE PLANT OR OTHER PERMITTED SMALL FLOWS DISCHARGES |
| LA120502_00 | Bayou Grand Caillou-From Bayou Pelton to Houma Navigation Canal (Estuarine) | R | 10.8 | F | F | F | | | N | | | OYS | FECAL COLIFORM | IRC 4a | | MARINA/BOATING SANITARY ON-VESSEL DISCHARGES |
| LA120502_00 | Bayou Grand Caillou-From Bayou Pelton to Houma Navigation Canal (Estuarine) | R | 10.8 | F | F | F | | | N | | | OYS | FECAL COLIFORM | IRC 4a | | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |
| LA120502_00 | Bayou Grand Caillou-From Bayou Pelton to Houma Navigation Canal (Estuarine) | R | 10.8 | F | F | F | | | N | | | OYS | FECAL COLIFORM | IRC 4a | | PACKAGE PLANT OR OTHER PERMITTED SMALL FLOWS DISCHARGES |
| LA120503_00 | Bayou Petit Caillou-From Bayou Terrebonne to LA-24 bridge | R | 5.2 | N | F | N | | | N | | | FWP | DISSOLVED OXYGEN | IRC 4a | | NATURAL SOURCES |
| LA120503_00 | Bayou Petit Caillou-From Bayou Terrebonne to LA-24 bridge | R | 5.2 | Ν | F | N | | | N | | | FWP | DISSOLVED OXYGEN | IRC 4a | | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |
| LA120503_00 | Bayou Petit Caillou-From Bayou Terrebonne to LA-24 bridge | R | 5.2 | N | F | N | | | N | | | FWP | DISSOLVED OXYGEN | IRC 4a | | PACKAGE PLANT OR OTHER PERMITTED SMALL FLOWS DISCHARGES |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | SMG | ONR | SYO | AGR | LAL | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | TMDL Priority | Suspected Sources of Impairment |
|-------------------|---|-----------------------|------|-----|-----|-----|-----|-----|-----|-----|-----|---|-----------------------------------|--|------------------|--|
| LA120503_00 | Bayou Petit Caillou-From Bayou Terrebonne to LA-24 bridge | R | 5.2 | Ν | F | Ν | | | N | | | FWP | NON-NATIVE AQUATIC PLANTS | IRC 4b | | INTRODUCTION OF NON- NATIVE ORGANISMS (ACCIDENTAL OR INTENTIONAL) |
| LA120503_00 | Bayou Petit Caillou-From Bayou Terrebonne to LA-24 bridge | R | 5.2 | Ν | F | N | | | N | | | OYS | FECAL COLIFORM | IRC 4a | | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |
| LA120503_00 | Bayou Petit Caillou-From Bayou Terrebonne to LA-24 bridge | R | 5.2 | N | F | N | | | N | | | OYS | FECAL COLIFORM | IRC 4a | | PACKAGE PLANT OR OTHER PERMITTED SMALL FLOWS DISCHARGES |
| LA120503_00 | Bayou Petit Caillou-From Bayou Terrebonne to LA-24 bridge | R | 5.2 | Ν | F | N | | | N | | | PCR | FECAL COLIFORM | IRC 4a | | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |
| LA120503_00 | Bayou Petit Caillou-From Bayou Terrebonne to LA-24 bridge | R | 5.2 | N | F | N | | | N | | | PCR | FECAL COLIFORM | IRC 4a | | PACKAGE PLANT OR OTHER PERMITTED SMALL FLOWS DISCHARGES |
| LA120504_00 | Bayou Petit Caillou-From LA-24 bridge to Boudreaux Canal (Estuarine) | R | 11.2 | F | F | N | | | N | | | FWP | NON-NATIVE AQUATIC PLANTS | IRC 4b | | INTRODUCTION OF NON- NATIVE ORGANISMS (ACCIDENTAL OR INTENTIONAL) |
| LA120504_00 | Bayou Petit Caillou-From LA-24 bridge to Boudreaux Canal (Estuarine) | R | 11.2 | F | F | N | | | N | | | OYS | FECAL COLIFORM | IRC 4a | | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | DWS | ONR | SYO | AGR | LAL | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | TMDL Priority | Suspected Sources of Impairment |
|----------------------------|--|-----------------------|------|------------|-----|-----|-----|-----|-----|-----|-----|---|--|--|------------------|---|
| LA120504_00 | Bayou Petit Caillou-From LA-24 bridge to Boudreaux Canal (Estuarine) | R | | P F | F | | | | N | | | OYS | FECAL COLIFORM | IRC 4a | | PACKAGE PLANT OR OTHER PERMITTED SMALL FLOWS DISCHARGES |
| LA120505_00 LA120505_00 | Bayou Du Large-From Houma to Marmande Canal Bayou Du Large-From Houma to Marmande Canal | R R | | / F / F | F | | | | | | | FWP FWP | CHLORIDE DISSOLVED OXYGEN | IRC 5 IRC 4a | L | NATURAL SOURCES ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |
| LA120505_00 | Bayou Du Large-From Houma to Marmande Canal | R | 6.7 | F | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | PACKAGE PLANT OR OTHER PERMITTED SMALL FLOWS DISCHARGES |
| LA120505_00 | Bayou Du Large-From Houma to Marmande Canal | R | 6.7 | F | F | N | | | | | | FWP | NITRATE/NITRITE (NITRITE + NITRATE AS N) | IRC 4a | | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |
| LA120505_00 | Bayou Du Large-From Houma to Marmande Canal | R | 6.7 | F F | F | N | | | | | | FWP | NITRATE/NITRITE (NITRITE + NITRATE AS N) | IRC 4a | | PACKAGE PLANT OR OTHER PERMITTED SMALL FLOWS DISCHARGES |
| LA120505_00 | Bayou Du Large-From Houma to Marmande Canal | R | 6.7 | F | F | N | | | | | | FWP | NON-NATIVE AQUATIC PLANTS | IRC 4b | | INTRODUCTION OF NON- NATIVE ORGANISMS (ACCIDENTAL OR INTENTIONAL) |
| LA120505_00 | Bayou Du Large-From Houma to Marmande Canal | R | 6.7 | 'F | F | N | | | | | | FWP | PHOSPHORUS, TOTAL | IRC 4a | | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | SWG | ONR | SYO | AGR | LAL | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | TMDL Priority | Suspected Sources of Impairment |
|-------------------|--|-----------------------|------|-----|-----|-----|-----|-----|-----|-----|-----|---|-----------------------------------|--|------------------|--|
| LA120505_00 | Bayou Du Large-From Houma to Marmande Canal | R | 6.7 | F | F | | | | | | | FWP | PHOSPHORUS, TOTAL | IRC 4a | | PACKAGE PLANT OR OTHER PERMITTED SMALL FLOWS DISCHARGES |
| LA120505_00 | Bayou Du Large-From Houma to Marmande Canal | R | 6.7 | F | F | N | | | | | | FWP | TOTAL DISSOLVED SOLIDS (TDS) | IRC 5 | L | NATURAL SOURCES |
| LA120506_00 | Bayou Du Large-From Marmande Canal to 1/2 mile north of St. Andrews Mission (Estuarine) | R | 9.6 | N | F | N | | | N | | | FWP | NON-NATIVE AQUATIC PLANTS | IRC 4b | | INTRODUCTION OF NON- NATIVE ORGANISMS (ACCIDENTAL OR INTENTIONAL) |
| LA120506_00 | Bayou Du Large-From Marmande Canal to 1/2 mile north of St. Andrews Mission (Estuarine) | R | 9.6 | N | F | N | | | N | | | OYS | FECAL COLIFORM | IRC 4a | | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |
| LA120506_00 | Bayou Du Large-From Marmande Canal to 1/2 mile north of St. Andrews Mission (Estuarine) | R | 9.6 | N | F | N | | | N | | | OYS | FECAL COLIFORM | IRC 4a | | PACKAGE PLANT OR OTHER PERMITTED SMALL FLOWS DISCHARGES |
| LA120506_00 | Bayou Du Large-From Marmande Canal to 1/2 mile north of St. Andrews Mission (Estuarine) | R | 9.6 | N | F | N | | | N | | | PCR | ENTEROCOCCUS | IRC 5 | L | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |
| LA120506_00 | Bayou Du Large-From Marmande Canal to 1/2 mile north of St. Andrews Mission (Estuarine) | R | 9.6 | N | F | N | | | N | | | PCR | ENTEROCOCCUS | IRC 5 | L | PACKAGE PLANT OR OTHER PERMITTED SMALL FLOWS DISCHARGES |
| LA120507_00 | Bayou Chauvin-From Ashland Canal to Lake Boudreaux (Estuarine) | R | 12.7 | F | F | N | | | | | | FWP | NON-NATIVE AQUATIC PLANTS | IRC 4b | | INTRODUCTION OF NON- NATIVE ORGANISMS (ACCIDENTAL OR INTENTIONAL) |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | DWS | ONR | OYS | AGR | LAL | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | TMDL Priority | Suspected Sources of Impairment |
|-------------------|--|-----------------------|------|-----|-----|-----|-----|-----|-----|-----|-----|---|-----------------------------------|--|------------------|--|
| LA120508_00 | Houma Navigation Canal-From Bayou Pelton to 1 mile south of Bayou Grand Caillou (Estuarine) | R | 12.0 | | F | F | | | N | | | OYS | FECAL COLIFORM | IRC 4a | | LIVESTOCK (GRAZING OR FEEDING OPERATIONS) |
| LA120508_00 | Houma Navigation Canal-From Bayou Pelton to 1 mile south of Bayou Grand Caillou (Estuarine) | R | 12.0 | F | F | F | | | N | | | OYS | FECAL COLIFORM | IRC 4a | | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |
| LA120508_00 | Houma Navigation Canal-From Bayou Pelton to 1 mile south of Bayou Grand Caillou (Estuarine) | R | 12.0 | F | F | F | | | N | | | OYS | FECAL COLIFORM | IRC 4a | | SEWAGE DISCHARGES IN UNSEWERED AREAS |
| LA120509_00 | Houma Navigation Canal-From Houma to Bayou Pelton | R | 5.1 | F | F | F | F | | | | | | | | | |
| LA120601_00 | Bayou Terrebonne-From Houma to Company Canal (Estuarine) | R | 7.4 | F | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 5 | L | NATURAL SOURCES |
| LA120601_00 | Bayou Terrebonne-From Houma to Company Canal (Estuarine) | R | 7.4 | F | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 5 | L | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |
| LA120601_00 | Bayou Terrebonne-From Houma to Company Canal (Estuarine) | R | 7.4 | F | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 5 | L | PACKAGE PLANT OR OTHER PERMITTED SMALL FLOWS DISCHARGES |
| LA120601_00 | Bayou Terrebonne-From Houma to Company Canal (Estuarine) | R | 7.4 | F | F | N | | | | | | FWP | NON-NATIVE AQUATIC PLANTS | IRC 4b | | INTRODUCTION OF NON- NATIVE ORGANISMS (ACCIDENTAL OR INTENTIONAL) |
| LA120602_00 | Bayou Terrebonne-From Company Canal to Humble Canal (Estuarine) | R | 9.5 | F | F | N | | | N | | | FWP | DISSOLVED OXYGEN | IRC 5 | L | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | DWS | ONR | SYO | AGR | LAL | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | TMDL Priority | Suspected Sources of Impairment |
|-------------------|--|-----------------------|------|-----|-----|-----|-----|-----|-----|-----|-----|---|-----------------------------------|--|------------------|--|
| LA120602_00 | Bayou Terrebonne-From Company Canal to Humble Canal (Estuarine) | R | 9.5 | F | F | N | | | N | | | FWP | NON-NATIVE AQUATIC PLANTS | IRC 4b | | INTRODUCTION OF NON- NATIVE ORGANISMS (ACCIDENTAL OR INTENTIONAL) |
| LA120602_00 | Bayou Terrebonne-From Company Canal to Humble Canal (Estuarine) | R | 9.5 | 5 F | F | N | | | N | | | OYS | FECAL COLIFORM | IRC 4a | | MARINA/BOATING SANITARY ON-VESSEL DISCHARGES |
| LA120602_00 | Bayou Terrebonne-From Company Canal to Humble Canal (Estuarine) | R | 9.5 | 5 F | F | N | | | N | | | OYS | FECAL COLIFORM | IRC 4a | | MUNICIPAL POINT SOURCE DISCHARGES |
| LA120602_00 | Bayou Terrebonne-From Company Canal to Humble Canal (Estuarine) | R | 9.5 | 5 F | F | N | | | N | | | OYS | FECAL COLIFORM | IRC 4a | | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |
| LA120602_00 | Bayou Terrebonne-From Company Canal to Humble Canal (Estuarine) | R | 9.5 | F | F | N | | | N | | | OYS | FECAL COLIFORM | IRC 4a | | PACKAGE PLANT OR OTHER PERMITTED SMALL FLOWS DISCHARGES |
| LA120603_00 | Company Canal-From ICWW to Bayou Terrebonne | R | 0.8 | B N | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 5 | L | NATURAL SOURCES |
| LA120603_00 | Company Canal-From ICWW to Bayou Terrebonne | R | 0.8 | 3 N | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 5 | L | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |
| LA120603_00 | Company Canal-From ICWW to Bayou Terrebonne | R | 0.8 | B N | F | N | | | | | | PCR | FECAL COLIFORM | IRC 5 | L | MARINA/BOATING SANITARY ON-VESSEL DISCHARGES |
| LA120603_00 | Company Canal-From ICWW to Bayou Terrebonne | R | 0.8 | 3 N | F | N | | | | | | PCR | FECAL COLIFORM | IRC 5 | L | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | DWS | ONR | SYO | AGR | LAL | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | TMDL Priority | Suspected Sources of Impairment |
|-------------------|---|-----------------------|------|-----|-----|-----|-----|-----|-----|-----|-----|---|--|--|------------------|--|
| LA120603_00 | Company Canal-From ICWW to Bayou Terrebonne | R | 0.8 | N | F | N | | | | | | PCR | FECAL COLIFORM | IRC 5 | L | PACKAGE PLANT OR OTHER PERMITTED SMALL FLOWS DISCHARGES |
| LA120604_00 | Bayou Blue-From ICWW to Grand Bayou Canal | R | 12.8 | F | F | N | | | | | | FWP | NON-NATIVE AQUATIC PLANTS | IRC 4b | | INTRODUCTION OF NON- NATIVE ORGANISMS (ACCIDENTAL OR INTENTIONAL) |
| LA120605_00 | Bayou Pointe Au Chien-From headwaters to St. Louis Canal | R | 7.8 | N | F | N | | | | | | FWP | CHLORIDE | IRC 5 | L | NATURAL SOURCES |
| LA120605_00 | Bayou Pointe Au Chien-From headwaters to St. Louis Canal | R | 7.8 | N | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | NATURAL SOURCES |
| LA120605_00 | Bayou Pointe Au Chien-From headwaters to St. Louis Canal | R | 7.8 | N | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |
| LA120605_00 | Bayou Pointe Au Chien-From headwaters to St. Louis Canal | R | 7.8 | N | F | N | | | | | | FWP | DISSOLVED OXYGEN | IRC 4a | | PACKAGE PLANT OR OTHER PERMITTED SMALL FLOWS DISCHARGES |
| LA120605_00 | Bayou Pointe Au Chien-From headwaters to St. Louis Canal | R | 7.8 | N | F | N | | | | | | FWP | NITRATE/NITRITE (NITRITE + NITRATE AS N) | IRC 4a | | AGRICULTURE |
| LA120605_00 | Bayou Pointe Au Chien-From headwaters to St. Louis Canal | R | 7.8 | N | F | N | | | | | | FWP | NITRATE/NITRITE (NITRITE + NITRATE AS N) | IRC 4a | | NATURAL SOURCES |
| LA120605_00 | Bayou Pointe Au Chien-From headwaters to St. Louis Canal | R | 7.8 | N | F | N | | | | | | FWP | NITRATE/NITRITE (NITRITE + NITRATE AS N) | IRC 4a | | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | SWG | ONR | SYO | AGR | LAL | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | TMDL Priority | Suspected Sources of Impairment |
|-------------------|---|-----------------------|------|-----|-----|-----|-----|-----|-----|-----|-----|---|--|--|------------------|--|
| LA120605_00 | Bayou Pointe Au Chien-From headwaters to St. Louis Canal | R | 7.8 | N | F | N | | | | | | FWP | NITRATE/NITRITE (NITRITE + NITRATE AS N) | IRC 4a | | PACKAGE PLANT OR OTHER PERMITTED SMALL FLOWS DISCHARGES |
| LA120605_00 | Bayou Pointe Au Chien-From headwaters to St. Louis Canal | R | 7.8 | N | F | N | | | | | | FWP | NON-NATIVE AQUATIC PLANTS | IRC 4b | | INTRODUCTION OF NON- NATIVE ORGANISMS (ACCIDENTAL OR INTENTIONAL) |
| LA120605_00 | Bayou Pointe Au Chien-From headwaters to St. Louis Canal | R | 7.8 | N | F | N | | | | | | FWP | PHOSPHORUS, TOTAL | IRC 4a | | AGRICULTURE |
| LA120605_00 | Bayou Pointe Au Chien-From headwaters to St. Louis Canal | R | 7.8 | N | F | N | | | | | | FWP | PHOSPHORUS, TOTAL | IRC 4a | | NATURAL SOURCES |
| LA120605_00 | Bayou Pointe Au Chien-From headwaters to St. Louis Canal | R | 7.8 | N | F | N | | | | | | FWP | PHOSPHORUS, TOTAL | IRC 4a | | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |
| LA120605_00 | Bayou Pointe Au Chien-From headwaters to St. Louis Canal | R | 7.8 | N | F | N | | | | | | FWP | PHOSPHORUS, TOTAL | IRC 4a | | PACKAGE PLANT OR OTHER PERMITTED SMALL FLOWS DISCHARGES |
| LA120605_00 | Bayou Pointe Au Chien-From headwaters to St. Louis Canal | R | 7.8 | N | F | N | | | | | | FWP | SULFATE | IRC 5 | L | NATURAL SOURCES |
| LA120605_00 | Bayou Pointe Au Chien-From headwaters to St. Louis Canal | R | 7.8 | N | F | N | | | | | | FWP | TOTAL DISSOLVED SOLIDS (TDS) | IRC 5 | L | NATURAL SOURCES |
| LA120605_00 | Bayou Pointe Au Chien-From headwaters to St. Louis Canal | R | 7.8 | N | F | N | | | | | | PCR | ENTEROCOCCUS | IRC 5 | L | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |
| LA120605_00 | Bayou Pointe Au Chien-From headwaters to St. Louis Canal | R | 7.8 | N | F | N | | | | | | PCR | ENTEROCOCCUS | IRC 5 | L | PACKAGE PLANT OR OTHER PERMITTED SMALL FLOWS DISCHARGES |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | DWS | ONR | SYO | AGR | LAL | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | TMDL Priority | Suspected Sources of Impairment |
|-------------------|---|-----------------------|------|-----|-----|-----|-----|-----|-----|-----|-----|---|-----------------------------------|--|------------------|--|
| LA120606_00 | Bayou Blue-From Grand Bayou Canal to Bully Camp Canal (Estuarine) | R | 5.9 | F | F | N | | | | | | FWP | NON-NATIVE AQUATIC PLANTS | IRC 4b | | INTRODUCTION OF NON- NATIVE ORGANISMS (ACCIDENTAL OR INTENTIONAL) |
| LA120701_00 | Bayou Grand Caillou-From Houma Navigation Canal to Caillou Bay (Estuarine) | R | 20.8 | F | F | F | | | F | | | | | | | |
| LA120702_00 | Bayou Petite Caillou-From Boudreaux Canal to Houma Navigation Canal (Estuarine) | R | 11.2 | F | F | F | | | N | | | OYS | FECAL COLIFORM | IRC 5 | М | MARINA/BOATING SANITARY ON-VESSEL DISCHARGES |
| LA120702_00 | Bayou Petite Caillou-From Boudreaux Canal to Houma Navigation Canal (Estuarine) | R | 11.2 | F | F | F | | | N | | | OYS | FECAL COLIFORM | IRC 5 | М | ON-SITE TREATMENT SYSTEMS (SEPTIC SYSTEMS AND SIMILAR DECENTRALIZED SYSTEMS) |
| LA120702_00 | Bayou Petite Caillou-From Boudreaux Canal to Houma Navigation Canal (Estuarine) | R | 11.2 | F | F | F | | | N | | | OYS | FECAL COLIFORM | IRC 5 | М | PACKAGE PLANT OR OTHER PERMITTED SMALL FLOWS DISCHARGES |
| LA120703_00 | Bayou Du Large-From 1/2 mile north of St. Andrews Mission to Caillou Bay (Estuarine) | R | 21.5 | F | F | N | | | F | | | FWP | NON-NATIVE AQUATIC PLANTS | IRC 4b | | INTRODUCTION OF NON- NATIVE ORGANISMS (ACCIDENTAL OR INTENTIONAL) |
| LA120704_00 | Bayou Terrebonne-From Humble Canal to Lake Barre (Estuarine) | R | 14.8 | N | F | F | | | N | | | OYS | FECAL COLIFORM | IRC 5 | М | MARINA/BOATING SANITARY ON-VESSEL DISCHARGES |
| LA120704_00 | Bayou Terrebonne-From Humble Canal to Lake Barre (Estuarine) | R | 14.8 | N | F | F | | | N | | | OYS | FECAL COLIFORM | IRC 5 | М | SEWAGE DISCHARGES IN UNSEWERED AREAS |
| LA120704_00 | Bayou Terrebonne-From Humble Canal to Lake Barre (Estuarine) | R | 14.8 | N | F | F | | | N | | | PCR | ENTEROCOCCUS | IRC 5 | L | MARINA/BOATING SANITARY ON-VESSEL DISCHARGES |
| LA120704_00 | Bayou Terrebonne-From Humble Canal to Lake Barre (Estuarine) | R | 14.8 | N | F | F | | | N | | | PCR | ENTEROCOCCUS | IRC 5 | L | SEWAGE DISCHARGES IN UNSEWERED AREAS |

| Subsegment Number | Subsegment Description | Water Body Type | Size | PCR | SCR | FWP | DWS | ONR | OYS | AGR | LAL | Impaired Use for Suspected Cause | Suspected Causes of Impairment | IR Category for Suspected Causes | TMDL Priority | Suspected Sources of Impairment |
|-------------------|--|-----------------------|-------|-----|-----|-----|-----|-----|-----|-----|-----|---|---|--|------------------|---|
| LA120705_00 | Houma Navigation Canal-From 1/2 mile south of Bayou Grand Caillou to Terrebonne Bay (Estuarine) | R | 14.0 | F | F | F | | | N | | | OYS | FECAL COLIFORM | IRC 5 | М | NATURAL SOURCES |
| LA120705_00 | Houma Navigation Canal-From 1/2 mile south of Bayou Grand Caillou to Terrebonne Bay (Estuarine) | R | 14.0 | F | F | F | | | N | | | OYS | FECAL COLIFORM | IRC 5 | М | SEWAGE DISCHARGES IN UNSEWERED AREAS |
| LA120705_00 | Houma Navigation Canal-From 1/2 mile south of Bayou Grand Caillou to Terrebonne Bay (Estuarine) | R | 14.0 | F | F | F | | | N | | | OYS | FECAL COLIFORM | IRC 5 | М | UPSTREAM SOURCE |
| LA120706_00 | Bayou Blue-From Bully Camp Canal to Lake Raccourci (Estuarine) | R | 12.0 | F | F | F | | | N | | | OYS | FECAL COLIFORM | IRC 5 | М | WILDLIFE OTHER THAN WATERFOWL |
| LA120707_00 | Lake Boudreaux | E | 7.0 | F | F | F | | | N | | | OYS | FECAL COLIFORM | IRC 4a | | SEWAGE DISCHARGES IN UNSEWERED AREAS |
| LA120707_00 | Lake Boudreaux | Е | 7.0 | F | F | F | | | Ν | | | OYS | FECAL COLIFORM | IRC 4a | | WATERFOWL |
| LA120707_00 | Lake Boudreaux | Е | 7.0 | F | F | F | | | N | | | OYS | FECAL COLIFORM | IRC 4a | | WILDLIFE OTHER THAN WATERFOWL |
| LA120708_00 | Lost Lake and Four League Bay | Е | 55.0 | F | F | F | | | Ν | | | OYS | FECAL COLIFORM | IRC 4a | | WATERFOWL |
| LA120708_00 | Lost Lake and Four League Bay | E | 55.0 | F | F | F | | | N | | | OYS | FECAL COLIFORM | IRC 4a | | WILDLIFE OTHER THAN WATERFOWL |
| LA120709_00 | Bayou Petite Caillou-From Houma Navigation Canal to Terrebonne Bay | R | 1.4 | F | F | F | | | F | | | | | | | |
| LA120801_00 | Caillou Bay | E | 20.0 | N | F | F | | | F | | | PCR | ENTEROCOCCUS | IRC 5 | L | WILDLIFE OTHER THAN WATERFOWL |
| LA120802_00 | Terrebonne Bay | Е | 96.6 | F | F | F | | | F | | | | | | | |
| LA120803_00 | Timbalier Bay | Е | 164.6 | | F | F | | | F | | | | | | | |
| LA120804_00 | Lake Barre | Е | 64.3 | F | F | F | | | F | | | | | | | |
| LA120805_00 | Lake Pelto | Е | 55.8 | F | F | F | | | F | | | | | | | |
| LA120806_00 | Terrebonne Basin Coastal Bays and Gulf Waters to the State 3 mile limit | Е | 280.7 | | F | N | | | F | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | ATMOSPHERIC DEPOSITION - TOXICS |
| LA120806_00 | Terrebonne Basin Coastal Bays and Gulf Waters to the State 3 mile limit | Е | 280.7 | F | F | N | | | F | | | FWP | MERCURY - FISH CONSUMPTION ADVISORY | IRC 4a | | SOURCE UNKNOWN |