

Last updated January 2, 2019

Name	Causative Pollutants	Type of Advisory	Recommendations	Area Description and/or Size Affected	Date Established
<u>Fish Consumption and/or Swimming Advisories Caused by ORGANIC CHEMICAL Contamination</u>					
Upper Calcasieu Estuary LA030301_00 LA030302_00 LA030303_00 LA030304_00 LA030401_00 LA030402_00 (Approximately northern half of LA030402_00, only) (Calcasieu and Cameron)	PCBs, Dioxins and Furans	Advisory crab fat	DO NOT EAT Crab Fat	56.6 miles	Issued: 04/07/92 Revised: 10/94, 1995, 11/16
Bayou d'Inde and portions of the Calcasieu Ship Channel LA030901_00 (Calcasieu)	PCBs, Dioxins and Furans	Advisory crab fat and fish consumption; advisory swimming, water sports and contact with bottom sediments	DO NOT EAT Catfish. DO NOT EAT Crab Fat. Fish/shellfish consumption of no more than 2 meals a month; no swimming, water sports & contact with bottom sediments	11.8 miles	Issued: 04/07/92 Revised: 10/94, 1995, 11/16
Olsen Bayou south of Carlyss LA030304_001 (Calcasieu)	Priority organics	Advisory sediment contamination	Avoid swimming and sediment contact.	7.3 miles	Issued: 01/17/89 Revised: 10/94

Name	Causative Pollutants	Type of Advisory	Recommendations	Area Description and/or Size Affected	Date Established
Bayou Bonfouca LA040907_00 LA040908_00 LA040917_00 (St. Tammany)	Poly-aromatic hydrocarbons (PAH), benzo(a) pyrene (creosote)	Advisory swimming	Avoid swimming or sediment contact	12.3 miles	Issued: 11/24/87 Revised: 12/10/98
Devil's Swamp, Devil's Swamp Lake, and Bayou Baton Rouge LA070203_00 (East Baton Rouge)	Fish Advisory for PCBs, mercury Swimming advisory for Hexachlorobenzene, Hexachlorobutadiene, Arsenic, Lead, Mercury	Advisory fish consumption; advisory swimming	Do not eat fish or crawfish from this area Avoid swimming	24 acres	Issued: 07/09/93 Revised: 08/12/15
Capitol Lake LA070503_00 (East Baton Rouge)	Priority organics (PCBs)	Advisory fish consumption; sediment contamination	No fish consumption.	55.4 acres	Issued: 08/24/83 Reviewed 11/94 and 01/28
Wham Brake LA080904_00559693 (Morehouse)	Dioxin	Advisory fish consumption	No fish consumption.	17 miles	Issued: 11/23/87 Revised: 03/94, 11/96, and 11/01

Name	Causative Pollutants	Type of Advisory	Recommendations	Area Description and/or Size Affected	Date Established
Tensas River LA081201_00 (Madison, Tensas, Catahoula)	DDT, Toxaphene	Advisory fish consumption	Long-term fish consumption may cause health risk.	176.7 miles	Issued: 02/19/92
Bayou Lafourche: from Hwy. 80 overpass to I-20 LA080904_00 (Ouachita)	Dioxin	Advisory fish consumption	Limit consumption to TWO MEALS PER MONTH for all species.	2 miles	Issued: 11/96 Revised: 11/01

Name	Causative Pollutants	Type of Advisory	Recommendations	Area Description and/or Size Affected	Date Established
<u>Fish Consumption Advisories Caused by MERCURY Contamination</u>					
<p>Gulf of Mexico off Louisiana Coast</p> <p>LA010901_00 LA021102_00 LA031201_00 LA042209_00 LA050901_00 LA061201_00 LA070601_00 LA110701_00 LA120806_00</p>	Mercury	Advisory fish consumption	<p>Women of childbearing age and children less than seven years of age SHOULD NOT CONSUME KING MACKEREL and should consume no more than ONE MEAL PER MONTH of cobia, blackfin tuna and greater amberjack combined from the advisory area.</p> <p>Other adults and children seven years of age and older SHOULD NOT CONSUME KING MACKEREL GREATER THAN 39 INCHES IN TOTAL LENGTH (distance from the outermost portion of the snout to the outermost portion of the caudal fin) and should consume no more than TWO MEALS PER MONTH of king mackerel 39 inches or less in total length and no more than FOUR MEALS PER MONTH of cobia, blackfin tuna and greater amberjack combined from the advisory area.</p> <p>Unless the fish species is specifically addressed in the details of the advisory, please limit consumption of all species in an advisory area to FOUR MEALS PER MONTH.</p>	1,191 Square Miles	<p>Issued: 09/04/97 Revised: 03/08/06</p>

Name	Causative Pollutants	Type of Advisory	Recommendations	Area Description and/or Size Affected	Date Established
<p>Bayou De Siard</p> <p>LA080701_00 (Ouachita)</p>	<p>Mercury</p>	<p>Advisory fish consumption</p>	<p>Women of childbearing age and children less than seven years of age SHOULD NOT CONSUME BOWFIN (choupique, grinnel) and should consume no more than ONE MEAL PER MONTH of all other species combined from the advisory area.</p> <p>Other adults and children seven years of age and older SHOULD NOT CONSUME BOWFIN (choupique, grinnel) and should consume no more than FOUR MEALS PER MONTH of all other species combined from the advisory area.</p> <p>Unless the fish species is specifically addressed in the details of the advisory, please limit consumption of all species in an advisory area to FOUR MEALS PER MONTH.</p>	<p>Bayou Desiard from headwaters to confluence with the Ouachita River</p> <p>1,101 acres</p>	<p>Issued: 05/29/03</p>

Name	Causative Pollutants	Type of Advisory	Recommendations	Area Description and/or Size Affected	Date Established
<p>Lake Louis (Lovelace Lake) and Bayou Louis</p> <p>LA080202_00 LA080203_00 (Catahoula)</p>	<p>Mercury</p>	<p>Advisory fish consumption</p>	<p>Women of childbearing age and children less than seven years of age SHOULD NOT CONSUME BOWFIN (choupique, grinnel) and should consume no more than ONE MEAL PER MONTH of all other species combined from the advisory area.</p> <p>Other adults and children over seven years of age SHOULD NOT CONSUME BOWFIN (choupique, grinnel) from the advisory area.</p> <p>Unless the fish species is specifically addressed in the details of the advisory, please limit consumption of all species in an advisory area to FOUR MEALS PER MONTH.</p>	<p>Lake Louis (Lovelace Lake) (756.4 acres) and Bayou Louis from its headwaters to its confluence with the Ouachita River (8.7 miles)</p>	<p>Issued: 05/29/03</p>

Name	Causative Pollutants	Type of Advisory	Recommendations	Area Description and/or Size Affected	Date Established
<p>Big Alabama Bayou</p> <p>LA010401_001 (Point Coupee, Iberville, St. Martin)</p>	<p>Mercury</p>	<p>Advisory fish consumption</p>	<p>Women of childbearing age and children less than seven years of age should consume no more than ONE MEAL PER MONTH of any species combined from the advisory area.</p> <p>Other adults and children seven years of age and older should consume no more than TWO MEALS PER MONTH of catfish species from the advisory area.</p> <p>Unless the fish species is specifically addressed in the details of the advisory, please limit consumption of all species in an advisory area to FOUR MEALS PER MONTH.</p>	<p>Big Alabama Bayou for its entire length from the boat landing at Hwy 975 to its southern end near the Atchafalaya River Pilot Channel.</p> <p>13.1 miles</p>	<p>Issued: 05/29/03</p>

Name	Causative Pollutants	Type of Advisory	Recommendations	Area Description and/or Size Affected	Date Established
<p>Black Bayou Lake</p> <p>LA080701-00553675 (Ouachita)</p>	<p>Mercury</p>	<p>Advisory fish consumption</p>	<p>Women of childbearing age and children less than seven years of age SHOULD NOT CONSUME BOWFIN (choupique, grinnel) from the advisory area.</p> <p>Other adults and children seven years of age and older should consume no more than ONE MEAL PER MONTH of bowfin (choupique, grinnel) from the advisory area.</p> <p>Unless the fish species is specifically addressed in the details of the advisory, please limit consumption of all species in an advisory area to FOUR MEALS PER MONTH.</p>	<p>Black Bayou Lake</p> <p>3,968 acres</p>	<p>Issued: 05/29/03</p>

Name	Causative Pollutants	Type of Advisory	Recommendations	Area Description and/or Size Affected	Date Established
<p>Boeuf River</p> <p>LA080901_00 (Franklin, Richland, Catahoula)</p>	<p>Mercury</p>	<p>Advisory fish consumption</p>	<p>Women of childbearing age and children less than seven years of age SHOULD NOT CONSUME BOWFIN (choupique, grinnel) and should consume no more than ONE MEAL PER MONTH of all other species combined from the advisory area.</p> <p>Other adults and children seven years of age and older SHOULD NOT CONSUME BOWFIN (choupique, grinnel) and should consume no more than FOUR MEALS PER MONTH of all other species combined from the advisory area.</p> <p>Unless the fish species is specifically addressed in the details of the advisory, please limit consumption of all species in an advisory area to FOUR MEALS PER MONTH.</p>	<p>Boeuf River from the confluence with Lake Lafourche to the confluence with the Ouachita River.</p> <p>113 miles</p>	<p>Issued: 05/29/03</p>

Name	Causative Pollutants	Type of Advisory	Recommendations	Area Description and/or Size Affected	Date Established
<p>Bogue Falaya and Tchefonctc Rivers</p> <p>LA040801_00 LA040803_00 LA040804_00 LA040807_00 LA040808_00 (Washington, St. Tammany, Tangipahoa)</p>	<p>Mercury</p>	<p>Advisory fish consumption</p>	<p>Women of childbearing age and children less than seven years of age SHOULD NOT CONSUME largemouth bass and crappie and should consume no more than ONE MEAL PER MONTH of freshwater drum, spotted bass, or catfish combined from the advisory area.</p> <p>Other adults and children seven years of age and older should consume no more than TWO MEALS PER MONTH of largemouth bass and crappie and no more than FOUR MEALS PER MONTH of freshwater drum, spotted bass, or catfish combined from the advisory area.</p> <p>Unless the fish species is specifically addressed in the details of the advisory, please limit consumption of all species in an advisory area to FOUR MEALS PER MONTH.</p>	<p>Bogue Falaya River (30.5 miles) from its headwaters to its confluence with the Tchefonctc River, and the Tchefonctc River (71.8 miles) from its headwaters to Lake Pontchartrain. All oxbow lakes associated with these sections of the Bogue Falaya and Tchefonctc Rivers are included in this advisory.</p>	<p>Issued: 05/29/03</p>

Name	Causative Pollutants	Type of Advisory	Recommendations	Area Description and/or Size Affected	Date Established
<p>Corney Lake</p> <p>LA080608_00 (Claiborne)</p>	<p>Mercury</p>	<p>Advisory fish consumption</p>	<p>Women of childbearing age and children less than seven years of age should consume no more than ONE MEAL PER MONTH of largemouth bass or bowfin (choupique, grinnel) combined from the advisory area.</p> <p>Other adults and children seven years of age and older should consume no more than FOUR MEALS PER MONTH of largemouth bass or bowfin (choupique, grinnel) combined from the advisory area.</p> <p>Unless the fish species is specifically addressed in the details of the advisory, please limit consumption of all species in an advisory area to FOUR MEALS PER MONTH.</p>	<p>Corney Lake</p> <p>1,384.1 acres</p>	<p>Issued: 05/29/03</p>

Name	Causative Pollutants	Type of Advisory	Recommendations	Area Description and/or Size Affected	Date Established
<p>Grand Bayou Reservoir</p> <p>LA100709_001 (Red River)</p>	<p>Mercury</p>	<p>Advisory fish consumption</p>	<p>Women of childbearing age and children less than seven years of age SHOULD NOT CONSUME BOWFIN (choupique, grinnel) and should consume no more than ONE MEAL PER MONTH of largemouth bass.</p> <p>Other adults and children seven years of age and older should consume no more than TWO MEALS PER MONTH of largemouth bass or bowfin (choupique, grinnel) combined from the advisory area.</p> <p>Unless the fish species is specifically addressed in the details of the advisory, please limit consumption of all species in an advisory area to FOUR MEALS PER MONTH.</p>	<p>Grand Bayou Reservoir</p> <p>2,700 acres</p>	<p>Issued: 05/29/03</p>

Name	Causative Pollutants	Type of Advisory	Recommendations	Area Description and/or Size Affected	Date Established
<p>Kepler Creek Lake</p> <p>LA100705_00 (Bienville)</p>	<p>Mercury</p>	<p>Advisory fish consumption</p>	<p>Women of childbearing age and children less than seven years of age SHOULD NOT CONSUME BOWFIN (choupique, grinnel) from the advisory area.</p> <p>Other adults and children seven years of age and older should consume no more than ONE MEAL PER MONTH of bowfin (choupique, grinnel) from the advisory area.</p> <p>Unless the fish species is specifically addressed in the details of the advisory, please limit consumption of all species in an advisory area to FOUR MEALS PER MONTH.</p>	<p>Kepler Creek Lake</p> <p>1,926 acres</p>	<p>Issued: 05/29/03</p>

Name	Causative Pollutants	Type of Advisory	Recommendations	Area Description and/or Size Affected	Date Established
<p>Tangipahoa River</p> <p>LA040701_00 LA040702_00 (Tangipahoa)</p>	<p>Mercury</p>	<p>Advisory fish consumption</p>	<p>Women of childbearing age and children less than seven years of age should consume no more than ONE MEAL PER MONTH of largemouth bass, spotted bass, flathead catfish, freshwater drum, or bowfin (choupique, grinnel) combined from the advisory area.</p> <p>Other adults and children seven years of age and older should consume no more than FOUR MEALS PER MONTH of largemouth bass, spotted bass, flathead catfish, freshwater drum, or bowfin (choupique, grinnel) from the advisory area.</p> <p>Unless the fish species is specifically addressed in the details of the advisory, please limit consumption of all species in an advisory area to FOUR MEALS PER MONTH.</p>	<p>Tangipahoa River from the Louisiana/ Mississippi state line to Lake Pontchartrain</p> <p>80.3 miles</p>	<p>Issued: 05/29/03</p>

<p>Catahoula Lake, Little River, Old River, Black River, Saline Lake, Larto Lake (Saline/Larto Complex), Shad Lake and Associated Water Bodies</p> <p>LA080301_00 LA080302_00 LA081301_00 LA101501_00 LA101502_00 LA101502_005374 80 LA101504_00 LA101504_001 LA101504_002 LA101505_00 LA101506_00 LA101506_001 LA081601_00 LA081602_00 LA081603_00 LA081604_00 LA081605_00 LA081606_00 LA081607_00 LA081608_00 LA081609_00 LA081610_00 LA081610_001 LA081610_002 LA081610_003 LA081611_00 (Avoyelles, Catahoula, Concordia, Grant, LaSalle, Rapides)</p>	<p>Mercury</p>	<p>Advisory fish consumption</p>	<p>Women of childbearing age and children less than seven years of age SHOULD NOT CONSUME largemouth bass, white bass, freshwater drum, flathead catfish, or bowfin (choupique, grinnel) and should consume no more than TWO MEALS PER MONTH of white crappie from the advisory area.</p> <p>Other adults and children seven years of age and older should consume no more than TWO MEALS PER MONTH of largemouth bass, white bass, freshwater drum, flathead catfish, or bowfin (choupique, grinnel) and should consume no more than FOUR MEALS PER MONTH of white crappie from the advisory area.</p> <p>Unless the fish species is specifically addressed in the details of the advisory, please limit consumption of all species in an advisory area to FOUR MEALS PER MONTH.</p>	<p>All water bodies mentioned in advisory within the parishes of Avoyelles, Catahoula, Concordia, Grant, LaSalle, and Rapides, including the following associated streams and their tributaries: Big Bushley Creek Big Creek Big Saline Bayou Brushley Bayou Bushley Creek Catahoula Lake Diversion Canal Cross Bayou Muddy Bayou Open Bayou Saline Bayou</p>	<p>Issued: 11/20/00 Revised: 5/29/03</p>
--	----------------	----------------------------------	--	---	---

Name	Causative Pollutants	Type of Advisory	Recommendations	Area Description and/or Size Affected	Date Established
<p>Bayou Bartholomew</p> <p>LA080401_00 (Morehouse)</p>	<p>Mercury</p>	<p>Advisory fish consumption</p>	<p>Women of childbearing age and children less than seven years of age SHOULD NOT CONSUME BOWFIN (choupique, grinnet) and should consume no more than ONE MEAL PER MONTH of all other species combined from the advisory area.</p> <p>Other adults and children seven years of age and older SHOULD NOT CONSUME BOWFIN (choupique, grinnet) and should consume no more than FOUR MEALS PER MONTH of all other species combined from the advisory area.</p> <p>Unless the fish species is specifically addressed in the details of the advisory, please limit consumption of all species in an advisory area to FOUR MEALS PER MONTH.</p>	<p>Bayou Bartholomew from the Louisiana/Arkans as state line to its confluence with the Ouachita River</p> <p>72.5 miles</p>	<p>Issued: 1/21/1999 Revised: 05/29/03</p>
<p>Bayou des Cannes</p> <p>LA050101_00 (Evangeline)</p>	<p>Mercury</p>	<p>Advisory fish consumption</p>	<p>Women of childbearing age and children less than seven years of age should consume no more than ONE MEAL PER MONTH of bowfin, crappie, largemouth bass and freshwater drum combined from the advisory area.</p> <p>Other adults and children seven years of age or older: NO ADVISORY</p>	<p>From origin near Ville Platte to the Mermentau River</p> <p>67.5 miles</p>	<p>Issued: 10/97 Revised: 05/29/03 and 07/25/18</p>

Name	Causative Pollutants	Type of Advisory	Recommendations	Area Description and/or Size Affected	Date Established
<p>Bayou Liberty</p> <p>LA040905_00 LA040906_00 LA040915_00 (St. Tammany)</p>	<p>Mercury</p>	<p>Advisory fish consumption</p>	<p>Women of childbearing age and children less than seven years of age should consume no more than ONE MEAL PER MONTH of largemouth bass, crappie, freshwater drum, or redear sunfish combined from the advisory area.</p> <p>Other adults and children seven years of age and older should consume no more than FOUR MEALS PER MONTH of largemouth bass, crappie, freshwater drum, or redear sunfish combined from the advisory area.</p> <p>Unless the fish species is specifically addressed in the details of the advisory, please limit consumption of all species in an advisory area to FOUR MEALS PER MONTH.</p>	<p>From origin to Lake Pontchartrain</p> <p>15.4 miles</p>	<p>Issued: 02/97 Revised: 05/29/03</p>

Name	Causative Pollutants	Type of Advisory	Recommendations	Area Description and/or Size Affected	Date Established
<p>Bayou Plaquemine Brule</p> <p>LA050201_00 (St. Landry, Acadia)</p>	<p>Mercury</p>	<p>Advisory fish consumption</p>	<p>Women of childbearing age and children less than seven years of age should consume no more than ONE MEAL PER MONTH of bowfin, largemouth bass, crappie, flathead catfish and freshwater drum combined from the advisory area.</p> <p>Other adults and children seven years of age or older: NO ADVISORY</p>	<p>Origin near Opelousas to Mermentau River</p> <p>57 miles</p>	<p>Issued: 10/96 Revised: 05/29/03 and 07/25/18</p>

Name	Causative Pollutants	Type of Advisory	Recommendations	Area Description and/or Size Affected	Date Established
<p>Black Lake</p> <p>LA100703_00 (Natchitoches)</p>	<p>Mercury</p>	<p>Advisory fish consumption</p>	<p>Women of childbearing age and children less than seven years of age SHOULD NOT CONSUME BOWFIN (choupique, grinnel) and should consume no more than ONE MEAL PER MONTH of largemouth bass, white bass, crappie, or freshwater drum combined from the advisory area.</p> <p>Other adults and children seven years of age and older should consume no more than TWO MEALS PER MONTH of bowfin (choupique, grinnel) and no more than FOUR MEALS PER MONTH of largemouth bass, white bass, crappie, or freshwater drum combined from the advisory area.</p> <p>Unless the fish species is specifically addressed in the details of the advisory, please limit consumption of all species in an advisory area to FOUR MEALS PER MONTH.</p>	<p>12,909 acres</p>	<p>Issued: 10/96 Revised: 05/29/03</p>

Name	Causative Pollutants	Type of Advisory	Recommendations	Area Description and/or Size Affected	Date Established
<p>Blind River</p> <p>LA040401_00 LA040403_00 (St. John the Baptist, St. James)</p>	<p>Mercury</p>	<p>Advisory fish consumption</p>	<p>Women of childbearing age and children less than seven years of age should consume no more than ONE MEAL PER MONTH of bowfin (choupique, grinnel) from the advisory area.</p> <p>Other adults and children seven years of age or older should consume no more than FOUR MEALS PER MONTH of bowfin (choupique, grinnel) from the advisory area.</p> <p>Unless the fish species is specifically addressed in the details of the advisory, please limit consumption of all species in an advisory area to FOUR MEALS PER MONTH.</p>	<p>From origin to Lake Maurepas</p> <p>25.4 miles</p>	<p>Issued: 04/27/98 Revised: 05/29/03</p>

Name	Causative Pollutants	Type of Advisory	Recommendations	Area Description and/or Size Affected	Date Established
<p>Bogue Chitto River</p> <p>LA090203_00 LA090501_00 (Washington, St. Tammany)</p>	Mercury	Advisory fish consumption	<p>Women of childbearing age and children less than seven years of age should consume no more than ONE MEAL PER MONTH of bass (all species) or bowfin (choupique, grinnel) combined from the advisory area.</p> <p>Other adults and children seven years of age and older should consume no more than FOUR MEALS PER MONTH of bass (all species) or bowfin (choupique, grinnel) combined from the advisory area.</p> <p>Unless the fish species is specifically addressed in the details of the advisory, please limit consumption of all species in an advisory area to FOUR MEALS PER MONTH.</p>	<p>From the MS/LA state line to the Pearl River Navigation Canal</p> <p>70.3 miles</p>	<p>Issued: 08/96 Revised: 05/29/03</p>
<p>Chicot Lake</p> <p>LA060203_00 (Evangeline)</p>	Mercury	Advisory fish consumption	<p>Women of childbearing age and children less than seven years of age should consume no more than TWO MEALS PER MONTH of black crappie, bowfin and largemouth bass combined.</p> <p>Other adults and children seven years of age or older: NO ADVISORY</p>	1,157.2 acres	<p>Issued: 05/27/97 Revised: 05/29/03 and 07/25/18</p>

Name	Causative Pollutants	Type of Advisory	Recommendations	Area Description and/or Size Affected	Date Established
<p>Henderson Lake area including Lake Bigeux</p> <p>LA010301_00 LA010301_001 LA010301_002 (St. Martin)</p>	<p>Mercury</p>	<p>Advisory fish consumption</p>	<p>Women of childbearing age and children less than seven years of age should consume no more than TWO MEALS PER MONTH of largemouth bass and bowfin combined.</p> <p>Other adults and children seven years of age or older: NO ADVISORY</p>	<p>Henderson Lake, Lake Bigeux, and all waters within the area bounded on the north by the St. Landry-St. Martin Parish Line, on the east by the West Atchafalaya River levee (Hwy. 3177), on the south by Hwy. 3177 and on the west by the West Atchafalaya Basin levee.</p> <p>4,417 acres</p>	<p>Issued: 03/04/96 Revised: 05/29/03 and 07/25/18</p>

Name	Causative Pollutants	Type of Advisory	Recommendations	Area Description and/or Size Affected	Date Established
<p>Ivan Lake</p> <p>LA100401_005565 75 (Bossier)</p>	<p>Mercury</p>	<p>Advisory fish consumption</p>	<p>Women of childbearing age and children less than seven years of age SHOULD NOT CONSUME BOWFIN (choupique, grinnel) and should consume no more than ONE MEAL PER MONTH of largemouth bass from the advisory area.</p> <p>Other adults and children seven years of age and older should consume no more than TWO MEALS PER MONTH of bowfin (choupique, grinnel) and no more than FOUR MEALS PER MONTH of largemouth bass from the advisory area.</p> <p>Unless the fish species is specifically addressed in the details of the advisory, please limit consumption of all species in an advisory area to FOUR MEALS PER MONTH.</p>	<p>520 acres</p>	<p>Issued: 11/20/00 Revised: 05/29/03</p>

Name	Causative Pollutants	Type of Advisory	Recommendations	Area Description and/or Size Affected	Date Established
<p>Lake Vernon</p> <p>LA110503_00 (Vernon)</p>	<p>Mercury</p>	<p>Advisory fish consumption</p>	<p>Women of childbearing age and children less than seven years of age should consume no more than ONE MEAL PER MONTH of largemouth bass, flathead catfish, redear or bluegill sunfish combined from the advisory area.</p> <p>Other adults and children seven years of age and older should consume no more than FOUR MEALS PER MONTH of largemouth bass, flathead catfish, redear or bluegill sunfish combined from the advisory area.</p> <p>Unless the fish species is specifically addressed in the details of the advisory, please limit consumption of all species in an advisory area to FOUR MEALS PER MONTH.</p>	<p>4,021.8 acres</p>	<p>Issued: 08/05/97 Revised: 05/29/03</p>

Name	Causative Pollutants	Type of Advisory	Recommendations	Area Description and/or Size Affected	Date Established
<p>Ouachita River</p> <p>LA080101_00 LA080201_00 (Morehouse, Ouachita, Union, Catahoula, and Caldwell)</p>	<p>Mercury</p>	<p>Advisory fish consumption</p>	<p>Women of childbearing age and children less than seven years of age SHOULD NOT CONSUME BOWFIN (choupique, grinnel) and should consume no more than ONE MEAL PER MONTH of all other species combined from the advisory area.</p> <p>Other adults and children seven years of age and older SHOULD NOT CONSUME BOWFIN (choupique, grinnel) from the advisory area and should consume no more than FOUR MEALS PER MONTH of all other species combined from the advisory area.</p> <p>Unless the fish species is specifically addressed in the details of the advisory, please limit consumption of all species in an advisory area to FOUR MEALS PER MONTH.</p>	<p>Ouachita River from the Louisiana/Arkansas border to the confluence of the Tensas River including any lakes that are inside the levee system or within the Ouachita River floodplain.</p> <p>178.7 miles</p>	<p>Issued: 07/29/92 Revised: 08/94 and 05/29/03</p>

Name	Causative Pollutants	Type of Advisory	Recommendations	Area Description and/or Size Affected	Date Established
<p>Pearl River</p> <p>LA090101_00 LA090102_00 LA090103_00 LA090105_00 LA090106_00 LA090107_00 LA090201_00 LA090202_00 LA090202-5126 LA090204_00 LA090205_00 LA090206_00 LA090207_00 LA090207-5112 (Washington, St. Tammany)</p>	<p>Mercury</p>	<p>Advisory fish consumption</p>	<p>Women of childbearing age and children less than seven years of age SHOULD NOT CONSUME BOWFIN (choupique, grinnel) and should consume no more than ONE MEAL PER MONTH of bass (all species), bigmouth buffalo, or freshwater drum combined from the advisory area.</p> <p>Other adults and children seven years of age and older SHOULD NOT CONSUME BOWFIN (choupique, grinnel) and should consume no more than FOUR MEALS PER MONTH of bass (all species), bigmouth buffalo, or freshwater drum combined from the advisory area.</p> <p>Unless the fish species is specifically addressed in the details of the advisory, please limit consumption of all species in an advisory area to FOUR MEALS PER MONTH.</p>	<p>This advisory includes the entire Pearl River</p> <p>221.8 miles (total for all specified subsegments)</p>	<p>Issued: 03/01/97 Revised: 05/29/03</p>

Name	Causative Pollutants	Type of Advisory	Recommendations	Area Description and/or Size Affected	Date Established
<p>Seventh Ward Canal</p> <p>LA050702_001 LA060802_001 (Vermilion)</p>	<p>Mercury</p>	<p>Advisory fish consumption</p>	<p>Women of childbearing age and children less than seven years of age should consume no more than ONE MEAL PER MONTH of bowfin OR no more than TWO MEALS PER MONTH of largemouth bass, flathead catfish, white crappie and freshwater drum combined.</p> <p>Other adults and children seven years of age or older: NO ADVISORY</p>	<p>Seventh Ward Canal southwest of Abbeville</p> <p>11.5 miles</p>	<p>Issued: 06/25/97 Revised: 05/29/03 and 07/25/18</p>

Name	Causative Pollutants	Type of Advisory	Recommendations	Area Description and/or Size Affected	Date Established
<p>The Toledo Bend Reservoir</p> <p>LA110101_00 (Sabine, De Soto)</p>	<p>Mercury</p>	<p>Advisory fish consumption</p>	<p>Women of childbearing age and children less than seven years of age SHOULD NOT CONSUME BOWFIN (choupique, grinnel) and should consume no more than ONE MEAL PER MONTH of largemouth bass or freshwater drum combined from the advisory area.</p> <p>Other adults and children seven years of age and older should consume no more than TWO MEALS PER MONTH of bowfin (choupique, grinnel) and no more than FOUR MEALS PER MONTH of largemouth bass or freshwater drum combined from the advisory area.</p> <p>Unless the fish species is specifically addressed in the details of the advisory, please limit consumption of all species in an advisory area to FOUR MEALS PER MONTH.</p>	<p>The entire Louisiana side of the Toledo Bend Reservoir.</p> <p>165,486.5 acres</p>	<p>Issued: 11/17/97 Revised: 07/19/01 and 05/29/03</p>

Name	Causative Pollutants	Type of Advisory	Recommendations	Area Description and/or Size Affected	Date Established
<p>Tickfaw River Drainage Basin</p> <p>LA040501_00 LA040502-00553715 LA040502_00536641 LA040503_00 LA040505_00 LA040506_00 LA040507_00 LA040508_00</p> <p>(Livingston, Tangipahoa, and St. Helena)</p>	<p>Mercury</p>	<p>Advisory fish consumption</p>	<p>Women of childbearing age and children less than seven years of age should consume no more than ONE MEAL PER MONTH of freshwater drum, largemouth bass, bowfin (choupique, grinnel), or white crappie combined from the advisory area.</p> <p>Other adults and children seven years of age and older should consume no more than FOUR MEALS PER MONTH of freshwater drum, largemouth bass, bowfin (choupique, grinnel), or white crappie combined from the advisory area.</p> <p>Unless the fish species is specifically addressed in the details of the advisory, please limit consumption of all species in an advisory area to FOUR MEALS PER MONTH.</p>	<p>The advisory area includes the following bodies of water: the Tickfaw River from the Mississippi-Louisiana state line to Lake Maurepas (121.6 miles); the Natalbany River (40.3 miles); the Blood River (17.8 miles); Lizard Creek (8.2 miles); and Ponchatoula Creek (26.1 miles).</p>	<p>Issued: 07/08/02 Revised: 05/29/03</p>

Name	Causative Pollutants	Type of Advisory	Recommendations	Area Description and/or Size Affected	Date Established
<p>Amite River Drainage Basin LA040301_00 LA040302_00 LA040303_00 LA040305_00 LA040306_00 LA040307_00 LA040308_00 LA040309_00 LA040402_00 LA040403_005556 32</p> <p>(East Feliciana, St. Helena, East Baton Rouge, Livingston, and Ascension)</p>	<p>Mercury</p>	<p>Advisory fish consumption</p>	<p>Women of childbearing age and children less than seven years of age should consume no more than ONE MEAL PER MONTH of largemouth bass, spotted bass, bigmouth buffalo, white crappie, freshwater drum, or bowfin (choupique, grinnel) from the advisory area.</p> <p>Other adults and children seven years of age and older should consume no more than FOUR MEALS PER MONTH of largemouth bass, spotted bass, bigmouth buffalo, white crappie, freshwater drum, or bowfin (choupique, grinnel) from the advisory area.</p> <p>Unless the fish species is specifically addressed in the details of the advisory, please limit consumption of all species in an advisory area to FOUR MEALS PER MONTH.</p>	<p>Amite River (119.3 miles) from the Mississippi State Line to its confluence with Lake Maurepas. Includes Colyell Creek (86.6 miles with tributaries), the Amite River Diversion Canal (10.2 miles), and the Petite Amite River (11 miles).</p>	<p>Issued: 07/01/04</p>

Name	Causative Pollutants	Type of Advisory	Recommendations	Area Description and/or Size Affected	Date Established
<p>Bayou Bonne Idee</p> <p>LA080902_00 (Morehouse)</p>	<p>Mercury</p>	<p>Advisory fish consumption</p>	<p>Women of childbearing age and children less than seven years of age SHOULD NOT CONSUME BOWFIN (choupique, grinnel) and should consume no more than ONE MEAL PER MONTH of largemouth bass and freshwater drum combined from the advisory area.</p> <p>Other adults and children seven years of age and older SHOULD NOT CONSUME BOWFIN (choupique, grinnel) and should consume no more than FOUR MEALS PER MONTH of largemouth bass and freshwater drum combined from the advisory area.</p> <p>Unless the fish species is specifically addressed in the details of the advisory, please limit consumption of all species in an advisory area to FOUR MEALS PER MONTH.</p>	<p>Bayou Bonne Idee from its headwaters near Jones, LA to its confluence with the Boeuf River east of Oak Ridge.</p> <p>64.3 miles</p>	<p>Issued: 07/01/04</p>

Name	Causative Pollutants	Type of Advisory	Recommendations	Area Description and/or Size Affected	Date Established
<p>Bayou De L'outré and associated lakes</p> <p>LA080501_00 LA080501_005556 36 LA080501_005546 78 LA080501_001 (Union)</p>	<p>Mercury</p>	<p>Advisory fish consumption</p>	<p>Women of childbearing age and children less than seven years of age SHOULD NOT CONSUME ANY SPECIES from the advisory area.</p> <p>Other adults and children seven years of age and older should consume no more than TWO MEALS PER MONTH of all species combined from the advisory area.</p> <p>Unless the fish species is specifically addressed in the details of the advisory, please limit consumption of all species in an advisory area to FOUR MEALS PER MONTH.</p>	<p>Bayou De L'outré (55.9 miles) from the Arkansas State Line to its confluence with the Ouachita River, including Phillips (29 acres), Hatley (7 acres), and Hudson (13 acres) lakes.</p>	<p>Issued: 11/20/00 Revised: 05/29/03 and 07/01/04</p>

Name	Causative Pollutants	Type of Advisory	Recommendations	Area Description and/or Size Affected	Date Established
<p>Bayou Dorcheat</p> <p>LA100501_00 (Webster)</p>	<p>Mercury</p>	<p>Advisory fish consumption</p>	<p>Women of childbearing age and children less than seven years of age should consume no more than ONE MEAL PER MONTH of largemouth bass, spotted bass, black crappie, freshwater drum, flathead catfish and bowfin (choupique, grinnel) combined from the advisory area.</p> <p>Other adults and children seven years of age and older should consume no more than TWO MEALS PER MONTH of largemouth bass, spotted bass, black crappie, freshwater drum, flathead catfish and bowfin (choupique, grinnel) from the advisory area.</p> <p>Unless the fish species is specifically addressed in the details of the advisory, please limit consumption of all species in an advisory area to FOUR MEALS PER MONTH.</p>	<p>Bayou Dorcheat from the Arkansas State Line to its confluence with Lake Bistineau.</p> <p>53.1 miles</p>	<p>Issued: 07/01/04 Revised: 03/08/06</p>

Name	Causative Pollutants	Type of Advisory	Recommendations	Area Description and/or Size Affected	Date Established
<p>Bayou Queue De Tortue</p> <p>LA050501_00 (Acadia, Lafayette, and Vermilion)</p>	Mercury	Advisory fish consumption	<p>Women of childbearing age and children less than seven years of age should consume no more than ONE MEAL PER MONTH of bowfin and largemouth bass combined OR no more than TWO MEALS PER MONTH of crappie, warmouth, bluegill sunfish and freshwater drum combined.</p> <p>Other adults and children seven years of age or older: NO ADVISORY</p>	<p>Bayou Queue de Tortue from its headwaters near Cankton, LA to its confluence with the Mermentau River east of Lake Arthur, LA.</p> <p>57.2 miles</p>	<p>Issued: 07/01/04 Revised: 07/25/18</p>
<p>Calcasieu River Drainage Basin</p> <p>LA030103_00 LA030201_00 LA030702_00 LA030801_00 LA030802_00 LA030803_00 LA030804_00 LA030806_00 (Calcasieu, Jefferson Davis, and Allen)</p>	Mercury	Advisory fish consumption	<p>Women of childbearing age and children less than seven years of age SHOULD NOT CONSUME largemouth bass, freshwater drum, or bowfin (choupique, grinnel) from the advisory area.</p> <p>Other adults and children seven years of age and older should consume no more than TWO MEALS PER MONTH of largemouth bass, freshwater drum, and bowfin (choupique, grinnel) combined from the advisory area.</p> <p>Unless the fish species is specifically addressed in the details of the advisory, please limit consumption of all species in an advisory area to FOUR MEALS PER MONTH.</p>	<p>The Calcasieu River from Hwy 26 to the Saltwater Barrier north of Lake Charles, the West Fork Calcasieu River, Houston River, Hickory Creek, Beckwith Creek, English Bayou, and Little River.</p> <p>272.5 miles (total for all specified subsegments)</p>	<p>Issued: 11/20/00 Revised: 05/29/03 and 07/01/04</p>

Name	Causative Pollutants	Type of Advisory	Recommendations	Area Description and/or Size Affected	Date Established
<p>Cheniere (Brake) Lake</p> <p>LA080802_00 (Ouachita)</p>	<p>Mercury</p>	<p>Advisory fish consumption</p>	<p>Women of childbearing age and children less than seven years of age SHOULD NOT CONSUME BOWFIN (choupique, grinnel) and should consume no more than TWO MEALS PER MONTH of largemouth bass from the advisory area.</p> <p>Other adults and children seven years of age and older should consume no more than TWO MEALS PER MONTH of bowfin (choupique, grinnel) and should consume no more than FOUR MEALS PER MONTH of largemouth bass combined from the advisory area.</p> <p>Unless the fish species is specifically addressed in the details of the advisory, please limit consumption of all species in an advisory area to FOUR MEALS PER MONTH.</p>	<p>Cheniere (Brake) Lake</p> <p>2,681.7 acres</p>	<p>Issued: 07/01/04</p>

Name	Causative Pollutants	Type of Advisory	Recommendations	Area Description and/or Size Affected	Date Established
<p>I-10 Canal and Work Canal and Bayou Bristow</p> <p>LA010501_001 LA010501_002 LA010501_005334 11 (Iberville)</p>	<p>Mercury</p>	<p>Advisory fish consumption</p>	<p>Women of childbearing age and children less than seven years of age should consume no more than ONE MEAL PER MONTH of largemouth bass, black crappie, and bowfin (choupique, grinnel) combined from the advisory area.</p> <p>Other adults and children seven years of age and older should consume no more than FOUR MEALS PER MONTH of largemouth bass, black crappie, and bowfin (choupique, grinnel) combined from the advisory area.</p>	<p>The canal that is between the I-10 bridges (between Whiskey Bay and Ramah) and Work Canal, which runs north to south and intersects the I-10 Canal. Also includes Bayou Bristow</p> <p>25.8 miles (total for all specified subsegments)</p>	<p>Issued: 07/01/04 Revised: 02/11/2009 to include Bayou Bristow</p>

Name	Causative Pollutants	Type of Advisory	Recommendations	Area Description and/or Size Affected	Date Established
<p>Tew Lake</p> <p>LA081301-00556223 (Catahoula)</p>	<p>Mercury</p>	<p>Advisory fish consumption</p>	<p>Women of childbearing age and children less than seven years of age should limit consumption of bowfin (choupique, grinnel) to no more than ONE MEAL PER MONTH from the advisory area.</p> <p>Other adults and children seven years of age and older should limit consumption of bowfin (choupique, grinnel) to no more than FOUR MEALS PER MONTH from the advisory area.</p> <p>Unless the fish species is specifically addressed in the details of the advisory, please limit consumption of all species in an advisory area to FOUR MEALS PER MONTH.</p>	<p>Tew Lake</p> <p>235 acres</p>	<p>Issued: 07/01/04</p>

Name	Causative Pollutants	Type of Advisory	Recommendations	Area Description and/or Size Affected	Date Established
<p>Lake Bistineau</p> <p>LA100502_00 (Webster, Bossier, Bienville)</p>	<p>Mercury</p>	<p>Advisory fish consumption</p>	<p>Women of childbearing age and children less than seven years of age should consume no more than ONE MEAL PER MONTH of bowfin (choupique, grinnel) from the advisory area.</p> <p>Other adults and children seven years of age and older should consume no more than FOUR MEALS PER MONTH of bowfin (choupique, grinnel) from the advisory area.</p> <p>Unless the fish species is specifically addressed in the details of the advisory, please limit consumption of all species in an advisory area to FOUR MEALS PER MONTH.</p>	<p>Lake Bistineau</p> <p>17,216 acres</p>	<p>Issued: 03/08/06</p>

Name	Causative Pollutants	Type of Advisory	Recommendations	Area Description and/or Size Affected	Date Established
<p>Black Bayou Lake</p> <p>LA100302_00 (Caddo)</p>	<p>Mercury</p>	<p>Advisory fish consumption</p>	<p>Women of childbearing age and children less than seven years of age should consume no more than ONE MEAL PER MONTH of largemouth bass and bowfin (choupique, grinnel) combined from the advisory area.</p> <p>Other adults and children seven years of age and older should consume no more than FOUR MEALS PER MONTH of largemouth bass and bowfin (choupique, grinnel) from the advisory area.</p> <p>Unless the fish species is specifically addressed in the details of the advisory, please limit consumption of all species in an advisory area to FOUR MEALS PER MONTH.</p>	<p>Black Bayou Lake</p> <p>4,382.4 acres</p>	<p>Issued: 03/08/06</p>

Name	Causative Pollutants	Type of Advisory	Recommendations	Area Description and/or Size Affected	Date Established
<p>Iatt Lake</p> <p>LA101302_00 (Grant)</p>	<p>Mercury</p>	<p>Advisory fish consumption</p>	<p>Women of childbearing age and children less than seven years of age should consume no more than ONE MEAL PER MONTH of largemouth bass and bowfin (choupique, grinnel) combined from the advisory area.</p> <p>Other adults and children seven years of age and older should consume no more than FOUR MEALS PER MONTH of largemouth bass and bowfin (choupique, grinnel) combined from the advisory area.</p> <p>Unless the fish species is specifically addressed in the details of the advisory, please limit consumption of all species in an advisory area to FOUR MEALS PER MONTH.</p>	<p>Iatt Lake</p> <p>6,280.3 acres</p>	<p>Issued: 03/08/06</p>

Name	Causative Pollutants	Type of Advisory	Recommendations	Area Description and/or Size Affected	Date Established
<p>Bayou Chene and Bayou Lacassine</p> <p>LA050603_00 LA050601_00 (Jefferson Davis, Calcasieu, Cameron)</p>	<p>Mercury</p>	<p>Advisory fish consumption</p>	<p>Women of childbearing age and children less than seven years of age should consume no more than ONE MEAL PER MONTH of largemouth bass and bowfin (choupique, grinnel) combined from the advisory area.</p> <p>Other adults and children seven years of age and older should consume no more than FOUR MEALS PER MONTH of largemouth bass and bowfin (choupique, grinnel) combined from the advisory area.</p> <p>Unless the fish species is specifically addressed in the details of the advisory, please limit consumption of all species in an advisory area to FOUR MEALS PER MONTH.</p>	<p>Bayou Chene (21.1 miles) and Bayou Lacassine (34.8 miles)</p>	<p>Issued: 03/08/06</p>

Name	Causative Pollutants	Type of Advisory	Recommendations	Area Description and/or Size Affected	Date Established
<p>Bayou Nezpique</p> <p>LA050301_00 (Acadia, Allen, Evangeline, Jefferson Davis)</p>	Mercury	Advisory fish consumption	<p>Women of childbearing age and children less than seven years of age should consume no more than SIX MEALS PER YEAR of bowfin (choupique, grinnel) or no more than ONE MEAL PER MONTH of largemouth bass, from the advisory area.</p> <p>Other adults and children seven years of age and older should consume no more than TWO MEALS PER MONTH of bowfin, or no more than FOUR MEALS PER MONTH of largemouth bass, from the advisory area.</p>	<p>Headwaters of Bayou Nezpique to the Mermentau River</p> <p>65.0 miles</p>	Issued: 02/11/09
<p>Caddo Lake</p> <p>LA100307_00 (Caddo)</p>	Mercury	Advisory fish consumption	<p>Women of childbearing age and children less than seven years of age should consume no more than SIX MEALS PER YEAR of bowfin (choupique, grinnel) from the advisory area.</p> <p>Other adults and children seven years of age and older should consume no more than TWO MEALS PER MONTH of bowfin from the advisory area.</p>	32,640 acres	Issued: 02/11/09

Name	Causative Pollutants	Type of Advisory	Recommendations	Area Description and/or Size Affected	Date Established
<p>Clear Lake (Lake Edwards)</p> <p>LA100605_00 (DeSoto)</p>	Mercury	Advisory fish consumption	<p>Women of childbearing age and children less than seven years of age should consume no more than ONE MEAL PER MONTH of black crappie, bowfin (choupique, grinnel), largemouth bass, or bigmouth buffalo combined, from the advisory area.</p>	2,944 acres	Issued: 02/11/09
<p>Cocodrie Lake</p> <p>LA060102_00 (Evangeline, Rapides)</p>	Mercury	Advisory fish consumption	<p>Women of childbearing age and children less than seven years of age should consume no more than SIX MEALS PER YEAR of bowfin OR no more than ONE MEAL PER MONTH of black crappie, warmouth, bluegill sunfish, big mouth buffalo and largemouth bass combines.</p> <p>Other adults and children seven years of age or older should consume no more than TWO MEALS PER MONTH of bowfin OR no more than THREE MEALS PER MONTH of black crappie and largemouth bass combined.</p>	6,099 acres	<p>Issued: 02/11/09 Revised: 07/25/18</p>

Name	Causative Pollutants	Type of Advisory	Recommendations	Area Description and/or Size Affected	Date Established
<p>Saline Bayou and Saline Lake</p> <p>LA100801_00 LA100802_00 (Bienville, Winn, Natchitoches)</p>	<p>Mercury</p>	<p>Advisory fish consumption</p>	<p>Women of childbearing age and children less than seven years of age should consume no more than SIX MEALS PER YEAR of largemouth bass, or no more than THREE MEALS PER MONTH of carp, freshwater drum, longear sunfish, or warmouth combined, or no more than TWO MEALS PER MONTH of black crappie, or no more than ONE MEAL PER MONTH of bowfin (choupique, grinnel) or spotted bass combined, from the advisory area.</p> <p>Other adults and children seven years of age and older should consume no more than THREE MEALS PER MONTH of bowfin or spotted bass combined, or no more than TWO MEALS PER MONTH of largemouth bass, from the advisory area.</p>	<p>From headwaters of Saline Bayou (83.4 miles) in Bienville Parish to, and including, Saline Lake (8,960 acres) in Winn and Natchitoches Parishes.</p>	<p>Issued: 02/11/09</p>

Name	Causative Pollutants	Type of Advisory	Recommendations	Area Description and/or Size Affected	Date Established
<p>Old River (Niblett Bluff)</p> <p>LA110201_005378 46 (Calcasieu)</p>	<p>Mercury</p>	<p>Advisory fish consumption</p>	<p>Women of childbearing age and children less than seven years of age should consume no more than SIX MEALS PER YEAR of bowfin (choupique, grinnel), or no more than TWO MEALS PER MONTH black crappie or redear sunfish combined, or no more than ONE MEAL PER MONTH of freshwater drum, largemouth bass or spotted bass combined, from the advisory area.</p> <p>Other adults and children seven years of age and older should consume no more than THREE MEALS PER MONTH of freshwater drum, or no more than TWO MEALS PER MONTH of bowfin from the advisory area.</p>	<p>From headwaters to confluence with Sabine River</p> <p>10.6 miles</p>	<p>Issued: 02/11/2009</p>
<p>Crooked Creek Reservoir</p> <p>LA050301_005567 51 (Evangeline)</p>	<p>Mercury</p>	<p>Advisory fish consumption</p>	<p>Women of childbearing age and children less than seven years of age should consume no more than ONE MEAL PER MONTH of largemouth bass and bowfin combined.</p> <p>Other adults and children seven years of age or older: NO ADVISORY</p>	<p>370 acres</p>	<p>Issued: 02/11/09 Revised: 07/25/18</p>

Name	Causative Pollutants	Type of Advisory	Recommendations	Area Description and/or Size Affected	Date Established
<p>Two O'Clock Bayou</p> <p>LA010301_003 (St. Landry)</p>	<p>Mercury</p>	<p>Advisory fish consumption</p>	<p>Women of childbearing age and children less than seven years of age should consume no more than TWO MEALS PER MONTH of largemouth bass and bowfin combined.</p> <p>Other adults and children seven years of age or older: NO ADVISORY</p>	<p>From Louisiana Hwy. 190 to Craft Lake, includes Cowan Bay, Close Lake, and Craft Lake</p> <p>6.8 miles</p>	<p>Issued: 07/25/18</p>